Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Adaptive systems

Viewing Total Maximum Daily Loads as a Process, Not a Singular Value: Adaptive Watershed Management. — Paul L. Freedman, Adrienne D. Nemura, and David W. Dilks; 130(6), 695-702 (2004).

Admixtures

Migration of Heavy Metals in Saturated Sand and Bentonite/Soil Admixture. — Irene M. C. Lo, Alex F. T. Luk, and Xiaoyun Yang; 130(8), 906-9 (2004).

Adsorption

Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).

Modeling Volatile Organic Compound Sorption in Activated Carbon. II: Multicomponent Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 223-30 (2004).

Equilibrium Adsorption of Phenol-, Tire-, and Coal-Derived Activated Carbons for Organic Vapors. — David Ramirez, Patrick D. Sullivan, Mark J. Rood, and K. James Hay; 130(3), 231-41 (2004).

Electrothermal Desorption Using Joule Effect on an Activated Carbon Monolith. — Feng Dong Yu, Ling Ai Luo, and Georges Grévillot; 130(3), 242-8 (2004).

Adsorption onto Activated Carbon Cloths and Electrothermal Regeneration: Its Potential Industrial Applications. — A. Subrenat and P. Le Cloirec; 130(3), 249-57 (2004).

Capture of Organic Vapors Using Adsorption and Electrothermal Regeneration. — Patrick D. Sullivan, Mark J. Rood, Katherine D. Dombrowski, and K. James Hay; 130(3), 258-67 (2004).

Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).

Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. I: Batch Equilibria and Kinetics. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 374-82 (2004).

Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. II: Equilibria and Kinetic Models. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 383-90 (2004).

Use of Dubinin–Astakhov Equation to Describe Preloading Effect of Natural Organic Matter. — Shaoying Qi; 130(4), 472-7 (2004).

Assessment of Trace Estrogenic Contaminants Removal by Coagulant Addition, Powdered Activated Carbon Adsorption and Powdered Activated Carbon/Microfiltration Processes. — Sheng Chang, T. David Waite, Peter E. A. Ong, Andrea I. Schäfer, and Anthony G. Fane; 130(7), 736-42 (2004).

Evaluation of Metal Attenuation through Paper Clay Utilized for Containment of Contaminated Groundwater. — Charles Ochola and Horace Moo-Young; 130(8), 873-80 (2004).

Characterization of Clay Particle Surfaces for Contaminant Sorption in Soil Barriers Using Flow Microcalorimetry. — Abidin Kaya; 130(8), 918-21 (2004).

Influence of Citrate on Adsorption of Zinc in Soils. — Arthur Paul Schwab, Yinghong He, and Margaret Katherine Banks; 130(10), 1180-7 (2004).

Effect of Moisture on the Adsorption of Volatile Organic Compounds by Zeolite 13×. — Wei-Han Tao, Thomas C.-K. Yang, Yaw-Nan Chang, Li-Kai Chang, and Tsair-Wang Chung; 130(10), 1210-6 (2004).

Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. I: Model Development. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1242-52 (2004).

Removal of 17β Estradiol and Fluoranthene by Nanofiltration and Ultrafiltration. — Yeomin Yoon, Paul Westerhoff, Jaekyung Yoon, and Shane A. Snyder; 130(12), 1460-7 (2004).

Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Aerobic treatment

Fuzzy Controller for Thermophilic Aerobic Digestion Using Nicotinamide Adenine Dinucleotide Fluorescence. — Young-Kee Kim and Jeong-Woo Choi; 130(7), 759-65 (2004).

Effect of Organic Loading Rate on Aerobic Granulation. II: Characteristics of Aerobic Granules. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1102-9 (2004).

Aggregates

Sedimentation of Oil-Mineral Aggregates for Remediation of Vegetable Oil Spills. — Demian E. Wincele, Brian A. Wrenn, and Albert D. Venosa; 130(1), 50-8 (2004).

Air injection

Benzene Nonaqueous Phase Liquids Removal under Air-Sparged Conditions. — Shane W. Rogers, Keh-Ping Chao, and Say Kee Ong; 130(7), 751-8 (2004).

Air pollution

Control of Molybdenum Emission by Sorbents: Equilibrium Analysis. — Kuk Cho and Chang-Yu Wu; 130(2), 201-4 (2004).

Modeling Volatile Organic Compound Sorption in Activated Carbon. I: Dynamics and Single-Component Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 212-22 (2004).

Modeling Volatile Organic Compound Sorption in Activated Carbon. II: Multicomponent Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 223-30 (2004).

Equilibrium Adsorption of Phenol-, Tire-, and Coal-Derived Activated Carbons for Organic Vapors. — David Ramirez, Patrick D. Sullivan, Mark J. Rood, and K. James Hay; 130(3), 231-41 (2004).

Electrothermal Desorption Using Joule Effect on an Activated Carbon Monolith. — Feng Dong Yu, Ling Ai Luo, and Georges Grévillot; 130(3), 242-8 (2004).

Adsorption onto Activated Carbon Cloths and Electrothermal Regeneration: Its Potential Industrial Applications. — A. Subrenat and P. Le Cloirec; 130(3), 249-57 (2004).

Capture of Organic Vapors Using Adsorption and Electrothermal Regeneration. — Patrick D. Sullivan, Mark J. Rood, Katherine D. Dombrowski, and K. James Hay; 130(3), 258-67 (2004).

Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).

Control of Vaporous Naphthalene by Scrubbing with Surfactants. — Chih-Cheng Wu and Whei-May Grace Lee; 130(3), 276-81 (2004).

Influence of Sodium Dodecyl Sulfate and Tween 20 on Fungal Growth and Toluene Degradation in a Vapor-Phase Bioreactor. — Jennifer R. Woertz and Kerry A. Kinney; 130(3), 292-9 (2004).

Optimization of Bioscrubber Performances: Experimental and Modeling Approaches. — Philippe Humeau, Pascaline Pré, and Pierre Le Cloirec; 130(3), 314-21 (2004).

Behavior of Field-Scale Biotrickling Filter under Nonsteady State Conditions. — Duk-Soo Choi, Joseph S. Devinny, and Marc A. Deshusses; 130(3), 322-8 (2004).

Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).

Destruction of 1,1,1-Trichloroethane Using Dielectric Barrier Discharge Nonthermal Plasma. — Sandeep Agnihotri, Mark P. Cal, and Justin Prien; 130(3), 349-55 (2004).

Conversion of Full-Scale Wet Scrubbers to Biotrickling Filters for H_2S Control at Publicly Owned Treatment Works. — David Gabriel, Huub H. J. Cox, and Marc A. Deshusses; 130(10), 1110-7 (2004).

Air stripping

Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).

Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

Air-water interactions

Effect of Temperature on Air-Water Transfer of Hydrogen Sulfide. — Chaturong Yongsiri, Jes Vollertsen, and Thorkild Hvitved-Jacobsen; 130(1), 104-9 (2004).

Airports

Bioclogging of Sand due to Biodegradation of Aircraft Deicing Fluid. — Angela R. Bielefeldt, Tissa Illangasekare, and Rosanna LaPlante; 130(10), 1147-53 (2004).

Alkalinity

Impact of Water Blending on Calcium Carbonate Equilibrium in Water Distribution Systems. — Wojciech Dąbrowski, Robert Buchta, and R. Ian Mackie; 130(9), 1059-62 (2004).

Ammonia
Catalytic Wet Oxidation of Ammonia Solution: Activity of the Copper–Lanthanum–Cerium Composite Catalyst. — Chang-Mao Hung, Jie-Chung Lou, and Chia-Hua Lin; 130(2), 193-200 (2004).

Anaerobic digestion
Radiation-Assisted Process Enhancement in Wastewater Treatment. — Daniel E. Meeroff, Thomas D. Waite, Junko Kazumi, and Charles N. Kurucz; 130(2), 155-66 (2004).
Minimization of Short-Circuiting Flow through Upflow Anaerobic Sludge Blanket Reactor. — Raja Chowdhury and Indu Mehrotra; 130(9), 951-9 (2004).
Improved Anaerobic Process Efficiency Using Mesophilic and Thermophilic Elutriated Phased Treatment. — Moonil Kim, Wookeun Bae, and Richard E. Speece; 130(9), 960-6 (2004).

Anaerobic processes
Effects of Stressed Loading on Startup and Granulation in Upflow Anaerobic Sludge Blanket Reactors. — Kuan-Yeow Show, Joo-Hwa Tay, Limei Yang, Ying Wang, and Choon-Hau Lua; 130(7), 743-50 (2004).
Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W. Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).
Low-Temperature Oxygen Trap for Maintaining Strict Anoxic Conditions. — Byong-Hun Jeon, Brian A. Dempsey, Richard A. Royer, and William D. Burgos; 130(11), 1407-10 (2004).

Aquifers
Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).
Simulating the Effect of Liquid CO_2 on *Cryptosporidium parvum* Oocysts in Aquifer Material. — Susan L. Keller, Michael B. Jenkins, and William C. Ghiorse; 130(12), 1547-51 (2004).

Arsenic
Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).
Stabilization of Arsenite Wastes with Prior Oxidation. — Robert W. Fuessle and Max A. Taylor; 130(9), 1063-6 (2004).

Asia
Forecasting Domestic Water Use in Rapidly Urbanizing Areas in Asia. — Robert M. Bradley; 130(4), 465-71 (2004).

Asphalts
Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Assessment
Systematic Approach for Quick Quality Assessment of Ink Effluents for Treatment and Discharge. — Chee-Yong Chua and Kai-Chee Loh; 130(4), 417-24 (2004).
Statistical Comparison of Bioassays for Assessment of Toxicity of Organic Components of Wastewater to Activated Sludge. — Shijin Ren and Paul D. Frymier; 130(4), 484-8 (2004).

Attenuation
Aqueous and Mineral Intrinsic Bioremediation Assessment: Natural Attenuation. — Lonnie Kennedy, Jess W. Everett, and Jim Gonzales; 130(9), 942-50 (2004).
In Situ Partial Exfiltration of Rainfall Runoff. I: Quality and Quantity Attenuation. — John Sansalone and Zheng Teng; 130(9), 990-1007 (2004).

Australia
Modeling Suspended Sediment during Construction in Great Barrier Reef World Heritage Area. — Tom Hardy, Luciano Mason, Jason McConochie, and Lance Bode; 130(9), 1021-31 (2004).
Environmental Geochemistry of Leachate From Leached Brown Coal Ash. — Gavin M. Mudd, Tamie R. Weaver, and Jayantha Kodikara; 130(12), 1514-26 (2004).

Bacteria
Bacterial Regrowth Model for Water Distribution Systems Incorporating Alternating Split-Operator Solution Technique. — Weidong Zhang, Cass T. Miller, and Francis A. DiGiano; 130(9), 932-41 (2004).

Barriers
Thermodynamic Framework for Analysis of Waste Containment Barrier Materials. — Hilary I. Inyang; 130(8), 836-46 (2004).
A Model of Coupled Heat and Moisture Transport in an Annular Clay Barrier. — L. Rossi, H. I. Inyang, J. Graham-Eagle, and S. Pennell; 130(8), 855-62 (2004).
Specific Surface Area of Barrier Mixtures at Various Outgas Temperatures. — John L. Daniels, Hilary I. Inyang, and Michael Brochu, Jr.; 130(8), 867-72 (2004).
Estimation of Polyethylene Oxide Polymer Train and Loop Densities on Contaminant Barrier Materials. — Hilary I. Inyang and Sunyoung Bae; 130(8), 896-905 (2004).
Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).
Characterization of Clay Particle Surfaces for Contaminant Sorption in Soil Barriers Using Flow Microcalorimetry. — Abidin Kaya; 130(8), 918-21 (2004).

Batch processing
Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. I: Batch Equilibria and Kinetics. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 374-82 (2004).

Bentonite
Migration of Heavy Metals in Saturated Sand and Bentonite/Soil Admixture. — Irene M. C. Lo, Alex F. T. Luk, and Xiaoyun Yang; 130(8), 906-9 (2004).
Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).

Best Management Practice
History of Innovative Best Management Practice Development and its Role in Addressing Water Quality Limited Waterbodies. — George Ice; 130(6), 684-9 (2004).
In Situ Partial Exfiltration of Rainfall Runoff. I: Quality and Quantity Attenuation. — John Sansalone and Zheng Teng; 130(9), 990-1007 (2004).
First Flush Concepts for Suspended and Dissolved Solids in Small Impervious Watersheds. — John J. Sansalone and Chad M. Cristina; 130(11), 1301-14 (2004).

Biodegradation
Sedimentation of Oil-Mineral Aggregates for Remediation of Vegetable Oil Spills. — Demian E. Wincele, Brian A. Wrenn, and Albert D. Venosa; 130(1), 50-8 (2004).
Comparison of Continuous and Sequencing Batch Operated Biofilters for Treatment of Gas-Phase Methyl Ethyl Ketone. — William M. Moe and Congna Li; 130(3), 300-13 (2004).
Biodegradation of 1,4-Dioxane Using Trickling Filter. — Matthew J. Zenker, Robert C. Borden, and Morton A. Barlaz; 130(9), 926-31 (2004).
Engineering Aspects of the Integration of Chemical and Biological Oxidation: Simple Mechanistic Models for the Oxidation Treatment. — Santiago Esplugas, Sandra Contreras, and David F. Ollis; 130(9), 967-74 (2004).
Model Study Based on Experiments on Toluene Vapor Removal in a Biofilter. — Ok-Hyun Park, Soon-Hee Park, and Jeung-Hoon Han; 130(10), 1118-25 (2004).
Bioclogging of Sand due to Biodegradation of Aircraft Deicing Fluid. — Angela R. Bielefeldt, Tissa Illangasekare, and Rosanna LaPlante; 130(10), 1147-53 (2004).
Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W. Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (2004).
High-Rate Biodegradation of Phenol by Aerobically Grown Microbial Granules. — Joo-Hwa Tay, He-Long Jiang, and Stephen Tiong-Lee Tay; 130(12), 1415-23 (2004).

Biofilm
Performance of a Biofilm Airlift Suspension Reactor for Synthetic Wastewater Treatment. — Hui Lin, Say L. Ong, Wun J. Ng, and Eakalak Khan; 130(1), 26-36 (2004).
Removal of a Volatile Organic Compound in a Hybrid Rotating Drum Biofilter. — Chunping Yang, Makram T. Suidan, Xueqing Zhu, and Byung J. Kim; 130(3), 282-91 (2004).
Effect of Organic Loading Rate on Aerobic Granulation. II: Characteristics of Aerobic Granules. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1102-9 (2004).
Model Study Based on Experiments on Toluene Vapor Removal in a Biofilter. — Ok-Hyun Park, Soon-Hee Park, and Jeung-Hoon Han; 130(10), 1118-25 (2004).
Comparative Analysis of Chlorine Dioxide, Free

Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Modeling a Combined Anaerobic/Anoxic Oxide and Rotating Biological Contactors Process under Dissolved Oxygen Variation by Using an Activated Sludge-Biofilm Hybrid Model. — Tzu-Yi Pai, Shun-Hsing Chuang, Yung-Pin Tsai, and Chaio-Fuei Ouyang; 130(12), 1433-41 (2004).

Biological properties

Biological Assessment and Criteria Improve Total Maximum Daily Load Decision Making. — James R. Karr and Chris O. Yoder; 130(6), 594-604 (2004).

Biological treatment

Removal of a Volatile Organic Compound in a Hybrid Rotating Drum Biofilter. — Chunping Yang, Makram T. Suidan, Xueqing Zhu, and Byung J. Kim; 130(3), 282-91 (2004).

Influence of Sodium Dodecyl Sulfate and Tween 20 on Fungal Growth and Toluene Degradation in a Vapor-Phase Bioreactor. — Jennifer R. Woertz and Kerry A. Kinney; 130(3), 292-9 (2004).

Comparison of Continuous and Sequencing Batch Operated Biofilters for Treatment of Gas-Phase Methyl Ethyl Ketone. — William M. Moe and Congna Li; 130(3), 300-13 (2004).

Optimization of Bioscrubber Performances: Experimental and Modeling Approaches. — Philippe Humeau, Pascaline Pré, and Pierre Le Cloirec; 130(3), 314-21 (2004).

Behavior of Field-Scale Biotrickling Filter under Nonsteady State Conditions. — Duk-Soo Choi, Joseph S. Devinny, and Marc A. Deshusses; 130(3), 322-8 (2004).

Aqueous and Mineral Intrinsic Bioremediation Assessment: Natural Attenuation. — Lonnie Kennedy, Jess W. Everett, and Jim Gonzales; 130(9), 942-50 (2004).

Improved Anaerobic Process Efficiency Using Mesophilic and Thermophilic Elutriated Phased Treatment. — Moonil Kim, Wookeun Bae, and Richard E. Speece; 130(9), 960-6 (2004).

Engineering Aspects of the Integration of Chemical and Biological Oxidation: Simple Mechanistic Models for the Oxidation Treatment. — Santiago Esplugas, Sandra Contreras, and David F. Ollis; 130(9), 967-74 (2004).

Conversion of Full-Scale Wet Scrubbers to Biotrickling Filters for H_2S Control at Publicly Owned Treatment Works. — David Gabriel, Huub H. J. Cox, and Marc A. Deshusses; 130(10), 1110-7 (2004).

Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (2004).

Modeling a Combined Anaerobic/Anoxic Oxide and Rotating Biological Contactors Process under Dissolved Oxygen Variation by Using an Activated Sludge-Biofilm Hybrid Model. — Tzu-Yi Pai, Shun-Hsing Chuang, Yung-Pin Tsai, and Chaio-Fuei Ouyang; 130(12), 1433-41 (2004).

Biomass

Removal of a Volatile Organic Compound in a Hybrid Rotating Drum Biofilter. — Chunping Yang, Makram T. Suidan, Xueqing Zhu, and Byung J. Kim; 130(3), 282-91 (2004).

Effect of Organic Loading Rate on Aerobic Granulation. I: Reactor Performance. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1094-101 (2004).

Effect of Organic Loading Rate on Aerobic Granulation. II: Characteristics of Aerobic Granules. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1102-9 (2004).

Brazil

Effects of Lime on Permeability and Compressibility of Two Tropical Residual Soils. — T. Cássia de Brito Galvão, Ahmed Elsharief , and Gustavo Ferreira Simões; 130(8), 881-5 (2004).

Bubbles

Aerated Grit Chambers Hydraulic Design Equation. — Jerzy M. Sawicki; 130(9), 1050-8 (2004).

Air Binding of Granular Media Filters. — Paolo Scardina and Marc Edwards; 130(10), 1126-38 (2004).

Cadmium

Long-Term Solidification/Stabilization and Toxicity Characteristic Leaching Procedure for an Electric Arc Furnace Dust. — Robert W. Fuessle and Max A. Taylor; 130(5), 492-8 (2004).

Complicating Factors of Using Ethylenediamine Tetraacetic Acid to Enhance Electrokinetic Remediation of Multiple Heavy Metals in Clayey Soils. — Krishna R. Reddy, Swapna Danda, and Richard E. Saichek; 130(11), 1357-66 (2004).

Calcium

Impact of Reaction Conditions on MnO_2 Genesis during Permanganate Oxidation. — Michelle L. Crimi and Robert L. Siegrist; 130(5), 562-72 (2004).

Calcium carbonate

Impact of Water Blending on Calcium Carbonate Equilibrium in Water Distribution Systems. — Wojciech Dąbrowski, Robert Buchta, and R. Ian Mackie; 130(9), 1059-62 (2004).

Calibration

Assessment of Agricultural NonPoint Source Model for a Watershed in Tropical Environment. — Mukand Singh Babel, Mohamed Mujithaba Mohamed Najim, and Rainer Loof; 130(9), 1032-41 (2004).

Canada

Global Predictive Real-Time Control of Sewers Allowing Surcharged Flows. — Sophie Duchesne, Alain Mailhot , and Jean-Pierre Villeneuve; 130(5), 526-34 (2004).

Natural Oxidant Demand of Aquifer Materials Using the Push-Pull Technique. — Kevin G. Mumford, Coby S. Lamarche, and Neil R. Thomson; 130(10), 1139-46 (2004).

Carbon dioxide

Determining the Volatile Fatty Acid Equivalent in Thermophilic Aerobically Digested Sludge Supernatant. — J. Z. Li, D. S. Mavinic, and H. G. Kelly; 130(4), 397-407 (2004).

Cements

Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).

Chelating agents

Complicating Factors of Using Ethylenediamine Tetraacetic Acid to Enhance Electrokinetic Remediation of Multiple Heavy Metals in Clayey Soils. — Krishna R. Reddy, Swapna Danda, and Richard E. Saichek; 130(11), 1357-66 (2004).

Chemical equilibrium

Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).

Impact of Water Blending on Calcium Carbonate Equilibrium in Water Distribution Systems. — Wojciech Dąbrowski, Robert Buchta, and R. Ian Mackie; 130(9), 1059-62 (2004).

Chemical treatment

Engineering Aspects of the Integration of Chemical and Biological Oxidation: Simple Mechanistic Models for the Oxidation Treatment. — Santiago Esplugas, Sandra Contreras, and David F. Ollis; 130(9), 967-74 (2004).

Chesapeake Bay

Managing for Water Clarity in Chesapeake Bay. — Carl F. Cerco, Mark R. Noel, and Lewis Linker; 130(6), 631-42 (2004).

China

Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).

Chlorides

Impact of Increased Chloride Concentration on Nitrifying-Activated Sludge Cultures. — Guang-Hao Chen and Man-Tak Wong; 130(2), 116-25 (2004).

Influence of Solution pH and Ionic Strength on Chromate Uptake by Surfactant-Modified Zeolite. — Zhaohui Li; 130(2), 205-8 (2004).

Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).

Chlorination

Performance of a Biofilm Airlift Suspension Reactor for Synthetic Wastewater Treatment. — Hui Lin, Say L. Ong, Wun J. Ng, and Eakalak Khan; 130(1), 26-36 (2004).

Electrochemical Wastewater Disinfection: Identification of Its Principal Germicidal Actions. — X. Y. Li, H. F. Diao, F. X. J. Fan, J. D. Gu, F. Ding, and A. S. F. Tong; 130(10), 1217-21 (2004).

Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Chlorine

Control of Molybdenum Emission by Sorbents: Equilibrium Analysis. — Kuk Cho and Chang-Yu Wu; 130(2), 201-4 (2004).

Spatial Diversity of Chlorine Residual in a Drink-

ing Water Distribution System. — Lienyao Lee, Chungsying Lu, and Shyang-Lai Kung; 130(11), 1263-8 (2004).

Chromates

Influence of Solution pH and Ionic Strength on Chromate Uptake by Surfactant-Modified Zeolite. — Zhaohui Li; 130(2), 205-8 (2004).

Chromium

Cation Effects on Chromium Removal in Permeable Reactive Walls. — Andrew Karvonen; 130(8), 863-6 (2004).

Complicating Factors of Using Ethylenediamine Tetraacetic Acid to Enhance Electrokinetic Remediation of Multiple Heavy Metals in Clayey Soils. — Krishna R. Reddy, Swapna Danda, and Richard E. Saichek; 130(11), 1357-66 (2004).

Cisterns

Performance of a Biofilm Airlift Suspension Reactor for Synthetic Wastewater Treatment. — Hui Lin, Say L. Ong, Wun J. Ng, and Eakalak Khan; 130(1), 26-36 (2004).

Photochemical Remediation of Tetrachloroethylene: Reactor Design, Construction, and Preliminary Results. — Kenneth Y. Lee, Jeong-Yub Lee, Johannes Khinast, Joseph R. Stencel, and Moshe Lavid; 130(1), 100-3 (2004).

Effect of Organic Loading Rate on Aerobic Granulation. I: Reactor Performance. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1094-101 (2004).

Clay liners

Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).

A Model of Coupled Heat and Moisture Transport in an Annular Clay Barrier. — L. Rossi, H. I. Inyang, J. Graham-Eagle, and S. Pennell; 130(8), 855-62 (2004).

Estimation of Polyethylene Oxide Polymer Train and Loop Densities on Contaminant Barrier Materials. — Hilary I. Inyang and Sunyoung Bae; 130(8), 896-905 (2004).

Clays

Enhanced Electrokinetic Remediation of Heavy Metals in Glacial Till Soils Using Different Electrolyte Solutions. — Krishna R. Reddy and Supraja Chinthamreddy; 130(4), 442-55 (2004).

Evaluation of Metal Attenuation through Paper Clay Utilized for Containment of Contaminated Groundwater. — Charles Ochola and Horace Moo-Young; 130(8), 873-80 (2004).

Fiber Reinforcement for Waste Containment Soil Liners. — Carol J. Miller and Sami Rifai; 130(8), 891-5 (2004).

Characterization of Clay Particle Surfaces for Contaminant Sorption in Soil Barriers Using Flow Microcalorimetry. — Abidin Kaya; 130(8), 918-21 (2004).

Coagulation

Assessment of Trace Estrogenic Contaminants Removal by Coagulant Addition, Powdered Activated Carbon Adsorption and Powdered Activated Carbon/Microfiltration Processes. — Sheng Chang, T. David Waite, Peter E. A. Ong, Andrea I. Schäfer, and Anthony G. Fane; 130(7), 736-42 (2004).

Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Zeta Potential, Dissolved Organic Carbon, and Removal of *Cryptosporidium* Oocysts by Coagulation and Sedimentation. — Irene Xagoraraki and Gregory W. Harrington; 130(12), 1424-32 (2004).

Coal

Equilibrium Adsorption of Phenol-, Tire-, and Coal-Derived Activated Carbons for Organic Vapors. — David Ramirez, Patrick D. Sullivan, Mark J. Rood, and K. James Hay; 130(3), 231-41 (2004).

Environmental Geochemistry of Leachate From Leached Brown Coal Ash. — Gavin M. Mudd, Tamie R. Weaver, and Jayantha Kodikara; 130(12), 1514-26 (2004).

Coal mines

Long-Term Behavior of Fixated Flue Gas Desulfurization Material Grout in Mine Drainage Environments. — Panuwat Taerakul, Mikko Lamminen, Yontian He, Harold W. Walker, Samuel J. Traina, and Earl Whitlatch; 130(7), 816-23 (2004).

Coal tar

Modeling Long-Term Transport of Contaminants Resulting from Dissolution of a Coal Tar Pool in Saturated Porous Media. — Kenneth Y. Lee; 130(12), 1507-13 (2004).

Coastal management

Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).

Coliforms

Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).

Columns

Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).

Combined sewer overflow

Global Predictive Real-Time Control of Sewers Allowing Surcharged Flows. — Sophie Duchesne, Alain Mailhot , and Jean-Pierre Villeneuve; 130(5), 526-34 (2004).

Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).

Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).

Combustion

Control of Molybdenum Emission by Sorbents: Equilibrium Analysis. — Kuk Cho and Chang-Yu Wu; 130(2), 201-4 (2004).

Composite materials

Flow of Gasoline through Composite Liners. — Xiaoyun Yang and Irene M. C. Lo; 130(8), 886-90 (2004).

Computation

Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).

Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. I: Sensitivity Analysis. — Michael Piasecki; 130(11), 1322-34 (2004).

Computational fluid dynamic technique

Computational Study of Particle-Eddy Interaction in Sedimentation Tanks. — S. Jayanti and S. Narayanan; 130(1), 37-49 (2004).

Construction

Photochemical Remediation of Tetrachloroethylene: Reactor Design, Construction, and Preliminary Results. — Kenneth Y. Lee, Jeong-Yub Lee, Johannes Khinast, Joseph R. Stencel, and Moshe Lavid; 130(1), 100-3 (2004).

Contactors

Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

Containment

A Model of Coupled Heat and Moisture Transport in an Annular Clay Barrier. — L. Rossi, H. I. Inyang, J. Graham-Eagle, and S. Pennell; 130(8), 855-62 (2004).

Fiber Reinforcement for Waste Containment Soil Liners. — Carol J. Miller and Sami Rifai; 130(8), 891-5 (2004).

Estimation of Polyethylene Oxide Polymer Train and Loop Densities on Contaminant Barrier Materials. — Hilary I. Inyang and Sunyoung Bae; 130(8), 896-905 (2004).

Contaminants

Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).

Comparison of Continuous and Sequencing Batch Operated Biofilters for Treatment of Gas-Phase Methyl Ethyl Ketone. — William M. Moe and Congna Li; 130(3), 300-13 (2004).

Impact of Reaction Conditions on MnO_2 Genesis during Permanganate Oxidation. — Michelle L. Crimi and Robert L. Siegrist; 130(5), 562-72 (2004).

Assessment of Trace Estrogenic Contaminants Removal by Coagulant Addition, Powdered Activated Carbon Adsorption and Powdered Activated Carbon/Microfiltration Processes. — Sheng Chang, T. David Waite, Peter E. A. Ong, Andrea I. Schäfer, and Anthony G. Fane; 130(7), 736-42 (2004).

Thermodynamic Framework for Analysis of Waste Containment Barrier Materials. — Hilary I. Inyang; 130(8), 836-46 (2004).

Evaluation of Metal Attenuation through Paper Clay Utilized for Containment of Contaminated Groundwater. — Charles Ochola and Horace Moo-Young; 130(8), 873-80 (2004).

Characterization of Clay Particle Surfaces for Contaminant Sorption in Soil Barriers Using Flow Microcalorimetry. — Abidin Kaya; 130(8), 918-21 (2004).

Aqueous and Mineral Intrinsic Bioremediation As-

sessment: Natural Attenuation. — Lonnie Kennedy, Jess W. Everett, and Jim Gonzales; 130(9), 942-50 (2004).

Contamination

Cation Effects on Chromium Removal in Permeable Reactive Walls. — Andrew Karvonen; 130(8), 863-6 (2004).

Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).

Influence of Citrate on Adsorption of Zinc in Soils. — Arthur Paul Schwab, Yinghong He, and Margaret Katherine Banks; 130(10), 1180-7 (2004).

Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Continuum mechanics

Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Control methods

Fuzzy Controller for Thermophilic Aerobic Digestion Using Nicotinamide Adenine Dinucleotide Fluorescence. — Young-Kee Kim and Jeong-Woo Choi; 130(7), 759-65 (2004).

Conversion

Conversion of Full-Scale Wet Scrubbers to Biotrickling Filters for H_2S Control at Publicly Owned Treatment Works. — David Gabriel, Huub H. J. Cox, and Marc A. Deshusses; 130(10), 1110-7 (2004).

Copper

Importance of Pb and Cu Particulate Species for Corrosion Control. — Laurie S. McNeill and Marc Edwards; 130(2), 136-44 (2004).

Metal Recovery and Catalyst Reuse from the Photocatalytic Oxidation of Copper-Ethylenediaminetetraacetic Acid. — Kurt R. Rhoads and Allen P. Davis; 130(4), 425-31 (2004).

Corrosion

Iron Corrosion Scales: Model for Scale Growth, Iron Release, and Colored Water Formation. — P. Sarin, V. L. Snoeyink, D. A. Lytle, and W. M. Kriven; 130(4), 364-73 (2004).

Corrosion control

Importance of Pb and Cu Particulate Species for Corrosion Control. — Laurie S. McNeill and Marc Edwards; 130(2), 136-44 (2004).

Cracking

Fiber Reinforcement for Waste Containment Soil Liners. — Carol J. Miller and Sami Rifai; 130(8), 891-5 (2004).

Estimation of Polyethylene Oxide Polymer Train and Loop Densities on Contaminant Barrier Materials. — Hilary I. Inyang and Sunyoung Bae; 130(8), 896-905 (2004).

Crossflow

Membrane Fouling Test: Apparatus Evaluation. — D. B. Mosqueda-Jimenez, R. M. Narbaitz, and T. Matsuura; 130(1), 90-9 (2004).

Crude oil

Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).

Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Dams

Tracer Study of Mixing and Transport in the Upper Hudson River with Multiple Dams. — Theodore Caplow, Peter Schlosser, and David T. Ho; 130(12), 1498-506 (2004).

Data analysis

Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).

Decision making

Biological Assessment and Criteria Improve Total Maximum Daily Load Decision Making. — James R. Karr and Chris O. Yoder; 130(6), 594-604 (2004).

Decision support systems

Decision Support System for Stakeholder Involvement. — Carl W. Chen, Joel Herr, and Laura Weintraub; 130(6), 714-21 (2004).

Degradation

Impact of Reaction Conditions on MnO_2 Genesis during Permanganate Oxidation. — Michelle L. Crimi and Robert L. Siegrist; 130(5), 562-72 (2004).

Denitrification

Treatment of High Nitrate-Containing Wastewaters by Sequential Heterotrophic and Autotrophic Denitrification. — Sungyoun Kim, Hyejung Jung, Kwang-Soo Kim, and In S. Kim; 130(12), 1475-80 (2004).

Desiccation

Fiber Reinforcement for Waste Containment Soil Liners. — Carol J. Miller and Sami Rifai; 130(8), 891-5 (2004).

Estimation of Polyethylene Oxide Polymer Train and Loop Densities on Contaminant Barrier Materials. — Hilary I. Inyang and Sunyoung Bae; 130(8), 896-905 (2004).

Design

Photochemical Remediation of Tetrachloroethylene: Reactor Design, Construction, and Preliminary Results. — Kenneth Y. Lee, Jeong-Yub Lee, Johannes Khinast, Joseph R. Stencel, and Moshe Lavid; 130(1), 100-3 (2004).

A Model of Coupled Heat and Moisture Transport in an Annular Clay Barrier. — L. Rossi, H. I. Inyang, J. Graham-Eagle, and S. Pennell; 130(8), 855-62 (2004).

Desorption

Release of Polychlorinated Biphenyls from River Sediment to Water under Low-Flow Conditions: Laboratory Assessment. — Enrique Ortiz, Richard G. Luthy, David A. Dzombak, and John R. Smith; 130(2), 126-35 (2004).

Electrothermal Desorption Using Joule Effect on an Activated Carbon Monolith. — Feng Dong Yu, Ling Ai Luo, and Georges Grévillot; 130(3), 242-8 (2004).

Adsorption onto Activated Carbon Cloths and Electrothermal Regeneration: Its Potential Industrial Applications. — A. Subrenat and P. Le Cloirec; 130(3), 249-57 (2004).

Characterizing Polyurethane Foam as a Sink for or Source of Volatile Organic Compounds in Indoor Air. — Dongye Zhao, John C. Little, and Steven S. Cox; 130(9), 983-9 (2004).

Differential equations

Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

Diffusion

Release of Polychlorinated Biphenyls from River Sediment to Water under Low-Flow Conditions: Laboratory Assessment. — Enrique Ortiz, Richard G. Luthy, David A. Dzombak, and John R. Smith; 130(2), 126-35 (2004).

Characterizing Polyurethane Foam as a Sink for or Source of Volatile Organic Compounds in Indoor Air. — Dongye Zhao, John C. Little, and Steven S. Cox; 130(9), 983-9 (2004).

Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. I: Model Development. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1242-52 (2004).

Diffusion coefficient

Benzene Nonaqueous Phase Liquids Removal under Air-Sparged Conditions. — Shane W. Rogers, Keh-Ping Chao, and Say Kee Ong; 130(7), 751-8 (2004).

Digestion

Determining the Volatile Fatty Acid Equivalent in Thermophilic Aerobically Digested Sludge Supernatant. — J. Z. Li, D. S. Mavinic, and H. G. Kelly; 130(4), 397-407 (2004).

Dimensional analysis

Collection Conduits Including Subsurface Drains. — S. David Graber; 130(1), 67-80 (2004).

Minimization of Short-Circuiting Flow through Upflow Anaerobic Sludge Blanket Reactor. — Raja Chowdhury and Indu Mehrotra; 130(9), 951-9 (2004).

Disasters

Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).

Disinfection

Electrochemical Wastewater Disinfection: Identification of Its Principal Germicidal Actions. — X. Y. Li, H. F. Diao, F. X. J. Fan, J. D. Gu, F. Ding, and A. S. F. Tong; 130(10), 1217-21 (2004).

Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Dispersion

Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).

Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Tracer Study of Mixing and Transport in the Upper

Hudson River with Multiple Dams. — Theodore Caplow, Peter Schlosser, and David T. Ho; 130(12), 1498-506 (2004).

Dissolved oxygen

Oxygen Sag Models for Multiorder Biochemical Oxygen Demand Reactions. — Donald Dean Adrian, Emerald M. Roider, and Thomas G. Sanders; 130(7), 784-91 (2004).

Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. I: Sensitivity Analysis. — Michael Piasecki; 130(11), 1322-34 (2004).

Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. II: Optimal Load Control. — Michael Piasecki; 130(11), 1335-44 (2004).

Distribution functions

Evaluation of Metal Attenuation through Paper Clay Utilized for Containment of Contaminated Groundwater. — Charles Ochola and Horace Moo-Young; 130(8), 873-80 (2004).

Drainage

Long-Term Behavior of Fixated Flue Gas Desulfurization Material Grout in Mine Drainage Environments. — Panuwat Taerakul, Mikko Lamminen, Yontian He, Harold W. Walker, Samuel J. Traina, and Earl Whitlatch; 130(7), 816-23 (2004).

Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).

Dredge spoils

Retardation of Dredged Material Leachate in Foundation Soils. — Paul R. Schroeder and Nadim M. Aziz; 130(12), 1543-6 (2004).

Durability

Assessment of Fossil Fuel Fly Ash Formulations in the Immobilization of Hazardous Wastes. — M. W. Abdel Raouf and H. G. Nowier; 130(5), 499-507 (2004).

Dust

Long-Term Solidification/Stabilization and Toxicity Characteristic Leaching Procedure for an Electric Arc Furnace Dust. — Robert W. Fuessle and Max A. Taylor; 130(5), 492-8 (2004).

Dynamics

Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

Ecology

Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

Effluents

Systematic Approach for Quick Quality Assessment of Ink Effluents for Treatment and Discharge. — Chee-Yong Chua and Kai-Chee Loh; 130(4), 417-24 (2004).

Electrokinetics

Enhanced Electrokinetic Remediation of Heavy Metals in Glacial Till Soils Using Different Electrolyte Solutions. — Krishna R. Reddy and Supraja Chinthamreddy; 130(4), 442-55 (2004).

Complicating Factors of Using Ethylenediamine Tetraacetic Acid to Enhance Electrokinetic Remediation of Multiple Heavy Metals in Clayey Soils. — Krishna R. Reddy, Swapna Danda, and Richard E. Saichek; 130(11), 1357-66 (2004).

Emission control

Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).

Control of Molybdenum Emission by Sorbents: Equilibrium Analysis. — Kuk Cho and Chang-Yu Wu; 130(2), 201-4 (2004).

Emission standards

Destruction of 1,1,1-Trichloroethane Using Dielectric Barrier Discharge Nonthermal Plasma. — Sandeep Agnihotri, Mark P. Cal, and Justin Prien; 130(3), 349-55 (2004).

Emissions

Life-Cycle Inventory of Municipal Solid Waste and Yard Waste Windrow Composting in the United States. — Dimitris P. Komilis and Robert K. Ham; 130(11), 1390-400 (2004).

Emulsions

Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Energy recovery systems

Stochastic Model for Landfill Gas Transport and Energy Recovery. — Nadim K. Copty, Didar Ergene, and Turgut T. Onay; 130(9), 1042-9 (2004).

Environmental impacts

Environmental Impact of Solid Waste Treatment Methods in Korea. — Seongwon Seo, Toshiya Aramaki, Yongwoo Hwang, and Keisuke Hanaki; 130(1), 81-9 (2004).

Environmental Geochemistry of Leachate From Leached Brown Coal Ash. — Gavin M. Mudd, Tamie R. Weaver, and Jayantha Kodikara; 130(12), 1514-26 (2004).

Environmental issues

Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).

Equilibrium

Modeling Volatile Organic Compound Sorption in Activated Carbon. II: Multicomponent Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 223-30 (2004).

Erosion

Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

Error analysis

Environmental Index for Assessing Spatial Bias in Watershed Sampling Networks. — Alison C. Simcox and Ray C. Whittemore; 130(6), 622-30 (2004).

Importance of Field Data in Stream Water Quality Modeling Using *QUAL2E-UNCAS*. — Thomas O. Barnwell, Jr., Linfield C. Brown, and Raymond C. Whittemore; 130(6), 643-7 (2004).

Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).

Estuaries

Hydraulic Study of the Onset of Hypoxia in the Tone River Estuary. — T. Ishikawa, T. Suzuki, and X. Qian; 130(5), 551-61 (2004).

Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. II: Optimal Load Control. — Michael Piasecki; 130(11), 1335-44 (2004).

Eutrophication

Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).

Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Experimentation

Permeation of Organics through Linear Low Density Polyethylene Geomembranes under Mechanical Deformation. — Juan Hinestroza and Daniel De Kee; 130(12), 1468-74 (2004).

Extraction procedures

Chelating-Agent-Enhanced Heavy Metal Extraction from a Contaminated Acidic Soil. — Teik-Thye Lim, Joo-Hwa Tay, and Jing-Yuan Wang; 130(1), 59-66 (2004).

Fiber reinforced materials

Fiber Reinforcement for Waste Containment Soil Liners. — Carol J. Miller and Sami Rifai; 130(8), 891-5 (2004).

Field investigations

Importance of Field Data in Stream Water Quality Modeling Using *QUAL2E-UNCAS*. — Thomas O. Barnwell, Jr., Linfield C. Brown, and Raymond C. Whittemore; 130(6), 643-7 (2004).

Field tests

Hybrid-Cells-in-Series Model for Solute Transport in a River. — Narayan C. Ghosh, Govinda C. Mishra, and Chandra Shekhar P. Ojha; 130(10), 1198-209 (2004).

Filters

Modeling Volatile Organic Compound Sorption in Activated Carbon. I: Dynamics and Single-Component Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 212-22 (2004).

Removal of a Volatile Organic Compound in a Hybrid Rotating Drum Biofilter. — Chunping Yang, Makram T. Suidan, Xueqing Zhu, and Byung J. Kim; 130(3), 282-91 (2004).

Behavior of Field-Scale Biotrickling Filter under Nonsteady State Conditions. — Duk-Soo Choi, Joseph S. Devinny, and Marc A. Deshusses; 130(3), 322-8 (2004).

Model Study Based on Experiments on Toluene Vapor Removal in a Biofilter. — Ok-Hyun Park, Soon-Hee Park, and Jeung-Hoon Han; 130(10), 1118-25 (2004).

Filtration

Microfiltration of a Dental Wastewater for Hg Removal: Clinic Demonstration. — Brian E. Reed, Michael D. Bagby, and Ronald L. Vaughan, Jr.; 130(1), 12-6 (2004).

Membrane Fouling Test: Apparatus Evaluation. — D. B. Mosqueda-Jimenez, R. M. Narbaitz, and T. Matsuura; 130(1), 90-9 (2004).

In Situ Partial Exfiltration of Rainfall Runoff. II:

Particle Separation. — Zheng Teng and John Sansalone; 130(9), 1008-20 (2004).
Air Binding of Granular Media Filters. — Paolo Scardina and Marc Edwards; 130(10), 1126-38 (2004).
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. I: Model Development. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1242-52 (2004).
Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).
Removal of 17β Estradiol and Fluoranthene by Nanofiltration and Ultrafiltration. — Yeomin Yoon, Paul Westerhoff, Jaekyung Yoon, and Shane A. Snyder; 130(12), 1460-7 (2004).

First-flush

First Flush Concepts for Suspended and Dissolved Solids in Small Impervious Watersheds. — John J. Sansalone and Chad M. Cristina; 130(11), 1301-14 (2004).

Fisheries

Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).

Flocculation

Role of Bioflocculation on Chemical Oxygen Demand Removal in Solids Contact Chamber of Trickling Filter/Solids Contact Process. — Enrique J. La Motta, José A. Jiménez, Juan C. Josse, and Alfonso Manrique; 130(7), 726-35 (2004).
Properties of Four Biological Flocs as Related to Settling. — Delia Teresa Sponza; 130(11), 1289-300 (2004).
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Flood peaks

HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).

Fly ash

Assessment of Fossil Fuel Fly Ash Formulations in the Immobilization of Hazardous Wastes. — M. W. Abdel Raouf and H. G. Nowier; 130(5), 499-507 (2004).
Environmental Geochemistry of Leachate From Leached Brown Coal Ash. — Gavin M. Mudd, Tamie R. Weaver, and Jayantha Kodikara; 130(12), 1514-26 (2004).
Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Fossil fuels

Assessment of Fossil Fuel Fly Ash Formulations in the Immobilization of Hazardous Wastes. — M. W. Abdel Raouf and H. G. Nowier; 130(5), 499-507 (2004).

Fouling

Membrane Fouling Test: Apparatus Evaluation. — D. B. Mosqueda-Jimenez, R. M. Narbaitz, and T. Matsuura; 130(1), 90-9 (2004).
Impact of Membrane Surface Modification on the Treatment of Surface Water. — Daniella B. Mosqueda-Jimenez, Roberto M. Narbaitz, and Takeshi Matsuura; 130(12), 1450-9 (2004).

Foundations

Retardation of Dredged Material Leachate in Foundation Soils. — Paul R. Schroeder and Nadim M. Aziz; 130(12), 1543-6 (2004).

Fractures

Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Freeze-thaw

Simulating the Effect of Liquid CO_2 on *Cryptosporidium parvum* Oocysts in Aquifer Material. — Susan L. Keller, Michael B. Jenkins, and William C. Ghiorse; 130(12), 1547-51 (2004).
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (2004).

Fuzzy sets

Fuzzy Controller for Thermophilic Aerobic Digestion Using Nicotinamide Adenine Dinucleotide Fluorescence. — Young-Kee Kim and Jeong-Woo Choi; 130(7), 759-65 (2004).

Gas flow

Stochastic Model for Landfill Gas Transport and Energy Recovery. — Nadim K. Copty, Didar Ergene, and Turgut T. Onay; 130(9), 1042-9 (2004).

Gas pipelines

Flow of Gasoline through Composite Liners. — Xiaoyun Yang and Irene M. C. Lo; 130(8), 886-90 (2004).

Geomembranes

Mass Transfer of Organic Compounds in Dilute Aqueous Solutions into High Density Polyethylene Geomembranes. — Jin Chul Joo, Jae Young Kim, and Kyoungphile Nam; 130(2), 175-83 (2004).
Permeation of Organics through Linear Low Density Polyethylene Geomembranes under Mechanical Deformation. — Juan Hinestroza and Daniel De Kee; 130(12), 1468-74 (2004).

Germany

Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Granular materials

High-Rate Biodegradation of Phenol by Aerobically Grown Microbial Granules. — Joo-Hwa Tay, He-Long Jiang, and Stephen Tiong-Lee Tay; 130(12), 1415-23 (2004).

Granular media

Air Binding of Granular Media Filters. — Paolo Scardina and Marc Edwards; 130(10), 1126-38 (2004).

Gravity sewers

Modeling Hydrogen Sulfide Emission Rates in Gravity Sewage Collection Systems. — Ori Lahav, Yue Lu, Uri Shavit, and Richard E Loewenthal; 130(11), 1382-9 (2004).

Ground water

Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).
Cation Effects on Chromium Removal in Permeable Reactive Walls. — Andrew Karvonen; 130(8), 863-6 (2004).
Natural Oxidant Demand of Aquifer Materials Using the Push-Pull Technique. — Kevin G. Mumford, Coby S. Lamarche, and Neil R. Thomson; 130(10), 1139-46 (2004).
Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W. Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).

Ground-water pollution

UNIFAC Modeling of Cosolvent Phase Partitioning in Nonaqueous Phase Liquid-Water Systems. — Kenneth Y. Lee and Catherine A. Peters; 130(4), 478-83 (2004).
Long-Term Behavior of Fixated Flue Gas Desulfurization Material Grout in Mine Drainage Environments. — Panuwat Taerakul, Mikko Lamminen, Yontian He, Harold W. Walker, Samuel J. Traina, and Earl Whitlatch; 130(7), 816-23 (2004).
Evaluation of Metal Attenuation through Paper Clay Utilized for Containment of Contaminated Groundwater. — Charles Ochola and Horace Moo-Young; 130(8), 873-80 (2004).
Biodegradation of 1,4-Dioxane Using Trickling Filter. — Matthew J. Zenker, Robert C. Borden, and Morton A. Barlaz; 130(9), 926-31 (2004).
Modeling Long-Term Transport of Contaminants Resulting from Dissolution of a Coal Tar Pool in Saturated Porous Media. — Kenneth Y. Lee; 130(12), 1507-13 (2004).

Grouting

Long-Term Behavior of Fixated Flue Gas Desulfurization Material Grout in Mine Drainage Environments. — Panuwat Taerakul, Mikko Lamminen, Yontian He, Harold W. Walker, Samuel J. Traina, and Earl Whitlatch; 130(7), 816-23 (2004).

Hazardous wastes

Assessment of Fossil Fuel Fly Ash Formulations in the Immobilization of Hazardous Wastes. — M. W. Abdel Raouf and H. G. Nowier; 130(5), 499-507 (2004).

Head loss

Air Binding of Granular Media Filters. — Paolo Scardina and Marc Edwards; 130(10), 1126-38 (2004).

Health care facilities

Microfiltration of a Dental Wastewater for Hg Removal: Clinic Demonstration. — Brian E. Reed, Michael D. Bagby, and Ronald L. Vaughan, Jr.; 130(1), 12-6 (2004).

Heavy metals
Chelating-Agent-Enhanced Heavy Metal Extraction from a Contaminated Acidic Soil. — Teik-Thye Lim, Joo-Hwa Tay, and Jing-Yuan Wang; 130(1), 59-66 (2004).
Enhanced Electrokinetic Remediation of Heavy Metals in Glacial Till Soils Using Different Electrolyte Solutions. — Krishna R. Reddy and Supraja Chinthamreddy; 130(4), 442-55 (2004).
Lead Extraction from Contaminated Soil Using Water-Soluble Polymers. — Nancy N. Sauer, Deborah S. Ehler, and Brandy L. Duran; 130(5), 585-8 (2004).
Migration of Heavy Metals in Saturated Sand and Bentonite/Soil Admixture. — Irene M. C. Lo, Alex F. T. Luk, and Xiaoyun Yang; 130(8), 906-9 (2004).
Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).
Influence of Citrate on Adsorption of Zinc in Soils. — Arthur Paul Schwab, Yinghong He, and Margaret Katherine Banks; 130(10), 1180-7 (2004).
Complicating Factors of Using Ethylenediamine Tetraacetic Acid to Enhance Electrokinetic Remediation of Multiple Heavy Metals in Clayey Soils. — Krishna R. Reddy, Swapna Danda, and Richard E. Saichek; 130(11), 1357-66 (2004).
Prediction of Gradation-Based Heavy Metal Mass Using Granulometric Indices of Snowmelt Particles. — John J. Sansalone and Chad M. Cristina; 130(12), 1488-97 (2004).

Hong Kong
Impact of Increased Chloride Concentration on Nitrifying-Activated Sludge Cultures. — Guang-Hao Chen and Man-Tak Wong; 130(2), 116-25 (2004).
Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).

Hudson River
Tracer Study of Mixing and Transport in the Upper Hudson River with Multiple Dams. — Theodore Caplow, Peter Schlosser, and David T. Ho; 130(12), 1498-506 (2004).

Hybrid methods
Assessment of Trace Estrogenic Contaminants Removal by Coagulant Addition, Powdered Activated Carbon Adsorption and Powdered Activated Carbon/Microfiltration Processes. — Sheng Chang, T. David Waite, Peter E. A. Ong, Andrea I. Schäfer, and Anthony G. Fane; 130(7), 736-42 (2004).

Hydraulic conductivity
Estimation of Soil–Water Characteristic Curve of Clayey Till Using Measured Pore-Size Distributions. — Paul H. Simms and Ernest K. Yanful; 130(8), 847-54 (2004).
Flow of Gasoline through Composite Liners. — Xiaoyun Yang and Irene M. C. Lo; 130(8), 886-90 (2004).
Migration of Heavy Metals in Saturated Sand and Bentonite/Soil Admixture. — Irene M. C. Lo, Alex F. T. Luk, and Xiaoyun Yang; 130(8), 906-9 (2004).
Bioclogging of Sand due to Biodegradation of Aircraft Deicing Fluid. — Angela R. Bielefeldt, Tissa Illangasekare, and Rosanna LaPlante; 130(10), 1147-53 (2004).

Hydraulic design
Collection Conduits Including Subsurface Drains. — S. David Graber; 130(1), 67-80 (2004).
Aerated Grit Chambers Hydraulic Design Equation. — Jerzy M. Sawicki; 130(9), 1050-8 (2004).

Hydraulic loads
Utility of Column Lysimeter for Design of Soil Aquifer Treatment System for Wastewater Renovation Using Artificial Neural Networks. — P. Nema, A. Chelani, C. S. P. Ojha, Arvind Kumar, and P. Khanna; 130(12), 1534-42 (2004).

Hydraulic models
Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).
Modeling Hydrogen Sulfide Emission Rates in Gravity Sewage Collection Systems. — Ori Lahav, Yue Lu, Uri Shavit, and Richard E Loewenthal; 130(11), 1382-9 (2004).

Hydraulic networks
Effect of Temperature on Air-Water Transfer of Hydrogen Sulfide. — Chaturong Yongsiri, Jes Vollertsen, and Thorkild Hvitved-Jacobsen; 130(1), 104-9 (2004).

Hydraulic transients
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Hydraulics
Computational Study of Particle-Eddy Interaction in Sedimentation Tanks. — S. Jayanti and S. Narayanan; 130(1), 37-49 (2004).

Hydrocarbons
Control of Vaporous Naphthalene by Scrubbing with Surfactants. — Chih-Cheng Wu and Whei-May Grace Lee; 130(3), 276-81 (2004).

Hydrodynamics
Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).
Evaluation of Metal Attenuation through Paper Clay Utilized for Containment of Contaminated Groundwater. — Charles Ochola and Horace Moo-Young; 130(8), 873-80 (2004).

Hydrogen
Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W. Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).
Modeling Hydrogen Sulfide Emission Rates in Gravity Sewage Collection Systems. — Ori Lahav, Yue Lu, Uri Shavit, and Richard E Loewenthal; 130(11), 1382-9 (2004).

Hydrogen sulfide
Effect of Temperature on Air-Water Transfer of Hydrogen Sulfide. — Chaturong Yongsiri, Jes Vollertsen, and Thorkild Hvitved-Jacobsen; 130(1), 104-9 (2004).
Conversion of Full-Scale Wet Scrubbers to Biotrickling Filters for H_2S Control at Publicly Owned Treatment Works. — David Gabriel, Huub H. J. Cox, and Marc A. Deshusses; 130(10), 1110-7 (2004).

Hydrologic models
Sorption Behavior and Long-Term Retention of Reactive Solutes in the Hyporheic Zone of Streams. — Karin Jonsson, Håkan Johansson, and Anders Wörman; 130(5), 573-84 (2004).
HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).
Modeling Long-Term Transport of Contaminants Resulting from Dissolution of a Coal Tar Pool in Saturated Porous Media. — Kenneth Y. Lee; 130(12), 1507-13 (2004).

Implementation
Viewing Total Maximum Daily Loads as a Process, Not a Singular Value: Adaptive Watershed Management. — Paul L. Freedman, Adrienne D. Nemura, and David W. Dilks; 130(6), 695-702 (2004).

Incineration
Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).

Indoor air pollution
Characterizing Polyurethane Foam as a Sink for or Source of Volatile Organic Compounds in Indoor Air. — Dongye Zhao, John C. Little, and Steven S. Cox; 130(9), 983-9 (2004).

Industrial wastes
Comparison of Continuous and Sequencing Batch Operated Biofilters for Treatment of Gas-Phase Methyl Ethyl Ketone. — William M. Moe and Congna Li; 130(3), 300-13 (2004).
Oxidation of Toluene in Waste Gas Streams Using Mesoporous Ti-Hexagonal Mesoporous Silica. — T. Williams, J. Beltramini, and G. Q. Lu; 130(3), 356-9 (2004).
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (2004).

Infiltration
In Situ Partial Exfiltration of Rainfall Runoff. I: Quality and Quantity Attenuation. — John Sansalone and Zheng Teng; 130(9), 990-1007 (2004).
In Situ Partial Exfiltration of Rainfall Runoff. II: Particle Separation. — Zheng Teng and John Sansalone; 130(9), 1008-20 (2004).

Inorganic chemicals
Dense Medium Plasma-Plasma-Enhanced Decontamination of Water of Aromatic Compounds. — Sorin Manolache, Vasgen Shamamian, and Ferencz Denes; 130(1), 17-25 (2004).

Iowa
Trickling Filter Nitrification Performance Characteristics and Potential of a Full-Scale Municipal Wastewater Treatment Facility. — Eric Anthony Evans, Timothy G. Ellis, Harvey Gullicks, and John Ringelestein; 130(11), 1280-8 (2004).

Iron
Iron Corrosion Scales: Model for Scale Growth, Iron Release, and Colored Water Formation. — P. Sarin, V. L. Snoeyink, D. A. Lytle, and W. M. Kriven; 130(4), 364-73 (2004).

Israel
Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Japan
Hydraulic Study of the Onset of Hypoxia in the Tone River Estuary. — T. Ishikawa, T. Suzuki, and X. Qian; 130(5), 551-61 (2004).

Kentucky
Methodology for pH Total Maximum Daily Loads: Application to Beech Creek Watershed. — Lindell Ormsbee, Amin Elshorbagy, and Emily Zechman; 130(2), 167-74 (2004).

Kinetics
Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. I: Batch Equilibria and Kinetics. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 374-82 (2004).

Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. II: Equilibria and Kinetic Models. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 383-90 (2004).

Ozonation of 2,6-, 3,4-, and 3,5-Dichlorophenol Isomers within Aqueous Solutions. — Yongqiang Qiu, Chiang-Hai Kuo, Mark E. Zappi, and Elizabeth C. Fleming; 130(4), 408-16 (2004).

Reaction Kinetics of Ozone in Variably Saturated Porous Media. — Haeryong Jung, Jeongkon Kim, and Heechul Choi; 130(4), 432-41 (2004).

Oxygen Sag Models for Multiorder Biochemical Oxygen Demand Reactions. — Donald Dean Adrian, Emerald M. Roider, and Thomas G. Sanders; 130(7), 784-91 (2004).

Korea
Environmental Impact of Solid Waste Treatment Methods in Korea. — Seongwon Seo, Toshiya Aramaki, Yongwoo Hwang, and Keisuke Hanaki; 130(1), 81-9 (2004).

Laboratory tests
Radiation-Assisted Process Enhancement in Wastewater Treatment. — Daniel E. Meeroff, Thomas D. Waite, Junko Kazumi, and Charles N. Kurucz; 130(2), 155-66 (2004).

Land usage
Prediction of Gradation-Based Heavy Metal Mass Using Granulometric Indices of Snowmelt Particles. — John J. Sansalone and Chad M. Cristina; 130(12), 1488-97 (2004).

Landfills
Mass Transfer of Organic Compounds in Dilute Aqueous Solutions into High Density Polyethylene Geomembranes. — Jin Chul Joo, Jae Young Kim, and Kyoungphile Nam; 130(2), 175-83 (2004).

Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).

Estimation of Soil–Water Characteristic Curve of Clayey Till Using Measured Pore-Size Distributions. — Paul H. Simms and Ernest K. Yanful; 130(8), 847-54 (2004).

Stochastic Model for Landfill Gas Transport and Energy Recovery. — Nadim K. Copty, Didar Ergene, and Turgut T. Onay; 130(9), 1042-9 (2004).

Leachates
Retardation of Dredged Material Leachate in Foundation Soils. — Paul R. Schroeder and Nadim M. Aziz; 130(12), 1543-6 (2004).

Leaching
Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).

Long-Term Solidification/Stabilization and Toxicity Characteristic Leaching Procedure for an Electric Arc Furnace Dust. — Robert W. Fuessle and Max A. Taylor; 130(5), 492-8 (2004).

Assessment of Fossil Fuel Fly Ash Formulations in the Immobilization of Hazardous Wastes. — M. W. Abdel Raouf and H. G. Nowier; 130(5), 499-507 (2004).

Pilot Plant Study of Simultaneous Sewage Sludge Digestion and Metal Leaching. — Jean-François Blais, Nathalie Meunier, Guy Mercier, Patrick Drogui, and Rajeshwar Dayal Tyagi; 130(5), 516-25 (2004).

Stabilization of Arsenite Wastes with Prior Oxidation. — Robert W. Fuessle and Max A. Taylor; 130(9), 1063-6 (2004).

Environmental Geochemistry of Leachate From Leached Brown Coal Ash. — Gavin M. Mudd, Tamie R. Weaver, and Jayantha Kodikara; 130(12), 1514-26 (2004).

Lead
Importance of Pb and Cu Particulate Species for Corrosion Control. — Laurie S. McNeill and Marc Edwards; 130(2), 136-44 (2004).

Long-Term Solidification/Stabilization and Toxicity Characteristic Leaching Procedure for an Electric Arc Furnace Dust. — Robert W. Fuessle and Max A. Taylor; 130(5), 492-8 (2004).

Lead Extraction from Contaminated Soil Using Water-Soluble Polymers. — Nancy N. Sauer, Deborah S. Ehler, and Brandy L. Duran; 130(5), 585-8 (2004).

Leakage
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (2004).

Life cycles
Life-Cycle Inventory of Municipal Solid Waste and Yard Waste Windrow Composting in the United States. — Dimitris P. Komilis and Robert K. Ham; 130(11), 1390-400 (2004).

Light attenuation
Managing for Water Clarity in Chesapeake Bay. — Carl F. Cerco, Mark R. Noel, and Lewis Linker; 130(6), 631-42 (2004).

Liners
Estimation of Soil–Water Characteristic Curve of Clayey Till Using Measured Pore-Size Distributions. — Paul H. Simms and Ernest K. Yanful; 130(8), 847-54 (2004).

Flow of Gasoline through Composite Liners. — Xiaoyun Yang and Irene M. C. Lo; 130(8), 886-90 (2004).

Fiber Reinforcement for Waste Containment Soil Liners. — Carol J. Miller and Sami Rifai; 130(8), 891-5 (2004).

Loads
Effects of Stressed Loading on Startup and Granulation in Upflow Anaerobic Sludge Blanket Reactors. — Kuan-Yeow Show, Joo-Hwa Tay, Limei Yang, Ying Wang, and Choon-Hau Lua; 130(7), 743-50 (2004).

Mass transfer
Mass Transfer of Organic Compounds in Dilute Aqueous Solutions into High Density Polyethylene Geomembranes. — Jin Chul Joo, Jae Young Kim, and Kyoungphile Nam; 130(2), 175-83 (2004).

Modeling Volatile Organic Compound Sorption in Activated Carbon. I: Dynamics and Single-Component Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 212-22 (2004).

Benzene Nonaqueous Phase Liquids Removal under Air-Sparged Conditions. — Shane W. Rogers, Keh-Ping Chao, and Say Kee Ong; 130(7), 751-8 (2004).

Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

Material properties
Thermodynamic Framework for Analysis of Waste Containment Barrier Materials. — Hilary I. Inyang; 130(8), 836-46 (2004).

Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).

Mathematical models
Models Quantify the Total Maximum Daily Load Process. — Joseph V. DePinto, Paul L. Freedman, David M. Dilks, and Wendy M. Larson; 130(6), 703-13 (2004).

Oxygen Sag Models for Multiorder Biochemical Oxygen Demand Reactions. — Donald Dean Adrian, Emerald M. Roider, and Thomas G. Sanders; 130(7), 784-91 (2004).

A Model of Coupled Heat and Moisture Transport in an Annular Clay Barrier. — L. Rossi, H. I. Inyang, J. Graham-Eagle, and S. Pennell; 130(8), 855-62 (2004).

Engineering Aspects of the Integration of Chemical and Biological Oxidation: Simple Mechanistic Models for the Oxidation Treatment. — Santiago Esplugas, Sandra Contreras, and David F. Ollis; 130(9), 967-74 (2004).

Model Study Based on Experiments on Toluene Vapor Removal in a Biofilter. — Ok-Hyun Park, Soon-Hee Park, and Jeung-Hoon Han; 130(10), 1118-25 (2004).

Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. —

Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Modeling Long-Term Transport of Contaminants Resulting from Dissolution of a Coal Tar Pool in Saturated Porous Media. — Kenneth Y. Lee; 130(12), 1507-13 (2004).

Measurement

Hydraulic Study of the Onset of Hypoxia in the Tone River Estuary. — T. Ishikawa, T. Suzuki, and X. Qian; 130(5), 551-61 (2004).

Membrane processes

Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).

Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).

Impact of Membrane Surface Modification on the Treatment of Surface Water. — Daniella B. Mosqueda-Jimenez, Roberto M. Narbaitz, and Takeshi Matsuura; 130(12), 1450-9 (2004).

Membranes

Microfiltration of a Dental Wastewater for Hg Removal: Clinic Demonstration. — Brian E. Reed, Michael D. Bagby, and Ronald L. Vaughan, Jr.; 130(1), 12-6 (2004).

Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. II: Model Verification and Application. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1253-62 (2004).

Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W. Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).

Mercury

Microfiltration of a Dental Wastewater for Hg Removal: Clinic Demonstration. — Brian E. Reed, Michael D. Bagby, and Ronald L. Vaughan, Jr.; 130(1), 12-6 (2004).

Metals

Partitioning Analog for Metal Elements in Urban Rainfall-Runoff Overland Flow Using the Soil Conservation Service Curve Number Concept. — S. K. Mishra, J. J. Sansalone, and Vijay P. Singh; 130(2), 145-54 (2004).

Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. I: Batch Equilibria and Kinetics. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 374-82 (2004).

Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. II: Equilibria and Kinetic Models. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 383-90 (2004).

Metal Recovery and Catalyst Reuse from the Photocatalytic Oxidation of Copper-Ethylenediaminetetraacetic Acid. — Kurt R. Rhoads and Allen P. Davis; 130(4), 425-31 (2004).

Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).

Evaluation of Metal Attenuation through Paper Clay Utilized for Containment of Contaminated Groundwater. — Charles Ochola and Horace Moo-Young; 130(8), 873-80 (2004).

In Situ Partial Exfiltration of Rainfall Runoff. I: Quality and Quantity Attenuation. — John Sansalone and Zheng Teng; 130(9), 990-1007 (2004).

Pb in Tap Water Following Simulated Partial Lead Pipe Replacements. — Glen R. Boyd, Prasad Shetty, Anne M. Sandvig, and Gregory L. Pierson; 130(10), 1188-97 (2004).

Methane

Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W. Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).

Methane generation

Stochastic Model for Landfill Gas Transport and Energy Recovery. — Nadim K. Copty, Didar Ergene, and Turgut T. Onay; 130(9), 1042-9 (2004).

Methodology

Methodology for Analyzing Ranges of Uncertain Model Parameters and Their Impact on Total Maximum Daily Load Process. — Jennifer Benaman and Christine A. Shoemaker; 130(6), 648-56 (2004).

Microporosity

Specific Surface Area of Barrier Mixtures at Various Outgas Temperatures. — John L. Daniels, Hilary I. Inyang, and Michael Brochu, Jr.; 130(8), 867-72 (2004).

Microscopy

Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).

Microwaves

Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).

Mine waste

Estimation of Soil–Water Characteristic Curve of Clayey Till Using Measured Pore-Size Distributions. — Paul H. Simms and Ernest K. Yanful; 130(8), 847-54 (2004).

Mixing

Tracer Study of Mixing and Transport in the Upper Hudson River with Multiple Dams. — Theodore Caplow, Peter Schlosser, and David T. Ho; 130(12), 1498-506 (2004).

Mixtures

Specific Surface Area of Barrier Mixtures at Various Outgas Temperatures. — John L. Daniels, Hilary I. Inyang, and Michael Brochu, Jr.; 130(8), 867-72 (2004).

Model studies

Optimization of Bioscrubber Performances: Experimental and Modeling Approaches. — Philippe Humeau, Pascaline Pré, and Pierre Le Cloirec; 130(3), 314-21 (2004).

Modeling Suspended Sediment during Construction in Great Barrier Reef World Heritage Area. — Tom Hardy, Luciano Mason, Jason McConochie, and Lance Bode; 130(9), 1021-31 (2004).

Model verification

Importance of Field Data in Stream Water Quality Modeling Using *QUAL2E-UNCAS*. — Thomas O. Barnwell, Jr., Linfield C. Brown, and Raymond C. Whittemore; 130(6), 643-7 (2004).

Model Study Based on Experiments on Toluene Vapor Removal in a Biofilter. — Ok-Hyun Park, Soon-Hee Park, and Jeung-Hoon Han; 130(10), 1118-25 (2004).

Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. II: Model Verification and Application. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1253-62 (2004).

Models

Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. I: Batch Equilibria and Kinetics. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 374-82 (2004).

Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. II: Equilibria and Kinetic Models. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 383-90 (2004).

Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).

Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Methodology for Analyzing Ranges of Uncertain Model Parameters and Their Impact on Total Maximum Daily Load Process. — Jennifer Benaman and Christine A. Shoemaker; 130(6), 648-56 (2004).

Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).

Characterizing Polyurethane Foam as a Sink for or Source of Volatile Organic Compounds in Indoor Air. — Dongye Zhao, John C. Little, and Steven S. Cox; 130(9), 983-9 (2004).

Modeling a Combined Anaerobic/Anoxic Oxide and Rotating Biological Contactors Process under Dissolved Oxygen Variation by Using an Activated Sludge-Biofilm Hybrid Model. — Tzu-Yi Pai, Shun-Hsing Chuang, Yung-Pin Tsai, and Chaio-Fuei Ouyang; 130(12), 1433-41 (2004).

Moisture

Effect of Moisture on the Adsorption of Volatile Organic Compounds by Zeolite 13×. — Wei-Han Tao, Thomas C.-K. Yang, Yaw-Nan Chang, Li-Kai Chang, and Tsair-Wang Chung; 130(10), 1210-6 (2004).

Monitoring
Biological Assessment and Criteria Improve Total Maximum Daily Load Decision Making. — James R. Karr and Chris O. Yoder; 130(6), 594-604 (2004).
Improving Total Maximum Daily Loads with Lessons Learned from Long-Term Detailed Monitoring. — R. Peter Richards; 130(6), 657-63 (2004).

Montana
Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).

Monte Carlo method
Numerical Efficiency in Monte Carlo Simulations—Case Study of a River Thermodynamic Model. — Neil McIntyre, Bethanna Jackson, Howard Wheater, and Steven Chapra; 130(4), 456-64 (2004).
Importance of Field Data in Stream Water Quality Modeling Using *QUAL2E-UNCAS*. — Thomas O. Barnwell, Jr., Linfield C. Brown, and Raymond C. Whittemore; 130(6), 643-7 (2004).
Simplified Databased Total Maximum Daily Loads, or the World is Log-Normal. — Vladimir Novotny; 130(6), 674-83 (2004).

Municipal wastes
Life-Cycle Inventory of Municipal Solid Waste and Yard Waste Windrow Composting in the United States. — Dimitris P. Komilis and Robert K. Ham; 130(11), 1390-400 (2004).

Network design
Environmental Index for Assessing Spatial Bias in Watershed Sampling Networks. — Alison C. Simcox and Ray C. Whittemore; 130(6), 622-30 (2004).

Neural networks
Utility of Column Lysimeter for Design of Soil Aquifer Treatment System for Wastewater Renovation Using Artificial Neural Networks. — P. Nema, A. Chelani, C. S. P. Ojha, Arvind Kumar, and P. Khanna; 130(12), 1534-42 (2004).

New York
Release of Polychlorinated Biphenyls from River Sediment to Water under Low-Flow Conditions: Laboratory Assessment. — Enrique Ortiz, Richard G. Luthy, David A. Dzombak, and John R. Smith; 130(2), 126-35 (2004).
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (2004).

Nitrates
Treatment of High Nitrate-Containing Wastewaters by Sequential Heterotrophic and Autotrophic Denitrification. — Sungyoun Kim, Hyejung Jung, Kwang-Soo Kim, and In S. Kim; 130(12), 1475-80 (2004).

Nitrification
Performance of a Biofilm Airlift Suspension Reactor for Synthetic Wastewater Treatment. — Hui Lin, Say L. Ong, Wun J. Ng, and Eakalak Khan; 130(1), 26-36 (2004).
Impact of Increased Chloride Concentration on Nitrifying-Activated Sludge Cultures. — Guang-Hao Chen and Man-Tak Wong; 130(2), 116-25 (2004).
Trickling Filter Nitrification Performance Characteristics and Potential of a Full-Scale Municipal Wastewater Treatment Facility. — Eric Anthony Evans, Timothy G. Ellis, Harvey Gullicks, and John Ringelestein; 130(11), 1280-8 (2004).

Nitrogen
Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Nitrogen compounds
Catalytic Wet Oxidation of Ammonia Solution: Activity of the Copper–Lanthanum–Cerium Composite Catalyst. — Chang-Mao Hung, Jie-Chung Lou, and Chia-Hua Lin; 130(2), 193-200 (2004).

Nonaqueous phase liquids
UNIFAC Modeling of Cosolvent Phase Partitioning in Nonaqueous Phase Liquid-Water Systems. — Kenneth Y. Lee and Catherine A. Peters; 130(4), 478-83 (2004).
Modeling Long-Term Transport of Contaminants Resulting from Dissolution of a Coal Tar Pool in Saturated Porous Media. — Kenneth Y. Lee; 130(12), 1507-13 (2004).

Nonpoint pollution
Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).
Decision Support System for Stakeholder Involvement. — Carl W. Chen, Joel Herr, and Laura Weintraub; 130(6), 714-21 (2004).
Assessment of Agricultural NonPoint Source Model for a Watershed in Tropical Environment. — Mukand Singh Babel, Mohamed Mujithaba Mohamed Najim, and Rainer Loof; 130(9), 1032-41 (2004).

North Carolina
Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Numerical analysis
Collection Conduits Including Subsurface Drains. — S. David Graber; 130(1), 67-80 (2004).
Numerical Efficiency in Monte Carlo Simulations—Case Study of a River Thermodynamic Model. — Neil McIntyre, Bethanna Jackson, Howard Wheater, and Steven Chapra; 130(4), 456-64 (2004).

Numerical models
Modeling Volatile Organic Compound Sorption in Activated Carbon. I: Dynamics and Single-Component Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 212-22 (2004).
Radial Pore Diffusion with Nonuniform Intraparticle Porosities. — Hakan Başağaoğlu, Timothy R. Ginn, and Benjamin J. McCoy; 130(10), 1170-9 (2004).

Nutrient loads
Nutrient Loads Associated with Different Sediment Sizes in Urban Stormwater and Surface Pollutants. — Jai Vaze and Francis H. S. Chiew; 130(4), 391-6 (2004).
Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).

Nutrients
Determining the Volatile Fatty Acid Equivalent in Thermophilic Aerobically Digested Sludge Supernatant. — J. Z. Li, D. S. Mavinic, and H. G. Kelly; 130(4), 397-407 (2004).
Utility of Column Lysimeter for Design of Soil Aquifer Treatment System for Wastewater Renovation Using Artificial Neural Networks. — P. Nema, A. Chelani, C. S. P. Ojha, Arvind Kumar, and P. Khanna; 130(12), 1534-42 (2004).

Odor control
Conversion of Full-Scale Wet Scrubbers to Biotrickling Filters for H_2S Control at Publicly Owned Treatment Works. — David Gabriel, Huub H. J. Cox, and Marc A. Deshusses; 130(10), 1110-7 (2004).

Oil spills
Sedimentation of Oil-Mineral Aggregates for Remediation of Vegetable Oil Spills. — Demian E. Wincele, Brian A. Wrenn, and Albert D. Venosa; 130(1), 50-8 (2004).
Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).
Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Open channel flow
Collection Conduits Including Subsurface Drains. — S. David Graber; 130(1), 67-80 (2004).

Optimization
Optimization of Bioscrubber Performances: Experimental and Modeling Approaches. — Philippe Humeau, Pascaline Pré, and Pierre Le Cloirec; 130(3), 314-21 (2004).
Global Predictive Real-Time Control of Sewers Allowing Surcharged Flows. — Sophie Duchesne, Alain Mailhot, and Jean-Pierre Villeneuve; 130(5), 526-34 (2004).
Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).
Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. II: Optimal Load Control. — Michael Piasecki; 130(11), 1335-44 (2004).

Organic carbon
Impact of Membrane Surface Modification on the Treatment of Surface Water. — Daniella B. Mosqueda-Jimenez, Roberto M. Narbaitz, and Takeshi Matsuura; 130(12), 1450-9 (2004).
Treatment of High Nitrate-Containing Wastewaters by Sequential Heterotrophic and Autotrophic Denitrification. — Sungyoun Kim, Hyejung Jung, Kwang-Soo Kim, and In S. Kim; 130(12), 1475-80 (2004).

Organic chemicals
Use of Dubinin–Astakhov Equation to Describe Preloading Effect of Natural Organic Matter. — Shaoying Qi; 130(4), 472-7 (2004).

Organic compounds
Mass Transfer of Organic Compounds in Dilute Aqueous Solutions into High Density Polyethylene Geomembranes. — Jin Chul Joo, Jae Young Kim, and Kyoungphile Nam; 130(2), 175-83 (2004).
Reaction Kinetics of Ozone in Variably Saturated Porous Media. — Haeryong Jung, Jeongkon Kim, and Heechul Choi; 130(4), 432-41 (2004).
Statistical Comparison of Bioassays for Assessment of Toxicity of Organic Components of Wastewater to Activated Sludge. — Shijin Ren and Paul D. Frymier; 130(4), 484-8 (2004).
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. I: Model Development. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1242-52 (2004).
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. II: Model Verification and Application. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1253-62 (2004).

Organic loads
Removal of a Volatile Organic Compound in a Hybrid Rotating Drum Biofilter. — Chunping Yang, Makram T. Suidan, Xueqing Zhu, and Byung J. Kim; 130(3), 282-91 (2004).
Minimization of Short-Circuiting Flow through Upflow Anaerobic Sludge Blanket Reactor. — Raja Chowdhury and Indu Mehrotra; 130(9), 951-9 (2004).
Improved Anaerobic Process Efficiency Using Mesophilic and Thermophilic Elutriated Phased Treatment. — Moonil Kim, Wookeun Bae, and Richard E. Speece; 130(9), 960-6 (2004).
Effect of Organic Loading Rate on Aerobic Granulation. I: Reactor Performance. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1094-101 (2004).
Effect of Organic Loading Rate on Aerobic Granulation. II: Characteristics of Aerobic Granules. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1102-9 (2004).

Organic matter
Dense Medium Plasma-Plasma-Enhanced Decontamination of Water of Aromatic Compounds. — Sorin Manolache, Vasgen Shamamian, and Ferencz Denes; 130(1), 17-25 (2004).
Use of Dubinin–Astakhov Equation to Describe Preloading Effect of Natural Organic Matter. — Shaoying Qi; 130(4), 472-7 (2004).
Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).
Zeta Potential, Dissolved Organic Carbon, and Removal of *Cryptosporidium* Oocysts by Coagulation and Sedimentation. — Irene Xagoraraki and Gregory W. Harrington; 130(12), 1424-32 (2004).
Impact of Membrane Surface Modification on the Treatment of Surface Water. — Daniella B. Mosqueda-Jimenez, Roberto M. Narbaitz, and Takeshi Matsuura; 130(12), 1450-9 (2004).
Permeation of Organics through Linear Low Density Polyethylene Geomembranes under Mechanical Deformation. — Juan Hinestroza and Daniel De Kee; 130(12), 1468-74 (2004).

Overland flow
Partitioning Analog for Metal Elements in Urban Rainfall-Runoff Overland Flow Using the Soil Conservation Service Curve Number Concept. — S. K. Mishra, J. J. Sansalone, and Vijay P. Singh; 130(2), 145-54 (2004).

Owners
Decision Support System for Stakeholder Involvement. — Carl W. Chen, Joel Herr, and Laura Weintraub; 130(6), 714-21 (2004).

Oxidation
Catalytic Wet Oxidation of Ammonia Solution: Activity of the Copper–Lanthanum–Cerium Composite Catalyst. — Chang-Mao Hung, Jie-Chung Lou, and Chia-Hua Lin; 130(2), 193-200 (2004).
Catalytic Oxidation of Volatile Organic Liquids. — Shane E. Roark, Jimena Cabrera-Fonseca, Michael C. Milazzo, James H. White, and Joseph D. Wander; 130(3), 329-37 (2004).
Oxidation of Toluene in Waste Gas Streams Using Mesoporous Ti-Hexagonal Mesoporous Silica. — T. Williams, J. Beltramini, and G. Q. Lu; 130(3), 356-9 (2004).
Systematic Approach for Quick Quality Assessment of Ink Effluents for Treatment and Discharge. — Chee-Yong Chua and Kai-Chee Loh; 130(4), 417-24 (2004).
Metal Recovery and Catalyst Reuse from the Photocatalytic Oxidation of Copper-Ethylenediaminetetraacetic Acid. — Kurt R. Rhoads and Allen P. Davis; 130(4), 425-31 (2004).
Impact of Reaction Conditions on MnO_2 Genesis during Permanganate Oxidation. — Michelle L. Crimi and Robert L. Siegrist; 130(5), 562-72 (2004).
Engineering Aspects of the Integration of Chemical and Biological Oxidation: Simple Mechanistic Models for the Oxidation Treatment. — Santiago Esplugas, Sandra Contreras, and David F. Ollis; 130(9), 967-74 (2004).
Stabilization of Arsenite Wastes with Prior Oxidation. — Robert W. Fuessle and Max A. Taylor; 130(9), 1063-6 (2004).
Natural Oxidant Demand of Aquifer Materials Using the Push-Pull Technique. — Kevin G. Mumford, Coby S. Lamarche, and Neil R. Thomson; 130(10), 1139-46 (2004).
Low-Temperature Oxygen Trap for Maintaining Strict Anoxic Conditions. — Byong-Hun Jeon, Brian A. Dempsey, Richard A. Royer, and William D. Burgos; 130(11), 1407-10 (2004).

Oxygen
Low-Temperature Oxygen Trap for Maintaining Strict Anoxic Conditions. — Byong-Hun Jeon, Brian A. Dempsey, Richard A. Royer, and William D. Burgos; 130(11), 1407-10 (2004).

Oxygen demand
Systematic Approach for Quick Quality Assessment of Ink Effluents for Treatment and Discharge. — Chee-Yong Chua and Kai-Chee Loh; 130(4), 417-24 (2004).
Hydraulic Study of the Onset of Hypoxia in the Tone River Estuary. — T. Ishikawa, T. Suzuki, and X. Qian; 130(5), 551-61 (2004).

Ozone
Ozonation of 2,6-, 3,4-, and 3,5-Dichlorophenol Isomers within Aqueous Solutions. — Yongqiang Qiu, Chiang-Hai Kuo, Mark E. Zappi, and Elizabeth C. Fleming; 130(4), 408-16 (2004).
Reaction Kinetics of Ozone in Variably Saturated Porous Media. — Haeryong Jung, Jeongkon Kim, and Heechul Choi; 130(4), 432-41 (2004).

Ozonization
Ozonation of 2,6-, 3,4-, and 3,5-Dichlorophenol Isomers within Aqueous Solutions. — Yongqiang Qiu, Chiang-Hai Kuo, Mark E. Zappi, and Elizabeth C. Fleming; 130(4), 408-16 (2004).
Electrochemical Wastewater Disinfection: Identification of Its Principal Germicidal Actions. — X. Y. Li, H. F. Diao, F. X. J. Fan, J. D. Gu, F. Ding, and A. S. F. Tong; 130(10), 1217-21 (2004).

Parameters
Systematic Approach for Quick Quality Assessment of Ink Effluents for Treatment and Discharge. — Chee-Yong Chua and Kai-Chee Loh; 130(4), 417-24 (2004).
Methodology for Analyzing Ranges of Uncertain Model Parameters and Their Impact on Total Maximum Daily Load Process. — Jennifer Benaman and Christine A. Shoemaker; 130(6), 648-56 (2004).

Particle size
Nutrient Loads Associated with Different Sediment Sizes in Urban Stormwater and Surface Pollutants. — Jai Vaze and Francis H. S. Chiew; 130(4), 391-6 (2004).

Particle size distribution
In Situ Partial Exfiltration of Rainfall Runoff. II: Particle Separation. — Zheng Teng and John Sansalone; 130(9), 1008-20 (2004).

Pathogens
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).
Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).
Simulating the Effect of Liquid CO_2 on *Cryptosporidium parvum* Oocysts in Aquifer Material. — Susan L. Keller, Michael B. Jenkins, and William C. Ghiorse; 130(12), 1547-51 (2004).

PCB
Release of Polychlorinated Biphenyls from River Sediment to Water under Low-Flow Conditions: Laboratory Assessment. — Enrique Ortiz, Richard G. Luthy, David A. Dzombak, and John R. Smith; 130(2), 126-35 (2004).

PCE
Photochemical Remediation of Tetrachloroethylene: Reactor Design, Construction, and Preliminary Results. — Kenneth Y. Lee, Jeong-Yub Lee, Johannes Khinast, Joseph R. Stencel, and Moshe Lavid; 130(1), 100-3 (2004).
Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W.

Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).

Performance evaluation

Thermodynamic Framework for Analysis of Waste Containment Barrier Materials. — Hilary I. Inyang; 130(8), 836-46 (2004).

Permeability

Impact of Reaction Conditions on MnO_2 Genesis during Permanganate Oxidation. — Michelle L. Crimi and Robert L. Siegrist; 130(5), 562-72 (2004).

Effects of Lime on Permeability and Compressibility of Two Tropical Residual Soils. — T. Cássia de Brito Galvão, Ahmed Elsharief , and Gustavo Ferreira Simões; 130(8), 881-5 (2004).

Flow of Gasoline through Composite Liners. — Xiaoyun Yang and Irene M. C. Lo; 130(8), 886-90 (2004).

Permeability tests

Permeation of Organics through Linear Low Density Polyethylene Geomembranes under Mechanical Deformation. — Juan Hinestroza and Daniel De Kee; 130(12), 1468-74 (2004).

Petroleum

Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (2004).

pH

Influence of Solution pH and Ionic Strength on Chromate Uptake by Surfactant-Modified Zeolite. — Zhaohui Li; 130(2), 205-8 (2004).

Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).

Phenol

Equilibrium Adsorption of Phenol-, Tire-, and Coal-Derived Activated Carbons for Organic Vapors. — David Ramirez, Patrick D. Sullivan, Mark J. Rood, and K. James Hay; 130(3), 231-41 (2004).

Photochemical reactions

Photochemical Remediation of Tetrachloroethylene: Reactor Design, Construction, and Preliminary Results. — Kenneth Y. Lee, Jeong-Yub Lee, Johannes Khinast, Joseph R. Stencel, and Moshe Lavid; 130(1), 100-3 (2004).

Pipe flow

Collection Conduits Including Subsurface Drains. — S. David Graber; 130(1), 67-80 (2004).

Flow of Gasoline through Composite Liners. — Xiaoyun Yang and Irene M. C. Lo; 130(8), 886-90 (2004).

Pipes

Importance of Pb and Cu Particulate Species for Corrosion Control. — Laurie S. McNeill and Marc Edwards; 130(2), 136-44 (2004).

Point pollution

Decision Support System for Stakeholder Involvement. — Carl W. Chen, Joel Herr, and Laura Weintraub; 130(6), 714-21 (2004).

Pollutants

Dense Medium Plasma-Plasma-Enhanced Decontamination of Water of Aromatic Compounds. — Sorin Manolache, Vasgen Shamamian, and Ferencz Denes; 130(1), 17-25 (2004).

Methodology for pH Total Maximum Daily Loads: Application to Beech Creek Watershed. — Lindell Ormsbee, Amin Elshorbagy, and Emily Zechman; 130(2), 167-74 (2004).

Destruction of 1,1,1-Trichloroethane Using Dielectric Barrier Discharge Nonthermal Plasma. — Sandeep Agnihotri, Mark P. Cal, and Justin Prien; 130(3), 349-55 (2004).

Nutrient Loads Associated with Different Sediment Sizes in Urban Stormwater and Surface Pollutants. — Jai Vaze and Francis H. S. Chiew; 130(4), 391-6 (2004).

Methodology for Analyzing Ranges of Uncertain Model Parameters and Their Impact on Total Maximum Daily Load Process. — Jennifer Benaman and Christine A. Shoemaker; 130(6), 648-56 (2004).

Simplified Databased Total Maximum Daily Loads, or the World is Log-Normal. — Vladimir Novotny; 130(6), 674-83 (2004).

Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Pollution control

Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).

Polyelectrolytes

Permeation of Organics through Linear Low Density Polyethylene Geomembranes under Mechanical Deformation. — Juan Hinestroza and Daniel De Kee; 130(12), 1468-74 (2004).

Polyethylene

Flow of Gasoline through Composite Liners. — Xiaoyun Yang and Irene M. C. Lo; 130(8), 886-90 (2004).

Polymers

Lead Extraction from Contaminated Soil Using Water-Soluble Polymers. — Nancy N. Sauer, Deborah S. Ehler, and Brandy L. Duran; 130(5), 585-8 (2004).

Estimation of Polyethylene Oxide Polymer Train and Loop Densities on Contaminant Barrier Materials. — Hilary I. Inyang and Sunyoung Bae; 130(8), 896-905 (2004).

Polythylene

Mass Transfer of Organic Compounds in Dilute Aqueous Solutions into High Density Polyethylene Geomembranes. — Jin Chul Joo, Jae Young Kim, and Kyoungphile Nam; 130(2), 175-83 (2004).

Polyurethane

Characterizing Polyurethane Foam as a Sink for or Source of Volatile Organic Compounds in Indoor Air. — Dongye Zhao, John C. Little, and Steven S. Cox; 130(9), 983-9 (2004).

Ponds

Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Pore size distribution

Estimation of Soil–Water Characteristic Curve of Clayey Till Using Measured Pore-Size Distributions. — Paul H. Simms and Ernest K. Yanful; 130(8), 847-54 (2004).

In Situ Partial Exfiltration of Rainfall Runoff. II: Particle Separation. — Zheng Teng and John Sansalone; 130(9), 1008-20 (2004).

Radial Pore Diffusion with Nonuniform Intraparticle Porosities. — Hakan Başağaoğlu, Timothy R. Ginn, and Benjamin J. McCoy; 130(10), 1170-9 (2004).

Porosity

Radial Pore Diffusion with Nonuniform Intraparticle Porosities. — Hakan Başağaoğlu, Timothy R. Ginn, and Benjamin J. McCoy; 130(10), 1170-9 (2004).

Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. I: Model Development. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1242-52 (2004).

Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. II: Model Verification and Application. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1253-62 (2004).

Porous materials

Modeling Long-Term Transport of Contaminants Resulting from Dissolution of a Coal Tar Pool in Saturated Porous Media. — Kenneth Y. Lee; 130(12), 1507-13 (2004).

Porous media

Reaction Kinetics of Ozone in Variably Saturated Porous Media. — Haeryong Jung, Jeongkon Kim, and Heechul Choi; 130(4), 432-41 (2004).

Radial Pore Diffusion with Nonuniform Intraparticle Porosities. — Hakan Başağaoğlu, Timothy R. Ginn, and Benjamin J. McCoy; 130(10), 1170-9 (2004).

Porous pavements

In Situ Partial Exfiltration of Rainfall Runoff. II: Particle Separation. — Zheng Teng and John Sansalone; 130(9), 1008-20 (2004).

Potable water

Iron Corrosion Scales: Model for Scale Growth, Iron Release, and Colored Water Formation. — P. Sarin, V. L. Snoeyink, D. A. Lytle, and W. M. Kriven; 130(4), 364-73 (2004).

Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).

Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Pb in Tap Water Following Simulated Partial Lead Pipe Replacements. — Glen R. Boyd, Prasad Shetty, Anne M. Sandvig, and Gregory L. Pierson; 130(10), 1188-97 (2004).

Spatial Diversity of Chlorine Residual in a Drinking Water Distribution System. — Lienyao Lee, Chungsying Lu, and Shyang-Lai Kung; 130(11), 1263-8 (2004).

Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Removal of 17β Estradiol and Fluoranthene by Nanofiltration and Ultrafiltration. — Yeomin Yoon, Paul Westerhoff, Jaekyung Yoon, and Shane A. Snyder; 130(12), 1460-7 (2004).

Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Potomac River

Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. II: Optimal Load Control. — Michael Piasecki; 130(11), 1335-44 (2004).

Precipitation

HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).

Predictions

Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).

Prediction of Gradation-Based Heavy Metal Mass Using Granulometric Indices of Snowmelt Particles. — John J. Sansalone and Chad M. Cristina; 130(12), 1488-97 (2004).

Preloading

Use of Dubinin–Astakhov Equation to Describe Preloading Effect of Natural Organic Matter. — Shaoying Qi; 130(4), 472-7 (2004).

Protocols

Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).

Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Radiation

Radiation-Assisted Process Enhancement in Wastewater Treatment. — Daniel E. Meeroff, Thomas D. Waite, Junko Kazumi, and Charles N. Kurucz; 130(2), 155-66 (2004).

Radioactive wastes

A Model of Coupled Heat and Moisture Transport in an Annular Clay Barrier. — L. Rossi, H. I. Inyang, J. Graham-Eagle, and S. Pennell; 130(8), 855-62 (2004).

Rainfall

Global Predictive Real-Time Control of Sewers Allowing Surcharged Flows. — Sophie Duchesne, Alain Mailhot , and Jean-Pierre Villeneuve; 130(5), 526-34 (2004).

Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Rainfall-runoff relationships

Partitioning Analog for Metal Elements in Urban Rainfall-Runoff Overland Flow Using the Soil Conservation Service Curve Number Concept. — S. K. Mishra, J. J. Sansalone, and Vijay P. Singh; 130(2), 145-54 (2004).

First Flush Concepts for Suspended and Dissolved Solids in Small Impervious Watersheds. — John J. Sansalone and Chad M. Cristina; 130(11), 1301-14 (2004).

Recycling

Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).

Reefs

Modeling Suspended Sediment during Construction in Great Barrier Reef World Heritage Area. — Tom Hardy, Luciano Mason, Jason McConochie, and Lance Bode; 130(9), 1021-31 (2004).

Regeneration

Electrothermal Desorption Using Joule Effect on an Activated Carbon Monolith. — Feng Dong Yu, Ling Ai Luo, and Georges Grévillot; 130(3), 242-8 (2004).

Adsorption onto Activated Carbon Cloths and Electrothermal Regeneration: Its Potential Industrial Applications. — A. Subrenat and P. Le Cloirec; 130(3), 249-57 (2004).

Capture of Organic Vapors Using Adsorption and Electrothermal Regeneration. — Patrick D. Sullivan, Mark J. Rood, Katherine D. Dombrowski, and K. James Hay; 130(3), 258-67 (2004).

Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).

Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).

Remedial action

UNIFAC Modeling of Cosolvent Phase Partitioning in Nonaqueous Phase Liquid-Water Systems. — Kenneth Y. Lee and Catherine A. Peters; 130(4), 478-83 (2004).

Aqueous and Mineral Intrinsic Bioremediation Assessment: Natural Attenuation. — Lonnie Kennedy, Jess W. Everett, and Jim Gonzales; 130(9), 942-50 (2004).

Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Replacement

Pb in Tap Water Following Simulated Partial Lead Pipe Replacements. — Glen R. Boyd, Prasad Shetty, Anne M. Sandvig, and Gregory L. Pierson; 130(10), 1188-97 (2004).

Research

Destruction of 1,1,1-Trichloroethane Using Dielectric Barrier Discharge Nonthermal Plasma. — Sandeep Agnihotri, Mark P. Cal, and Justin Prien; 130(3), 349-55 (2004).

Reservoirs

Methodology for Analyzing Ranges of Uncertain Model Parameters and Their Impact on Total Maximum Daily Load Process. — Jennifer Benaman and Christine A. Shoemaker; 130(6), 648-56 (2004).

Residential location

Forecasting Domestic Water Use in Rapidly Urbanizing Areas in Asia. — Robert M. Bradley; 130(4), 465-71 (2004).

Evaluation of a System for Residential Treatment and Reuse of Wastewater. — Roger W. Babcock, Jr. , Daniel A. McNair, Lance A. Edling, and Harold Nagato; 130(7), 766-73 (2004).

Restoration

Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).

Retrofitting

Conversion of Full-Scale Wet Scrubbers to Biotrickling Filters for H_2S Control at Publicly Owned Treatment Works. — David Gabriel, Huub H. J. Cox, and Marc A. Deshusses; 130(10), 1110-7 (2004).

River basins

HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).

River flow

Numerical Efficiency in Monte Carlo Simulations—Case Study of a River Thermodynamic Model. — Neil McIntyre, Bethanna Jackson, Howard Wheater, and Steven Chapra; 130(4), 456-64 (2004).

River systems

Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).

Rivers

Release of Polychlorinated Biphenyls from River Sediment to Water under Low-Flow Conditions: Laboratory Assessment. — Enrique Ortiz, Richard G. Luthy, David A. Dzombak, and John R. Smith; 130(2), 126-35 (2004).

HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).

Hybrid-Cells-in-Series Model for Solute Transport in a River. — Narayan C. Ghosh, Govinda C. Mishra, and Chandra Shekhar P. Ojha; 130(10), 1198-209 (2004).

Safety factors

Improved Consideration of the Margin of Safety in Total Maximum Daily Load Development. — David W. Dilks and Paul L. Freedman; 130(6), 690-4 (2004).

Sand

Migration of Heavy Metals in Saturated Sand and Bentonite/Soil Admixture. — Irene M. C. Lo, Alex F. T. Luk, and Xiaoyun Yang; 130(8), 906-9 (2004).

Bioclogging of Sand due to Biodegradation of Aircraft Deicing Fluid. — Angela R. Bielefeldt, Tissa Illangasekare, and Rosanna LaPlante; 130(10), 1147-53 (2004).

Saturated flow
In Situ Partial Exfiltration of Rainfall Runoff. I: Quality and Quantity Attenuation. — John Sansalone and Zheng Teng; 130(9), 990-1007 (2004).

Screening
Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).
Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Scrubbers
Control of Vaporous Naphthalene by Scrubbing with Surfactants. — Chih-Cheng Wu and Whei-May Grace Lee; 130(3), 276-81 (2004).
Optimization of Bioscrubber Performances: Experimental and Modeling Approaches. — Philippe Humeau, Pascaline Pré, and Pierre Le Cloirec; 130(3), 314-21 (2004).
Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).

Sea water
Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).
Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Seasonal variation
Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Sediment
Release of Polychlorinated Biphenyls from River Sediment to Water under Low-Flow Conditions: Laboratory Assessment. — Enrique Ortiz, Richard G. Luthy, David A. Dzombak, and John R. Smith; 130(2), 126-35 (2004).
Nutrient Loads Associated with Different Sediment Sizes in Urban Stormwater and Surface Pollutants. — Jai Vaze and Francis H. S. Chiew; 130(4), 391-6 (2004).

Sediment transport
HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).
Modeling Suspended Sediment during Construction in Great Barrier Reef World Heritage Area. — Tom Hardy, Luciano Mason, Jason McConochie, and Lance Bode; 130(9), 1021-31 (2004).

Sedimentation
Sedimentation of Oil-Mineral Aggregates for Remediation of Vegetable Oil Spills. — Demian E. Wincele, Brian A. Wrenn, and Albert D. Venosa; 130(1), 50-8 (2004).
Aerated Grit Chambers Hydraulic Design Equation. — Jerzy M. Sawicki; 130(9), 1050-8 (2004).
Zeta Potential, Dissolved Organic Carbon, and Removal of *Cryptosporidium* Oocysts by Coagulation and Sedimentation. — Irene Xagoraraki and Gregory W. Harrington; 130(12), 1424-32 (2004).

Sedimentation tanks
Computational Study of Particle-Eddy Interaction in Sedimentation Tanks. — S. Jayanti and S. Narayanan; 130(1), 37-49 (2004).

Sensitivity analysis
Methodology for Analyzing Ranges of Uncertain Model Parameters and Their Impact on Total Maximum Daily Load Process. — Jennifer Benaman and Christine A. Shoemaker; 130(6), 648-56 (2004).
Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. I: Sensitivity Analysis. — Michael Piasecki; 130(11), 1322-34 (2004).

Separation
Computational Study of Particle-Eddy Interaction in Sedimentation Tanks. — S. Jayanti and S. Narayanan; 130(1), 37-49 (2004).
Treatment of High Nitrate-Containing Wastewaters by Sequential Heterotrophic and Autotrophic Denitrification. — Sungyoun Kim, Hyejung Jung, Kwang-Soo Kim, and In S. Kim; 130(12), 1475-80 (2004).

Sequencing batch reactor
Comparison of Continuous and Sequencing Batch Operated Biofilters for Treatment of Gas-Phase Methyl Ethyl Ketone. — William M. Moe and Congna Li; 130(3), 300-13 (2004).
High-Rate Biodegradation of Phenol by Aerobically Grown Microbial Granules. — Joo-Hwa Tay, He-Long Jiang, and Stephen Tiong-Lee Tay; 130(12), 1415-23 (2004).

Sewage sludge
Pilot Plant Study of Simultaneous Sewage Sludge Digestion and Metal Leaching. — Jean-François Blais, Nathalie Meunier, Guy Mercier, Patrick Drogui, and Rajeshwar Dayal Tyagi; 130(5), 516-25 (2004).

Sewage treatment
Radiation-Assisted Process Enhancement in Wastewater Treatment. — Daniel E. Meeroff, Thomas D. Waite, Junko Kazumi, and Charles N. Kurucz; 130(2), 155-66 (2004).
Assessment of Trace Estrogenic Contaminants Removal by Coagulant Addition, Powdered Activated Carbon Adsorption and Powdered Activated Carbon/Microfiltration Processes. — Sheng Chang, T. David Waite, Peter E. A. Ong, Andrea I. Schäfer, and Anthony G. Fane; 130(7), 736-42 (2004).

Sewers
Effect of Temperature on Air-Water Transfer of Hydrogen Sulfide. — Chaturong Yongsiri, Jes Vollertsen, and Thorkild Hvitved-Jacobsen; 130(1), 104-9 (2004).

Simulation
Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).
HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).
Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).
Simulating the Effect of Liquid CO_2 on *Cryptosporidium parvum* Oocysts in Aquifer Material. — Susan L. Keller, Michael B. Jenkins, and William C. Ghiorse; 130(12), 1547-51 (2004).

Simulation models
Numerical Efficiency in Monte Carlo Simulations—Case Study of a River Thermodynamic Model. — Neil McIntyre, Bethanna Jackson, Howard Wheater, and Steven Chapra; 130(4), 456-64 (2004).
Importance of Field Data in Stream Water Quality Modeling Using *QUAL2E-UNCAS*. — Thomas O. Barnwell, Jr., Linfield C. Brown, and Raymond C. Whittemore; 130(6), 643-7 (2004).
Bacterial Regrowth Model for Water Distribution Systems Incorporating Alternating Split-Operator Solution Technique. — Weidong Zhang, Cass T. Miller, and Francis A. DiGiano; 130(9), 932-41 (2004).

Sludge
Effect of Organic Loading Rate on Aerobic Granulation. I: Reactor Performance. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1094-101 (2004).
Effect of Organic Loading Rate on Aerobic Granulation. II: Characteristics of Aerobic Granules. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1102-9 (2004).
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (2004).

Sludge digestion
Pilot Plant Study of Simultaneous Sewage Sludge Digestion and Metal Leaching. — Jean-François Blais, Nathalie Meunier, Guy Mercier, Patrick Drogui, and Rajeshwar Dayal Tyagi; 130(5), 516-25 (2004).
Fuzzy Controller for Thermophilic Aerobic Digestion Using Nicotinamide Adenine Dinucleotide Fluorescence. — Young-Kee Kim and Jeong-Woo Choi; 130(7), 759-65 (2004).
Minimization of Short-Circuiting Flow through Upflow Anaerobic Sludge Blanket Reactor. — Raja Chowdhury and Indu Mehrotra; 130(9), 951-9 (2004).

Sludge treatment
Effects of Stressed Loading on Startup and Granulation in Upflow Anaerobic Sludge Blanket Reactors. — Kuan-Yeow Show, Joo-Hwa Tay, Limei Yang, Ying Wang, and Choon-Hau Lua; 130(7), 743-50 (2004).

Slurry walls
Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).

Snowmelt
Prediction of Gradation-Based Heavy Metal Mass Using Granulometric Indices of Snowmelt Particles. — John J. Sansalone and Chad M. Cristina; 130(12), 1488-97 (2004).

Soil compressibility
Effects of Lime on Permeability and Compressibility of Two Tropical Residual Soils. — T. Cássia de Brito Galvão, Ahmed Elsharief , and Gustavo Ferreira Simões; 130(8), 881-5 (2004).

Soil pollution
Chelating-Agent-Enhanced Heavy Metal Extraction from a Contaminated Acidic Soil. — Teik-Thye Lim, Joo-Hwa Tay, and Jing-Yuan Wang; 130(1), 59-66 (2004).
Enhanced Electrokinetic Remediation of Heavy Metals in Glacial Till Soils Using Different Electrolyte Solutions. — Krishna R. Reddy and Supraja Chinthamreddy; 130(4), 442-55 (2004).
Lead Extraction from Contaminated Soil Using Water-Soluble Polymers. — Nancy N. Sauer, Deborah S. Ehler, and Brandy L. Duran; 130(5), 585-8 (2004).
Influence of Citrate on Adsorption of Zinc in Soils. — Arthur Paul Schwab, Yinghong He, and Margaret Katherine Banks; 130(10), 1180-7 (2004).
Complicating Factors of Using Ethylenediamine Tetraacetic Acid to Enhance Electrokinetic Remediation of Multiple Heavy Metals in Clayey Soils. — Krishna R. Reddy, Swapna Danda, and Richard E. Saichek; 130(11), 1357-66 (2004).
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (2004).
Retardation of Dredged Material Leachate in Foundation Soils. — Paul R. Schroeder and Nadim M. Aziz; 130(12), 1543-6 (2004).

Soil stabilization
Estimation of Polyethylene Oxide Polymer Train and Loop Densities on Contaminant Barrier Materials. — Hilary I. Inyang and Sunyoung Bae; 130(8), 896-905 (2004).

Soil treatment
Reaction Kinetics of Ozone in Variably Saturated Porous Media. — Haeryong Jung, Jeongkon Kim, and Heechul Choi; 130(4), 432-41 (2004).
Enhanced Electrokinetic Remediation of Heavy Metals in Glacial Till Soils Using Different Electrolyte Solutions. — Krishna R. Reddy and Supraja Chinthamreddy; 130(4), 442-55 (2004).
Lead Extraction from Contaminated Soil Using Water-Soluble Polymers. — Nancy N. Sauer, Deborah S. Ehler, and Brandy L. Duran; 130(5), 585-8 (2004).
Natural Oxidant Demand of Aquifer Materials Using the Push-Pull Technique. — Kevin G. Mumford, Coby S. Lamarche, and Neil R. Thomson; 130(10), 1139-46 (2004).
Complicating Factors of Using Ethylenediamine Tetraacetic Acid to Enhance Electrokinetic Remediation of Multiple Heavy Metals in Clayey Soils. — Krishna R. Reddy, Swapna Danda, and Richard E. Saichek; 130(11), 1357-66 (2004).

Soil water
Estimation of Soil–Water Characteristic Curve of Clayey Till Using Measured Pore-Size Distributions. — Paul H. Simms and Ernest K. Yanful; 130(8), 847-54 (2004).

Soils
Chelating-Agent-Enhanced Heavy Metal Extraction from a Contaminated Acidic Soil. — Teik-Thye Lim, Joo-Hwa Tay, and Jing-Yuan Wang; 130(1), 59-66 (2004).

Solid wastes
Environmental Impact of Solid Waste Treatment Methods in Korea. — Seongwon Seo, Toshiya Aramaki, Yongwoo Hwang, and Keisuke Hanaki; 130(1), 81-9 (2004).
Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).
Life-Cycle Inventory of Municipal Solid Waste and Yard Waste Windrow Composting in the United States. — Dimitris P. Komilis and Robert K. Ham; 130(11), 1390-400 (2004).

Solidification
Long-Term Solidification/Stabilization and Toxicity Characteristic Leaching Procedure for an Electric Arc Furnace Dust. — Robert W. Fuessle and Max A. Taylor; 130(5), 492-8 (2004).
Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).
Stabilization of Arsenite Wastes with Prior Oxidation. — Robert W. Fuessle and Max A. Taylor; 130(9), 1063-6 (2004).
Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Solids
Computational Study of Particle-Eddy Interaction in Sedimentation Tanks. — S. Jayanti and S. Narayanan; 130(1), 37-49 (2004).
Role of Bioflocculation on Chemical Oxygen Demand Removal in Solids Contact Chamber of Trickling Filter/Solids Contact Process. — Enrique J. La Motta, José A. Jiménez, Juan C. Josse, and Alfonso Manrique; 130(7), 726-35 (2004).

Solutes
Radial Pore Diffusion with Nonuniform Intraparticle Porosities. — Hakan Başağaoğlu, Timothy R. Ginn, and Benjamin J. McCoy; 130(10), 1170-9 (2004).
Hybrid-Cells-in-Series Model for Solute Transport in a River. — Narayan C. Ghosh, Govinda C. Mishra, and Chandra Shekhar P. Ojha; 130(10), 1198-209 (2004).

Solvents
Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).
Permeation of Organics through Linear Low Density Polyethylene Geomembranes under Mechanical Deformation. — Juan Hinestroza and Daniel De Kee; 130(12), 1468-74 (2004).

Sorption
Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).
Influence of Solution pH and Ionic Strength on Chromate Uptake by Surfactant-Modified Zeolite. — Zhaohui Li; 130(2), 205-8 (2004).
Modeling Volatile Organic Compound Sorption in Activated Carbon. I: Dynamics and Single-Component Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 212-22 (2004).
Modeling Volatile Organic Compound Sorption in Activated Carbon. II: Multicomponent Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 223-30 (2004).
Sorption Behavior and Long-Term Retention of Reactive Solutes in the Hyporheic Zone of Streams. — Karin Jonsson, Håkan Johansson, and Anders Wörman; 130(5), 573-84 (2004).
Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).
Migration of Heavy Metals in Saturated Sand and Bentonite/Soil Admixture. — Irene M. C. Lo, Alex F. T. Luk, and Xiaoyun Yang; 130(8), 906-9 (2004).
Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).
Characterizing Polyurethane Foam as a Sink for or Source of Volatile Organic Compounds in Indoor Air. — Dongye Zhao, John C. Little, and Steven S. Cox; 130(9), 983-9 (2004).

Stabilization
Long-Term Solidification/Stabilization and Toxicity Characteristic Leaching Procedure for an Electric Arc Furnace Dust. — Robert W. Fuessle and Max A. Taylor; 130(5), 492-8 (2004).
Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).
Pilot Plant Study of Simultaneous Sewage Sludge Digestion and Metal Leaching. — Jean-François Blais, Nathalie Meunier, Guy Mercier, Patrick Drogui, and Rajeshwar Dayal Tyagi; 130(5), 516-25 (2004).
Fuzzy Controller for Thermophilic Aerobic Digestion Using Nicotinamide Adenine Dinucleotide Fluorescence. — Young-Kee Kim and Jeong-Woo Choi; 130(7), 759-65 (2004).
Stabilization of Arsenite Wastes with Prior Oxidation. — Robert W. Fuessle and Max A. Taylor; 130(9), 1063-6 (2004).
Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Statistical analysis
Statistical Comparison of Bioassays for Assessment of Toxicity of Organic Components of Wastewater to Activated Sludge. — Shijin Ren and Paul D. Frymier; 130(4), 484-8 (2004).
Minimization of Short-Circuiting Flow through Upflow Anaerobic Sludge Blanket Reactor. — Raja Chowdhury and Indu Mehrotra; 130(9), 951-9 (2004).
Pb in Tap Water Following Simulated Partial Lead Pipe Replacements. — Glen R. Boyd, Prasad Shetty, Anne M. Sandvig, and Gregory L. Pierson; 130(10), 1188-97 (2004).

Statistical models
Simplified Databased Total Maximum Daily Loads, or the World is Log-Normal. — Vladimir Novotny; 130(6), 674-83 (2004).

Stochastic models
Stochastic Model for Landfill Gas Transport and Energy Recovery. — Nadim K. Copty, Didar Ergene, and Turgut T. Onay; 130(9), 1042-9 (2004).

Storage tanks
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (2004).

Storm runoff
In Situ Partial Exfiltration of Rainfall Runoff. II: Particle Separation. — Zheng Teng and John Sansalone; 130(9), 1008-20 (2004).
Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Stormwater
Nutrient Loads Associated with Different Sediment Sizes in Urban Stormwater and Surface Pollutants. — Jai Vaze and Francis H. S. Chiew; 130(4), 391-6 (2004).
In Situ Partial Exfiltration of Rainfall Runoff. I: Quality and Quantity Attenuation. — John Sansalone and Zheng Teng; 130(9), 990-1007 (2004).
In Situ Partial Exfiltration of Rainfall Runoff. II: Particle Separation. — Zheng Teng and John Sansalone; 130(9), 1008-20 (2004).
Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).

Stormwater management
Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Stormwater treatment
Partitioning Analog for Metal Elements in Urban Rainfall-Runoff Overland Flow Using the Soil Conservation Service Curve Number Concept. — S. K. Mishra, J. J. Sansalone, and Vijay P. Singh; 130(2), 145-54 (2004).
Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. I: Batch Equilibria and Kinetics. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 374-82 (2004).
Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. II: Equilibria and Kinetic Models. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 383-90 (2004).

Streamflow
Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Streams
Methodology for pH Total Maximum Daily Loads: Application to Beech Creek Watershed. — Lindell Ormsbee, Amin Elshorbagy, and Emily Zechman; 130(2), 167-74 (2004).
Sorption Behavior and Long-Term Retention of Reactive Solutes in the Hyporheic Zone of Streams. — Karin Jonsson, Håkan Johansson, and Anders Wörman; 130(5), 573-84 (2004).
Role of Effluent Permit Trading in Total Maximum Daily Load Programs: Overview and Uncertainty and Reliability Implications. — J. Wayland Eheart and Tze Ling Ng; 130(6), 615-21 (2004).
Environmental Index for Assessing Spatial Bias in Watershed Sampling Networks. — Alison C. Simcox and Ray C. Whittemore; 130(6), 622-30 (2004).
Importance of Field Data in Stream Water Quality Modeling Using *QUAL2E-UNCAS*. — Thomas O. Barnwell, Jr., Linfield C. Brown, and Raymond C. Whittemore; 130(6), 643-7 (2004).
Oxygen Sag Models for Multiorder Biochemical Oxygen Demand Reactions. — Donald Dean Adrian, Emerald M. Roider, and Thomas G. Sanders; 130(7), 784-91 (2004).

Stress
Effects of Stressed Loading on Startup and Granulation in Upflow Anaerobic Sludge Blanket Reactors. — Kuan-Yeow Show, Joo-Hwa Tay, Limei Yang, Ying Wang, and Choon-Hau Lua; 130(7), 743-50 (2004).

Stripping
Modeling Hydrogen Sulfide Emission Rates in Gravity Sewage Collection Systems. — Ori Lahav, Yue Lu, Uri Shavit, and Richard E Loewenthal; 130(11), 1382-9 (2004).

Subsurface drainage
Collection Conduits Including Subsurface Drains. — S. David Graber; 130(1), 67-80 (2004).

Sulfates
Modeling Hydrogen Sulfide Emission Rates in Gravity Sewage Collection Systems. — Ori Lahav, Yue Lu, Uri Shavit, and Richard E Loewenthal; 130(11), 1382-9 (2004).

Sulfur
Control of Molybdenum Emission by Sorbents: Equilibrium Analysis. — Kuk Cho and Chang-Yu Wu; 130(2), 201-4 (2004).
Treatment of High Nitrate-Containing Wastewaters by Sequential Heterotrophic and Autotrophic Denitrification. — Sungyoun Kim, Hyejung Jung, Kwang-Soo Kim, and In S. Kim; 130(12), 1475-80 (2004).

Surface properties
Properties of Four Biological Flocs as Related to Settling. — Delia Teresa Sponza; 130(11), 1289-300 (2004).

Surface waters
Impact of Membrane Surface Modification on the Treatment of Surface Water. — Daniella B. Mosqueda-Jimenez, Roberto M. Narbaitz, and Takeshi Matsuura; 130(12), 1450-9 (2004).

Surface-active agents
Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).
Control of Vaporous Naphthalene by Scrubbing with Surfactants. — Chih-Cheng Wu and Whei-May Grace Lee; 130(3), 276-81 (2004).
Influence of Sodium Dodecyl Sulfate and Tween 20 on Fungal Growth and Toluene Degradation in a Vapor-Phase Bioreactor. — Jennifer R. Woertz and Kerry A. Kinney; 130(3), 292-9 (2004).

Surge
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Suspended sediments
Modeling Suspended Sediment during Construction in Great Barrier Reef World Heritage Area. — Tom Hardy, Luciano Mason, Jason McConochie, and Lance Bode; 130(9), 1021-31 (2004).

Suspended solids
Managing for Water Clarity in Chesapeake Bay. — Carl F. Cerco, Mark R. Noel, and Lewis Linker; 130(6), 631-42 (2004).
First Flush Concepts for Suspended and Dissolved Solids in Small Impervious Watersheds. — John J. Sansalone and Chad M. Cristina; 130(11), 1301-14 (2004).

Taiwan
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (2004).

TCE
Impact of Reaction Conditions on MnO_2 Genesis during Permanganate Oxidation. — Michelle L. Crimi and Robert L. Siegrist; 130(5), 562-72 (2004).
Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).
Permeation of Organics through Linear Low Density Polyethylene Geomembranes under Mechanical Deformation. — Juan Hinestroza and Daniel De Kee; 130(12), 1468-74 (2004).

Technology
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (2004).

Temperature
Specific Surface Area of Barrier Mixtures at Various Outgas Temperatures. — John L. Daniels, Hilary I. Inyang, and Michael Brochu, Jr.; 130(8), 867-72 (2004).
Low-Temperature Oxygen Trap for Maintaining Strict Anoxic Conditions. — Byong-Hun Jeon, Brian A. Dempsey, Richard A. Royer, and William D. Burgos; 130(11), 1407-10 (2004).

Temperature effects
Effect of Temperature on Air-Water Transfer of Hydrogen Sulfide. — Chaturong Yongsiri, Jes Vollertsen, and Thorkild Hvitved-Jacobsen; 130(1), 104-9 (2004).
Catalytic Oxidation of Volatile Organic Liquids. — Shane E. Roark, Jimena Cabrera-Fonseca, Michael C. Milazzo, James H. White, and Joseph D. Wander; 130(3), 329-37 (2004).

Thailand
Assessment of Agricultural NonPoint Source Model for a Watershed in Tropical Environment. — Mukand Singh Babel, Mohamed Mujithaba Mohamed Najim, and Rainer Loof; 130(9), 1032-41 (2004).

Thermodynamics
Numerical Efficiency in Monte Carlo Simulations—Case Study of a River Thermodynamic Model. — Neil McIntyre, Bethanna Jackson, Howard Wheater, and Steven Chapra; 130(4), 456-64 (2004).
UNIFAC Modeling of Cosolvent Phase Partitioning in Nonaqueous Phase Liquid-Water Systems. — Kenneth Y. Lee and Catherine A. Peters; 130(4), 478-83 (2004).
Thermodynamic Framework for Analysis of Waste Containment Barrier Materials. — Hilary I. Inyang; 130(8), 836-46 (2004).

Tires
Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).

Titanium
Oxidation of Toluene in Waste Gas Streams Using Mesoporous Ti-Hexagonal Mesoporous Silica. — T. Williams, J. Beltramini, and G. Q. Lu; 130(3), 356-9 (2004).

Toxicity
Statistical Comparison of Bioassays for Assessment of Toxicity of Organic Components of Wastewater to Activated Sludge. — Shijin Ren and Paul D. Frymier; 130(4), 484-8 (2004).

Tracers
Tracer Study of Mixing and Transport in the Upper Hudson River with Multiple Dams. — Theodore Caplow, Peter Schlosser, and David T. Ho; 130(12), 1498-506 (2004).

Tracking
Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).

Transport phenomena
Hybrid-Cells-in-Series Model for Solute Transport in a River. — Narayan C. Ghosh, Govinda C. Mishra, and Chandra Shekhar P. Ojha; 130(10), 1198-209 (2004).

Trickling filters
Role of Bioflocculation on Chemical Oxygen Demand Removal in Solids Contact Chamber of Trickling Filter/Solids Contact Process. — Enrique J. La Motta, José A. Jiménez, Juan C. Josse, and Alfonso Manrique; 130(7), 726-35 (2004).
Biodegradation of 1,4-Dioxane Using Trickling Filter. — Matthew J. Zenker, Robert C. Borden, and Morton A. Barlaz; 130(9), 926-31 (2004).
Conversion of Full-Scale Wet Scrubbers to Biotrickling Filters for H_2S Control at Publicly Owned Treatment Works. — David Gabriel, Huub H. J. Cox, and Marc A. Deshusses; 130(10), 1110-7 (2004).
Trickling Filter Nitrification Performance Characteristics and Potential of a Full-Scale Municipal Wastewater Treatment Facility. — Eric Anthony Evans, Timothy G. Ellis, Harvey Gullicks, and John Ringelestein; 130(11), 1280-8 (2004).

Tropical regions
Assessment of Agricultural NonPoint Source Model for a Watershed in Tropical Environment. — Mukand Singh Babel, Mohamed Mujithaba Mohamed Najim, and Rainer Loof; 130(9), 1032-41 (2004).

Tropical soils
Effects of Lime on Permeability and Compressibility of Two Tropical Residual Soils. — T. Cássia de Brito Galvão, Ahmed Elsharief, and Gustavo Ferreira Simões; 130(8), 881-5 (2004).

Turbulence
Computational Study of Particle-Eddy Interaction in Sedimentation Tanks. — S. Jayanti and S. Narayanan; 130(1), 37-49 (2004).

Uncertainty analysis
Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).
Improved Consideration of the Margin of Safety in Total Maximum Daily Load Development. — David W. Dilks and Paul L. Freedman; 130(6), 690-4 (2004).

Uncertainty principles
Methodology for Analyzing Ranges of Uncertain Model Parameters and Their Impact on Total Maximum Daily Load Process. — Jennifer Benaman and Christine A. Shoemaker; 130(6), 648-56 (2004).

Unit operations
First Flush Concepts for Suspended and Dissolved Solids in Small Impervious Watersheds. — John J. Sansalone and Chad M. Cristina; 130(11), 1301-14 (2004).

United States
Improving Total Maximum Daily Loads with Lessons Learned from Long-Term Detailed Monitoring. — R. Peter Richards; 130(6), 657-63 (2004).
History of Innovative Best Management Practice Development and its Role in Addressing Water Quality Limited Waterbodies. — George Ice; 130(6), 684-9 (2004).
Life-Cycle Inventory of Municipal Solid Waste and Yard Waste Windrow Composting in the United States. — Dimitris P. Komilis and Robert K. Ham; 130(11), 1390-400 (2004).

Unsaturated flow
In Situ Partial Exfiltration of Rainfall Runoff. II: Particle Separation. — Zheng Teng and John Sansalone; 130(9), 1008-20 (2004).

Unsaturated soils
Reaction Kinetics of Ozone in Variably Saturated Porous Media. — Haeryong Jung, Jeongkon Kim, and Heechul Choi; 130(4), 432-41 (2004).

Urban areas
Nutrient Loads Associated with Different Sediment Sizes in Urban Stormwater and Surface Pollutants. — Jai Vaze and Francis H. S. Chiew; 130(4), 391-6 (2004).
Forecasting Domestic Water Use in Rapidly Urbanizing Areas in Asia. — Robert M. Bradley; 130(4), 465-71 (2004).
Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).
Prediction of Gradation-Based Heavy Metal Mass Using Granulometric Indices of Snowmelt Particles. — John J. Sansalone and Chad M. Cristina; 130(12), 1488-97 (2004).

Vadose zone
Retardation of Dredged Material Leachate in Foundation Soils. — Paul R. Schroeder and Nadim M. Aziz; 130(12), 1543-6 (2004).

Validation
Assessment of Agricultural NonPoint Source Model for a Watershed in Tropical Environment. — Mukand Singh Babel, Mohamed Mujithaba Mohamed Najim, and Rainer Loof; 130(9), 1032-41 (2004).

Vapor
Equilibrium Adsorption of Phenol-, Tire-, and Coal-Derived Activated Carbons for Organic Vapors. — David Ramirez, Patrick D. Sullivan, Mark J. Rood, and K. James Hay; 130(3), 231-41 (2004).
Capture of Organic Vapors Using Adsorption and Electrothermal Regeneration. — Patrick D. Sullivan, Mark J. Rood, Katherine D. Dombrowski, and K. James Hay; 130(3), 258-67 (2004).
Behavior of Field-Scale Biotrickling Filter under Nonsteady State Conditions. — Duk-Soo Choi, Joseph S. Devinny, and Marc A. Deshusses; 130(3), 322-8 (2004).
Catalytic Oxidation of Volatile Organic Liquids. — Shane E. Roark, Jimena Cabrera-Fonseca, Michael C. Milazzo, James H. White, and Joseph D. Wander; 130(3), 329-37 (2004).
Oxidation of Toluene in Waste Gas Streams Using Mesoporous Ti-Hexagonal Mesoporous Silica. — T. Williams, J. Beltramini, and G. Q. Lu; 130(3), 356-9 (2004).
Model Study Based on Experiments on Toluene Vapor Removal in a Biofilter. — Ok-Hyun Park, Soon-Hee Park, and Jeung-Hoon Han; 130(10), 1118-25 (2004).
Effect of Moisture on the Adsorption of Volatile Organic Compounds by Zeolite 13×. — Wei-Han Tao, Thomas C.-K. Yang, Yaw-Nan Chang, Li-Kai Chang, and Tsair-Wang Chung; 130(10), 1210-6 (2004).

Vegetation
Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

Viscosity
UNIFAC Modeling of Cosolvent Phase Partitioning in Nonaqueous Phase Liquid-Water Systems. — Kenneth Y. Lee and Catherine A. Peters; 130(4), 478-83 (2004).

Volatile organic chemicals
Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).
Modeling Volatile Organic Compound Sorption in Activated Carbon. I: Dynamics and Single-Component Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 212-22 (2004).
Modeling Volatile Organic Compound Sorption in Activated Carbon. II: Multicomponent Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 223-30 (2004).
Electrothermal Desorption Using Joule Effect on an Activated Carbon Monolith. — Feng Dong Yu, Ling Ai Luo, and Georges Grévillot; 130(3), 242-8 (2004).
Capture of Organic Vapors Using Adsorption and Electrothermal Regeneration. — Patrick D. Sullivan, Mark J. Rood, Katherine D. Dombrowski, and K. James Hay; 130(3), 258-67 (2004).
Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).
Removal of a Volatile Organic Compound in a Hybrid Rotating Drum Biofilter. — Chunping Yang, Makram T. Suidan, Xueqing Zhu, and Byung J. Kim; 130(3), 282-91 (2004).
Influence of Sodium Dodecyl Sulfate and Tween 20 on Fungal Growth and Toluene Degradation in a Vapor-Phase Bioreactor. — Jennifer R. Woertz and Kerry A. Kinney; 130(3), 292-9 (2004).
Optimization of Bioscrubber Performances: Experimental and Modeling Approaches. — Philippe Humeau, Pascaline Pré, and Pierre Le Cloirec; 130(3), 314-21 (2004).
Catalytic Oxidation of Volatile Organic Liquids. — Shane E. Roark, Jimena Cabrera-Fonseca, Michael C. Milazzo, James H. White, and Joseph D. Wander; 130(3), 329-37 (2004).
Destruction of 1,1,1-Trichloroethane Using Dielectric Barrier Discharge Nonthermal Plasma. — Sandeep Agnihotri, Mark P. Cal, and Justin Prien; 130(3), 349-55 (2004).
Benzene Nonaqueous Phase Liquids Removal under Air-Sparged Conditions. — Shane W. Rogers, Keh-Ping Chao, and Say Kee Ong; 130(7), 751-8 (2004).
Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).
Characterizing Polyurethane Foam as a Sink for or Source of Volatile Organic Compounds in Indoor Air. — Dongye Zhao, John C. Little, and Steven S. Cox; 130(9), 983-9 (2004).
Model Study Based on Experiments on Toluene Vapor Removal in a Biofilter. — Ok-Hyun Park, Soon-Hee Park, and Jeung-Hoon Han; 130(10), 1118-25 (2004).
Effect of Moisture on the Adsorption of Volatile Organic Compounds by Zeolite 13×. — Wei-Han Tao, Thomas C.-K. Yang, Yaw-Nan Chang, Li-Kai Chang, and Tsair-Wang Chung; 130(10), 1210-6 (2004).
Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

Volatilization
Benzene Nonaqueous Phase Liquids Removal under Air-Sparged Conditions. — Shane W. Rogers, Keh-Ping Chao, and Say Kee Ong; 130(7), 751-8 (2004).
Tracer Study of Mixing and Transport in the Upper Hudson River with Multiple Dams. — Theodore Caplow, Peter Schlosser, and David T. Ho; 130(12), 1498-506 (2004).

Walls
Cation Effects on Chromium Removal in Permeable Reactive Walls. — Andrew Karvonen; 130(8), 863-6 (2004).

Waste disposal
Aerated Grit Chambers Hydraulic Design Equation. — Jerzy M. Sawicki; 130(9), 1050-8 (2004).
Environmental Geochemistry of Leachate From Leached Brown Coal Ash. — Gavin M. Mudd, Tamie R. Weaver, and Jayantha Kodikara; 130(12), 1514-26 (2004).

Waste management
Fiber Reinforcement for Waste Containment Soil Liners. — Carol J. Miller and Sami Rifai; 130(8), 891-5 (2004).
Estimation of Polyethylene Oxide Polymer Train and Loop Densities on Contaminant Barrier Materials. — Hilary I. Inyang and Sunyoung Bae; 130(8), 896-905 (2004).
Characterization of Clay Particle Surfaces for Contaminant Sorption in Soil Barriers Using Flow Microcalorimetry. — Abidin Kaya; 130(8), 918-21 (2004).
Life-Cycle Inventory of Municipal Solid Waste and Yard Waste Windrow Composting in the United States. — Dimitris P. Komilis and Robert K. Ham; 130(11), 1390-400 (2004).

Waste treatment
Environmental Impact of Solid Waste Treatment Methods in Korea. — Seongwon Seo, Toshiya Aramaki, Yongwoo Hwang, and Keisuke Hanaki; 130(1), 81-9 (2004).
Assessment of Fossil Fuel Fly Ash Formulations in the Immobilization of Hazardous Wastes. — M. W. Abdel Raouf and H. G. Nowier; 130(5), 499-507 (2004).
Pilot Plant Study of Simultaneous Sewage Sludge Digestion and Metal Leaching. — Jean-François Blais, Nathalie Meunier, Guy Mercier, Patrick Drogui, and Rajeshwar Dayal Tyagi; 130(5), 516-25 (2004).
Stabilization of Arsenite Wastes with Prior Oxidation. — Robert W. Fuessle and Max A. Taylor; 130(9), 1063-6 (2004).

Wasteload allocation
Role of Effluent Permit Trading in Total Maximum Daily Load Programs: Overview and Uncertainty and Reliability Implications. — J. Wayland Eheart and Tze Ling Ng; 130(6), 615-21 (2004).
Models Quantify the Total Maximum Daily Load Process. — Joseph V. DePinto, Paul L. Freedman, David M. Dilks, and Wendy M. Larson; 130(6), 703-13 (2004).
Decision Support System for Stakeholder Involvement. — Carl W. Chen, Joel Herr, and Laura Weintraub; 130(6), 714-21 (2004).
Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. I: Sensitivity Analysis. — Michael Piasecki; 130(11), 1322-34 (2004).

Wastewater
Statistical Comparison of Bioassays for Assessment of Toxicity of Organic Components of Wastewater to Activated Sludge. — Shijin Ren and Paul D. Frymier; 130(4), 484-8 (2004).

Wastewater disposal
Optimization of Bioscrubber Performances: Experimental and Modeling Approaches. — Philippe Humeau, Pascaline Pré, and Pierre Le Cloirec; 130(3), 314-21 (2004).

Wastewater treatment
Microfiltration of a Dental Wastewater for Hg Removal: Clinic Demonstration. — Brian E. Reed, Michael D. Bagby, and Ronald L. Vaughan, Jr.; 130(1), 12-6 (2004).
Performance of a Biofilm Airlift Suspension Reactor for Synthetic Wastewater Treatment. — Hui Lin, Say L. Ong, Wun J. Ng, and Eakalak Khan; 130(1), 26-36 (2004).
Membrane Fouling Test: Apparatus Evaluation. — D. B. Mosqueda-Jimenez, R. M. Narbaitz, and T. Matsuura; 130(1), 90-9 (2004).
Radiation-Assisted Process Enhancement in Wastewater Treatment. — Daniel E. Meeroff, Thomas D. Waite, Junko Kazumi, and Charles N. Kurucz; 130(2), 155-66 (2004).
Catalytic Wet Oxidation of Ammonia Solution: Activity of the Copper–Lanthanum–Cerium Composite Catalyst. — Chang-Mao Hung, Jie-Chung Lou, and Chia-Hua Lin; 130(2), 193-200 (2004).
Determining the Volatile Fatty Acid Equivalent in Thermophilic Aerobically Digested Sludge Supernatant. — J. Z. Li, D. S. Mavinic, and H. G. Kelly; 130(4), 397-407 (2004).
Ozonation of 2,6-, 3,4-, and 3,5-Dichlorophenol Isomers within Aqueous Solutions. — Yongqiang Qiu, Chiang-Hai Kuo, Mark E. Zappi, and Elizabeth C. Fleming; 130(4), 408-16 (2004).
Systematic Approach for Quick Quality Assessment of Ink Effluents for Treatment and Discharge. — Chee-Yong Chua and Kai-Chee Loh; 130(4), 417-24 (2004).
Metal Recovery and Catalyst Reuse from the Photocatalytic Oxidation of Copper-Ethylenediaminetetraacetic Acid. — Kurt R. Rhoads and Allen P. Davis; 130(4), 425-31 (2004).
Role of Bioflocculation on Chemical Oxygen Demand Removal in Solids Contact Chamber of Trickling Filter/Solids Contact Process. — Enrique J. La Motta, José A. Jiménez, Juan C. Josse, and Alfonso Manrique; 130(7), 726-35 (2004).
Evaluation of a System for Residential Treatment and Reuse of Wastewater. — Roger W. Babcock, Jr. , Daniel A. McNair, Lance A. Edling, and Harold Nagato; 130(7), 766-73 (2004).
Biodegradation of 1,4-Dioxane Using Trickling Filter. — Matthew J. Zenker, Robert C. Borden, and Morton A. Barlaz; 130(9), 926-31 (2004).

Minimization of Short-Circuiting Flow through Upflow Anaerobic Sludge Blanket Reactor. — Raja Chowdhury and Indu Mehrotra; 130(9), 951-9 (2004).

Engineering Aspects of the Integration of Chemical and Biological Oxidation: Simple Mechanistic Models for the Oxidation Treatment. — Santiago Esplugas, Sandra Contreras, and David F. Ollis; 130(9), 967-74 (2004).

Effect of Organic Loading Rate on Aerobic Granulation. I: Reactor Performance. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1094-101 (2004).

Effect of Organic Loading Rate on Aerobic Granulation. II: Characteristics of Aerobic Granules. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1102-9 (2004).

Electrochemical Wastewater Disinfection: Identification of Its Principal Germicidal Actions. — X. Y. Li, H. F. Diao, F. X. J. Fan, J. D. Gu, F. Ding, and A. S. F. Tong; 130(10), 1217-21 (2004).

Trickling Filter Nitrification Performance Characteristics and Potential of a Full-Scale Municipal Wastewater Treatment Facility. — Eric Anthony Evans, Timothy G. Ellis, Harvey Gullicks, and John Ringelestein; 130(11), 1280-8 (2004).

Properties of Four Biological Flocs as Related to Settling. — Delia Teresa Sponza; 130(11), 1289-300 (2004).

Modeling a Combined Anaerobic/Anoxic Oxide and Rotating Biological Contactors Process under Dissolved Oxygen Variation by Using an Activated Sludge-Biofilm Hybrid Model. — Tzu-Yi Pai, Shun-Hsing Chuang, Yung-Pin Tsai, and Chaio-Fuei Ouyang; 130(12), 1433-41 (2004).

Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).

Treatment of High Nitrate-Containing Wastewaters by Sequential Heterotrophic and Autotrophic Denitrification. — Sungyoun Kim, Hyejung Jung, Kwang-Soo Kim, and In S. Kim; 130(12), 1475-80 (2004).

Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Utility of Column Lysimeter for Design of Soil Aquifer Treatment System for Wastewater Renovation Using Artificial Neural Networks. — P. Nema, A. Chelani, C. S. P. Ojha, Arvind Kumar, and P. Khanna; 130(12), 1534-42 (2004).

Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (2004).

Water

Use of Dubinin–Astakhov Equation to Describe Preloading Effect of Natural Organic Matter. — Shaoying Qi; 130(4), 472-7 (2004).

Water balance

Impact of Water Blending on Calcium Carbonate Equilibrium in Water Distribution Systems. — Wojciech Dąbrowski, Robert Buchta, and R. Ian Mackie; 130(9), 1059-62 (2004).

Water circulation

Aerated Grit Chambers Hydraulic Design Equation. — Jerzy M. Sawicki; 130(9), 1050-8 (2004).

Water demand

Forecasting Domestic Water Use in Rapidly Urbanizing Areas in Asia. — Robert M. Bradley; 130(4), 465-71 (2004).

Water distribution

Iron Corrosion Scales: Model for Scale Growth, Iron Release, and Colored Water Formation. — P. Sarin, V. L. Snoeyink, D. A. Lytle, and W. M. Kriven; 130(4), 364-73 (2004).

Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).

Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Bacterial Regrowth Model for Water Distribution Systems Incorporating Alternating Split-Operator Solution Technique. — Weidong Zhang, Cass T. Miller, and Francis A. DiGiano; 130(9), 932-41 (2004).

Impact of Water Blending on Calcium Carbonate Equilibrium in Water Distribution Systems. — Wojciech Dąbrowski, Robert Buchta, and R. Ian Mackie; 130(9), 1059-62 (2004).

Pb in Tap Water Following Simulated Partial Lead Pipe Replacements. — Glen R. Boyd, Prasad Shetty, Anne M. Sandvig, and Gregory L. Pierson; 130(10), 1188-97 (2004).

Spatial Diversity of Chlorine Residual in a Drinking Water Distribution System. — Lienyao Lee, Chungsying Lu, and Shyang-Lai Kung; 130(11), 1263-8 (2004).

Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Water hammers

Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).

Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Water pipelines

Iron Corrosion Scales: Model for Scale Growth, Iron Release, and Colored Water Formation. — P. Sarin, V. L. Snoeyink, D. A. Lytle, and W. M. Kriven; 130(4), 364-73 (2004).

Pb in Tap Water Following Simulated Partial Lead Pipe Replacements. — Glen R. Boyd, Prasad Shetty, Anne M. Sandvig, and Gregory L. Pierson; 130(10), 1188-97 (2004).

Water pollution

Methodology for pH Total Maximum Daily Loads: Application to Beech Creek Watershed. — Lindell Ormsbee, Amin Elshorbagy, and Emily Zechman; 130(2), 167-74 (2004).

Role of Effluent Permit Trading in Total Maximum Daily Load Programs: Overview and Uncertainty and Reliability Implications. — J. Wayland Eheart and Tze Ling Ng; 130(6), 615-21 (2004).

Improving Total Maximum Daily Loads with Lessons Learned from Long-Term Detailed Monitoring. — R. Peter Richards; 130(6), 657-63 (2004).

Simplified Databased Total Maximum Daily Loads, or the World is Log-Normal. — Vladimir Novotny; 130(6), 674-83 (2004).

History of Innovative Best Management Practice Development and its Role in Addressing Water Quality Limited Waterbodies. — George Ice; 130(6), 684-9 (2004).

Viewing Total Maximum Daily Loads as a Process, Not a Singular Value: Adaptive Watershed Management. — Paul L. Freedman, Adrienne D. Nemura, and David W. Dilks; 130(6), 695-702 (2004).

Models Quantify the Total Maximum Daily Load Process. — Joseph V. DePinto, Paul L. Freedman, David M. Dilks, and Wendy M. Larson; 130(6), 703-13 (2004).

Oxygen Sag Models for Multiorder Biochemical Oxygen Demand Reactions. — Donald Dean Adrian, Emerald M. Roider, and Thomas G. Sanders; 130(7), 784-91 (2004).

Cation Effects on Chromium Removal in Permeable Reactive Walls. — Andrew Karvonen; 130(8), 863-6 (2004).

Bioclogging of Sand due to Biodegradation of Aircraft Deicing Fluid. — Angela R. Bielefeldt, Tissa Illangasekare, and Rosanna LaPlante; 130(10), 1147-53 (2004).

Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. II: Optimal Load Control. — Michael Piasecki; 130(11), 1335-44 (2004).

Removal of 17β Estradiol and Fluoranthene by Nanofiltration and Ultrafiltration. — Yeomin Yoon, Paul Westerhoff, Jaekyung Yoon, and Shane A. Snyder; 130(12), 1460-7 (2004).

Tracer Study of Mixing and Transport in the Upper Hudson River with Multiple Dams. — Theodore Caplow, Peter Schlosser, and David T. Ho; 130(12), 1498-506 (2004).

Simulating the Effect of Liquid CO_2 on *Cryptosporidium parvum* Oocysts in Aquifer Material. —

Susan L. Keller, Michael B. Jenkins, and William C. Ghiorse; 130(12), 1547-51 (2004).

Water quality

Impact of Increased Chloride Concentration on Nitrifying-Activated Sludge Cultures. — Guang-Hao Chen and Man-Tak Wong; 130(2), 116-25 (2004).

Iron Corrosion Scales: Model for Scale Growth, Iron Release, and Colored Water Formation. — P. Sarin, V. L. Snoeyink, D. A. Lytle, and W. M. Kriven; 130(4), 364-73 (2004).

Nutrient Loads Associated with Different Sediment Sizes in Urban Stormwater and Surface Pollutants. — Jai Vaze and Francis H. S. Chiew; 130(4), 391-6 (2004).

Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).

Biological Assessment and Criteria Improve Total Maximum Daily Load Decision Making. — James R. Karr and Chris O. Yoder; 130(6), 594-604 (2004).

Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Role of Effluent Permit Trading in Total Maximum Daily Load Programs: Overview and Uncertainty and Reliability Implications. — J. Wayland Eheart and Tze Ling Ng; 130(6), 615-21 (2004).

Environmental Index for Assessing Spatial Bias in Watershed Sampling Networks. — Alison C. Simcox and Ray C. Whittemore; 130(6), 622-30 (2004).

Managing for Water Clarity in Chesapeake Bay. — Carl F. Cerco, Mark R. Noel, and Lewis Linker; 130(6), 631-42 (2004).

Importance of Field Data in Stream Water Quality Modeling Using *QUAL2E-UNCAS*. — Thomas O. Barnwell, Jr., Linfield C. Brown, and Raymond C. Whittemore; 130(6), 643-7 (2004).

Improving Total Maximum Daily Loads with Lessons Learned from Long-Term Detailed Monitoring. — R. Peter Richards; 130(6), 657-63 (2004).

Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).

Simplified Databased Total Maximum Daily Loads, or the World is Log-Normal. — Vladimir Novotny; 130(6), 674-83 (2004).

History of Innovative Best Management Practice Development and its Role in Addressing Water Quality Limited Waterbodies. — George Ice; 130(6), 684-9 (2004).

Models Quantify the Total Maximum Daily Load Process. — Joseph V. DePinto, Paul L. Freedman, David M. Dilks, and Wendy M. Larson; 130(6), 703-13 (2004).

Decision Support System for Stakeholder Involvement. — Carl W. Chen, Joel Herr, and Laura Weintraub; 130(6), 714-21 (2004).

Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).

Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Bacterial Regrowth Model for Water Distribution Systems Incorporating Alternating Split-Operator Solution Technique. — Weidong Zhang, Cass T. Miller, and Francis A. DiGiano; 130(9), 932-41 (2004).

Assessment of Agricultural NonPoint Source Model for a Watershed in Tropical Environment. — Mukand Singh Babel, Mohamed Mujithaba Mohamed Najim, and Rainer Loof; 130(9), 1032-41 (2004).

Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).

Spatial Diversity of Chlorine Residual in a Drinking Water Distribution System. — Lienyao Lee, Chungsying Lu, and Shyang-Lai Kung; 130(11), 1263-8 (2004).

Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

First Flush Concepts for Suspended and Dissolved Solids in Small Impervious Watersheds. — John J. Sansalone and Chad M. Cristina; 130(11), 1301-14 (2004).

Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. I: Sensitivity Analysis. — Michael Piasecki; 130(11), 1322-34 (2004).

Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. II: Optimal Load Control. — Michael Piasecki; 130(11), 1335-44 (2004).

Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Water reclamation

Natural Oxidant Demand of Aquifer Materials Using the Push-Pull Technique. — Kevin G. Mumford, Coby S. Lamarche, and Neil R. Thomson; 130(10), 1139-46 (2004).

Water resources management

Improving Total Maximum Daily Loads with Lessons Learned from Long-Term Detailed Monitoring. — R. Peter Richards; 130(6), 657-63 (2004).

Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).

History of Innovative Best Management Practice Development and its Role in Addressing Water Quality Limited Waterbodies. — George Ice; 130(6), 684-9 (2004).

Improved Consideration of the Margin of Safety in Total Maximum Daily Load Development. — David W. Dilks and Paul L. Freedman; 130(6), 690-4 (2004).

Viewing Total Maximum Daily Loads as a Process, Not a Singular Value: Adaptive Watershed Management. — Paul L. Freedman, Adrienne D. Nemura, and David W. Dilks; 130(6), 695-702 (2004).

Water reuse

Evaluation of a System for Residential Treatment and Reuse of Wastewater. — Roger W. Babcock, Jr. , Daniel A. McNair, Lance A. Edling, and Harold Nagato; 130(7), 766-73 (2004).

Removal of 17β Estradiol and Fluoranthene by Nanofiltration and Ultrafiltration. — Yeomin Yoon, Paul Westerhoff, Jaekyung Yoon, and Shane A. Snyder; 130(12), 1460-7 (2004).

Water sampling

Environmental Index for Assessing Spatial Bias in Watershed Sampling Networks. — Alison C. Simcox and Ray C. Whittemore; 130(6), 622-30 (2004).

Water storage

Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Water treatment

Dense Medium Plasma-Plasma-Enhanced Decontamination of Water of Aromatic Compounds. — Sorin Manolache, Vasgen Shamamian, and Ferencz Denes; 130(1), 17-25 (2004).

Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Air Binding of Granular Media Filters. — Paolo Scardina and Marc Edwards; 130(10), 1126-38 (2004).

Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. I: Model Development. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1242-52 (2004).

Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Zeta Potential, Dissolved Organic Carbon, and Removal of *Cryptosporidium* Oocysts by Coagulation and Sedimentation. — Irene Xagoraraki and Gregory W. Harrington; 130(12), 1424-32 (2004).

Impact of Membrane Surface Modification on the Treatment of Surface Water. — Daniella B.

Mosqueda-Jimenez, Roberto M. Narbaitz, and Takeshi Matsuura; 130(12), 1450-9 (2004).
Removal of 17β Estradiol and Fluoranthene by Nanofiltration and Ultrafiltration. — Yeomin Yoon, Paul Westerhoff, Jaekyung Yoon, and Shane A. Snyder; 130(12), 1460-7 (2004).
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Water treatment plants

Trickling Filter Nitrification Performance Characteristics and Potential of a Full-Scale Municipal Wastewater Treatment Facility. — Eric Anthony Evans, Timothy G. Ellis, Harvey Gullicks, and John Ringelestein; 130(11), 1280-8 (2004).

Watershed management

Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).
Viewing Total Maximum Daily Loads as a Process, Not a Singular Value: Adaptive Watershed Management. — Paul L. Freedman, Adrienne D. Nemura, and David W. Dilks; 130(6), 695-702 (2004).
Decision Support System for Stakeholder Involvement. — Carl W. Chen, Joel Herr, and Laura Weintraub; 130(6), 714-21 (2004).
Assessment of Agricultural NonPoint Source Model for a Watershed in Tropical Environment. — Mukand Singh Babel, Mohamed Mujithaba Mohamed Najim, and Rainer Loof; 130(9), 1032-41 (2004).
First Flush Concepts for Suspended and Dissolved Solids in Small Impervious Watersheds. — John J. Sansalone and Chad M. Cristina; 130(11), 1301-14 (2004).

Watersheds

Methodology for pH Total Maximum Daily Loads: Application to Beech Creek Watershed. — Lindell Ormsbee, Amin Elshorbagy, and Emily Zechman; 130(2), 167-74 (2004).
Environmental Index for Assessing Spatial Bias in Watershed Sampling Networks. — Alison C. Simcox and Ray C. Whittemore; 130(6), 622-30 (2004).
Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

Wedges

Hydraulic Study of the Onset of Hypoxia in the Tone River Estuary. — T. Ishikawa, T. Suzuki, and X. Qian; 130(5), 551-61 (2004).

Wells

Natural Oxidant Demand of Aquifer Materials Using the Push-Pull Technique. — Kevin G. Mumford, Coby S. Lamarche, and Neil R. Thomson; 130(10), 1139-46 (2004).

Wood preservatives

Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).

Zeolite

Influence of Solution pH and Ionic Strength on Chromate Uptake by Surfactant-Modified Zeolite. — Zhaohui Li; 130(2), 205-8 (2004).
Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).
Effect of Moisture on the Adsorption of Volatile Organic Compounds by Zeolite 13×. — Wei-Han Tao, Thomas C.-K. Yang, Yaw-Nan Chang, Li-Kai Chang, and Tsair-Wang Chung; 130(10), 1210-6 (2004).

Zinc

Influence of Citrate on Adsorption of Zinc in Soils. — Arthur Paul Schwab, Yinghong He, and Margaret Katherine Banks; 130(10), 1180-7 (2004).

Author Index

Abdel Raouf, M. W.
Assessment of Fossil Fuel Fly Ash Formulations in the Immobilization of Hazardous Wastes. — M. W. Abdel Raouf and H. G. Nowier; 130(5), 499-507 (2004).

Abriola, Linda M.
Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Adamsson, Åsa
Closure to "Bed Shear Stress Boundary Condition for Storage Tank Sedimentation" by Åsa Adamsson, Virginia Stovin, and Lars Bergdahl. — Åsa Adamsson, Virginia Stovin, and Lars Bergdahl; 130(9), 1068-9 (2004).

Adrian, Donald Dean
Oxygen Sag Models for Multiorder Biochemical Oxygen Demand Reactions. — Donald Dean Adrian, Emerald M. Roider, and Thomas G. Sanders; 130(7), 784-91 (2004).

Agnihotri, Sandeep
Destruction of 1,1,1-Trichloroethane Using Dielectric Barrier Discharge Nonthermal Plasma. — Sandeep Agnihotri, Mark P. Cal, and Justin Prien; 130(3), 349-55 (2004).

Andrews, R. C.
Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Aramaki, Toshiya
Environmental Impact of Solid Waste Treatment Methods in Korea. — Seongwon Seo, Toshiya Aramaki, Yongwoo Hwang, and Keisuke Hanaki; 130(1), 81-9 (2004).

Arnold, Robert G.
Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

Aziz, Nadim M.
Retardation of Dredged Material Leachate in Foundation Soils. — Paul R. Schroeder and Nadim M. Aziz; 130(12), 1543-6 (T) (2004).

Babcock, Roger W., Jr.
Evaluation of a System for Residential Treatment and Reuse of Wastewater. — Roger W. Babcock, Jr. , Daniel A. McNair, Lance A. Edling, and Harold Nagato; 130(7), 766-73 (2004).

Babel, Mukand Singh
Assessment of Agricultural NonPoint Source Model for a Watershed in Tropical Environment. — Mukand Singh Babel, Mohamed Mujithaba Mohamed Najim, and Rainer Loof; 130(9), 1032-41 (2004).

Bae, Sunyoung
Estimation of Polyethylene Oxide Polymer Train and Loop Densities on Contaminant Barrier Materials. — Hilary I. Inyang and Sunyoung Bae; 130(8), 896-905 (2004).

Bae, Wookeun
Improved Anaerobic Process Efficiency Using Mesophilic and Thermophilic Elutriated Phased Treatment. — Moonil Kim, Wookeun Bae, and Richard E. Speece; 130(9), 960-6 (2004).

Bagby, Michael D.
Microfiltration of a Dental Wastewater for Hg Removal: Clinic Demonstration. — Brian E. Reed, Michael D. Bagby, and Ronald L. Vaughan, Jr.; 130(1), 12-6 (2004).

Banks, Jenny
Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Banks, Margaret Katherine
Influence of Citrate on Adsorption of Zinc in Soils. — Arthur Paul Schwab, Yinghong He, and Margaret Katherine Banks; 130(10), 1180-7 (2004).

Bao-Hua, Xu
HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).

Barber, Michael E.
Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Barlaz, Morton A.
Biodegradation of 1,4-Dioxane Using Trickling Filter. — Matthew J. Zenker, Robert C. Borden, and Morton A. Barlaz; 130(9), 926-31 (2004).

Barnwell, Thomas O., Jr.
Importance of Field Data in Stream Water Quality Modeling Using *QUAL2E-UNCAS*. — Thomas O. Barnwell, Jr., Linfield C. Brown, and Raymond C. Whittemore; 130(6), 643-7 (2004).

Başağaoğlu, Hakan
Radial Pore Diffusion with Nonuniform Intraparticle Porosities. — Hakan Başağaoğlu, Timothy R. Ginn, and Benjamin J. McCoy; 130(10), 1170-9 (2004).

Batterman, Stuart
Life-Cycle Assessment and Environmental Engineering. — Stuart Batterman; 130(11), 1229-30 (2004).

Bednarik, Vratislav
Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Beltramini, J.
Oxidation of Toluene in Waste Gas Streams Using Mesoporous Ti-Hexagonal Mesoporous Silica. — T. Williams, J. Beltramini, and G. Q. Lu; 130(3), 356-9 (2004).

Benaman, Jennifer
Methodology for Analyzing Ranges of Uncertain Model Parameters and Their Impact on Total Maximum Daily Load Process. — Jennifer Benaman and Christine A. Shoemaker; 130(6), 648-56 (2004).

Bendick, J. A.
Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).

Bergdahl, Lars
Closure to "Bed Shear Stress Boundary Condition for Storage Tank Sedimentation" by Åsa Adamsson, Virginia Stovin, and Lars Bergdahl. — Åsa Adamsson, Virginia Stovin, and Lars Bergdahl; 130(9), 1068-9 (2004).

Betterton, Eric A.
Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

Bielefeldt, Angela R.
Bioclogging of Sand due to Biodegradation of Aircraft Deicing Fluid. — Angela R. Bielefeldt, Tissa Illangasekare, and Rosanna LaPlante; 130(10), 1147-53 (2004).

Blais, Jean-François
Pilot Plant Study of Simultaneous Sewage Sludge Digestion and Metal Leaching. — Jean-François Blais, Nathalie Meunier, Guy Mercier, Patrick Drogui, and Rajeshwar Dayal Tyagi; 130(5), 516-25 (2004).

Bode, Lance
Modeling Suspended Sediment during Construction in Great Barrier Reef World Heritage Area. — Tom Hardy, Luciano Mason, Jason McConochie, and Lance Bode; 130(9), 1021-31 (2004).

Borden, Robert C.
Biodegradation of 1,4-Dioxane Using Trickling Filter. — Matthew J. Zenker, Robert C. Borden, and Morton A. Barlaz; 130(9), 926-31 (2004).

Borsuk, Mark E.
Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Boyd, Glen R.
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).
Pb in Tap Water Following Simulated Partial Lead Pipe Replacements. — Glen R. Boyd, Prasad Shetty, Anne M. Sandvig, and Gregory L. Pierson; 130(10), 1188-97 (2004).

Bradley, Robert M.
Forecasting Domestic Water Use in Rapidly Urbanizing Areas in Asia. — Robert M. Bradley; 130(4), 465-71 (2004).

Brady, Donald J.
Managing the Water Program. — Donald J. Brady; 130(6), 591-3 (2004).

Britton, Michael D.
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Brochu, Michael, Jr.
Specific Surface Area of Barrier Mixtures at Various Outgas Temperatures. — John L. Daniels, Hilary I. Inyang, and Michael Brochu, Jr.; 130(8), 867-72 (2004).

Brown, Linfield C.
Importance of Field Data in Stream Water Quality Modeling Using *QUAL2E-UNCAS*. — Thomas O. Barnwell, Jr., Linfield C. Brown, and Raymond C. Whittemore; 130(6), 643-7 (2004).

Buchta, Robert
Impact of Water Blending on Calcium Carbonate Equilibrium in Water Distribution Systems. — Wojciech Dąbrowski, Robert Buchta, and R. Ian Mackie; 130(9), 1059-62 (2004).

Buenfeld, N. R.
Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).

Burgos, William D.
Low-Temperature Oxygen Trap for Maintaining Strict Anoxic Conditions. — Byong-Hun Jeon, Brian A. Dempsey, Richard A. Royer, and William D. Burgos; 130(11), 1407-10 (T) (2004).

Cabrera-Fonseca, Jimena
Catalytic Oxidation of Volatile Organic Liquids. — Shane E. Roark, Jimena Cabrera-Fonseca, Michael C. Milazzo, James H. White, and Joseph D. Wander; 130(3), 329-37 (2004).

Cal, Mark P.
Destruction of 1,1,1-Trichloroethane Using Dielectric Barrier Discharge Nonthermal Plasma. — Sandeep Agnihotri, Mark P. Cal, and Justin Prien; 130(3), 349-55 (2004).

Campbell, Andrew T.
Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Campos, Carlos
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. I: Model Development. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1242-52 (2004).
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. II: Model Verification and Application. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1253-62 (2004).

Caplow, Theodore
Tracer Study of Mixing and Transport in the Upper Hudson River with Multiple Dams. — Theodore Caplow, Peter Schlosser, and David T. Ho; 130(12), 1498-506 (2004).

Cartledge, Frank K.
Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. I: Batch Equilibria and Kinetics. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 374-82 (2004).
Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. II: Equilibria and Kinetic Models. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 383-90 (2004).

Cerco, Carl F.
Managing for Water Clarity in Chesapeake Bay. — Carl F. Cerco, Mark R. Noel, and Lewis Linker; 130(6), 631-42 (2004).

Cha, Chang Yul
Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).

Chang, Hsi-Lih
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Chang, Li-Kai
Effect of Moisture on the Adsorption of Volatile Organic Compounds by Zeolite 13×. — Wei-Han Tao, Thomas C.-K. Yang, Yaw-Nan Chang, Li-Kai Chang, and Tsair-Wang Chung; 130(10), 1210-6 (2004).

Chang, M. R.
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (T) (2004).

Chang, Ni-Bin
Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).

Chang, Sheng
Assessment of Trace Estrogenic Contaminants Removal by Coagulant Addition, Powdered Activated Carbon Adsorption and Powdered Activated Carbon/Microfiltration Processes. — Sheng Chang, T. David Waite, Peter E. A. Ong, Andrea I. Schäfer, and Anthony G. Fane; 130(7), 736-42 (2004).

Chang, Yaw-Nan
Effect of Moisture on the Adsorption of Volatile Organic Compounds by Zeolite 13×. — Wei-Han Tao, Thomas C.-K. Yang, Yaw-Nan Chang, Li-Kai Chang, and Tsair-Wang Chung; 130(10), 1210-6 (2004).

Chao, Keh-Ping
Benzene Nonaqueous Phase Liquids Removal under Air-Sparged Conditions. — Shane W. Rogers, Keh-Ping Chao, and Say Kee Ong; 130(7), 751-8 (2004).

Chapra, Steven
Numerical Efficiency in Monte Carlo Simulations—Case Study of a River Thermodynamic Model. — Neil McIntyre, Bethanna Jackson, Howard Wheater, and Steven Chapra; 130(4), 456-64 (2004).

Chauret, C.
Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Chelani, A.
Utility of Column Lysimeter for Design of Soil Aquifer Treatment System for Wastewater Renovation Using Artificial Neural Networks. — P. Nema, A. Chelani, C. S. P. Ojha, Arvind Kumar, and P. Khanna; 130(12), 1534-42 (2004).

Chen, Carl W.
Decision Support System for Stakeholder Involvement. — Carl W. Chen, Joel Herr, and Laura Weintraub; 130(6), 714-21 (2004).

Chen, Chiee-Young
Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).

Chen, Guang-Hao
Impact of Increased Chloride Concentration on Nitrifying-Activated Sludge Cultures. — Guang-Hao Chen and Man-Tak Wong; 130(2), 116-25 (2004).

Chen, Jeng-Chung
Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).

Chen, L. C.
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Chen, Shulin
Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Chen, W. C.
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (T) (2004).

Chiang, L. I.
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (T) (2004).

Chien, Calvin C.
Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).

Chiew, Francis H. S.
Nutrient Loads Associated with Different Sediment Sizes in Urban Stormwater and Surface Pollutants. — Jai Vaze and Francis H. S. Chiew; 130(4), 391-6 (2004).

Chinthamreddy, Supraja
Enhanced Electrokinetic Remediation of Heavy Metals in Glacial Till Soils Using Different Electrolyte Solutions. — Krishna R. Reddy and Supraja Chinthamreddy; 130(4), 442-55 (2004).

Cho, Kuk
Control of Molybdenum Emission by Sorbents: Equilibrium Analysis. — Kuk Cho and Chang-Yu Wu; 130(2), 201-4 (2004).

Choi, Duk-Soo
Behavior of Field-Scale Biotrickling Filter under Nonsteady State Conditions. — Duk-Soo Choi, Joseph S. Devinny, and Marc A. Deshusses; 130(3), 322-8 (2004).

Choi, Heechul
Reaction Kinetics of Ozone in Variably Saturated Porous Media. — Haeryong Jung, Jeongkon Kim, and Heechul Choi; 130(4), 432-41 (2004).

Choi, Jeong-Woo
Fuzzy Controller for Thermophilic Aerobic Digestion Using Nicotinamide Adenine Dinucleotide Fluorescence. — Young-Kee Kim and Jeong-Woo Choi; 130(7), 759-65 (2004).

Chowdhury, Raja
Minimization of Short-Circuiting Flow through Upflow Anaerobic Sludge Blanket Reactor. — Raja Chowdhury and Indu Mehrotra; 130(9), 951-9 (2004).

Chua, Chee-Yong
Systematic Approach for Quick Quality Assessment of Ink Effluents for Treatment and Discharge. — Chee-Yong Chua and Kai-Chee Loh; 130(4), 417-24 (2004).

Chuang, Shun-Hsing
Modeling a Combined Anaerobic/Anoxic Oxide and Rotating Biological Contactors Process under Dissolved Oxygen Variation by Using an Activated Sludge-Biofilm Hybrid Model. — Tzu-Yi Pai, Shun-Hsing Chuang, Yung-Pin Tsai, and Chaio-Fuei Ouyang; 130(12), 1433-41 (2004).

Chung, H. Y.
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Chung, Tsair-Wang
Effect of Moisture on the Adsorption of Volatile Organic Compounds by Zeolite 13×. — Wei-Han Tao, Thomas C.-K. Yang, Yaw-Nan Chang, Li-Kai Chang, and Tsair-Wang Chung; 130(10), 1210-6 (2004).

Clapp, Lee W.
Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W. Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).

Contreras, Sandra
Engineering Aspects of the Integration of Chemical and Biological Oxidation: Simple Mechanistic Models for the Oxidation Treatment. — Santiago Esplugas, Sandra Contreras, and David F. Ollis; 130(9), 967-74 (2004).

Copty, Nadim K.
Stochastic Model for Landfill Gas Transport and Energy Recovery. — Nadim K. Copty, Didar Ergene, and Turgut T. Onay; 130(9), 1042-9 (2004).

Cox, Huub H. J.
Conversion of Full-Scale Wet Scrubbers to Biotrickling Filters for H_2S Control at Publicly Owned Treatment Works. — David Gabriel, Huub H. J. Cox, and Marc A. Deshusses; 130(10), 1110-7 (2004).

Cox, Steven S.
Characterizing Polyurethane Foam as a Sink for or Source of Volatile Organic Compounds in Indoor Air. — Dongye Zhao, John C. Little, and Steven S. Cox; 130(9), 983-9 (2004).

Crimi, Michelle L.
Impact of Reaction Conditions on MnO_2 Genesis during Permanganate Oxidation. — Michelle L. Crimi and Robert L. Siegrist; 130(5), 562-72 (2004).

Cristina, Chad M.
First Flush Concepts for Suspended and Dissolved Solids in Small Impervious Watersheds. — John J. Sansalone and Chad M. Cristina; 130(11), 1301-14 (2004).
Prediction of Gradation-Based Heavy Metal Mass Using Granulometric Indices of Snowmelt Particles. — John J. Sansalone and Chad M. Cristina; 130(12), 1488-97 (2004).

Dąbrowski, Wojciech
Impact of Water Blending on Calcium Carbonate Equilibrium in Water Distribution Systems. — Wojciech Dąbrowski, Robert Buchta, and R. Ian Mackie; 130(9), 1059-62 (2004).

Danda, Swapna
Complicating Factors of Using Ethylenediamine Tetraacetic Acid to Enhance Electrokinetic Remediation of Multiple Heavy Metals in Clayey Soils. — Krishna R. Reddy, Swapna Danda, and Richard E. Saichek; 130(11), 1357-66 (2004).

Daniels, John L.
Specific Surface Area of Barrier Mixtures at Various Outgas Temperatures. — John L. Daniels, Hilary I. Inyang, and Michael Brochu, Jr.; 130(8), 867-72 (2004).
Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).

Davis, Allen P.
Metal Recovery and Catalyst Reuse from the Photocatalytic Oxidation of Copper-Ethylenediaminetetraacetic Acid. — Kurt R. Rhoads and Allen P. Davis; 130(4), 425-31 (2004).

de Brito Galvão, T. C.
The Application of Innovative Materials in Waste Containment Barriers. — Hilary I. Inyang and T. C. de Brito Galvão; 130(8), 834-5 (2004).

de Brito Galvão, T. Cássia
Effects of Lime on Permeability and Compressibility of Two Tropical Residual Soils. — T. Cássia de Brito Galvão, Ahmed Elsharief , and Gustavo Ferreira Simões; 130(8), 881-5 (2004).

De Kee, Daniel
Permeation of Organics through Linear Low Density Polyethylene Geomembranes under Mechanical Deformation. — Juan Hinestroza and Daniel De Kee; 130(12), 1468-74 (2004).

Dempsey, Brian A.
Low-Temperature Oxygen Trap for Maintaining Strict Anoxic Conditions. — Byong-Hun Jeon, Brian A. Dempsey, Richard A. Royer, and William D. Burgos; 130(11), 1407-10 (T) (2004).

Denes, Ferencz
Dense Medium Plasma-Plasma-Enhanced Decontamination of Water of Aromatic Compounds. — Sorin Manolache, Vasgen Shamamian, and Ferencz Denes; 130(1), 17-25 (2004).

De Pauw, Dirk J. W.
Discussion of "Assessing Parameter Identifiability of Activated Sludge Model Number 1" by Pedro Afonso and Maria da Conceição Cunha. — Dirk J. W. De Pauw, Gürkan Sin, Güclü Insel, Stijn W. H. Van Hulle, Veronique Vandenberghe, and Peter A. Vanrolleghem; 130(1), 110-2 (2004).

DePinto, Joseph V.
Models Quantify the Total Maximum Daily Load Process. — Joseph V. DePinto, Paul L. Freedman, David M. Dilks, and Wendy M. Larson; 130(6), 703-13 (2004).

Deshusses, Marc A.
Behavior of Field-Scale Biotrickling Filter under Nonsteady State Conditions. — Duk-Soo Choi, Joseph S. Devinny, and Marc A. Deshusses; 130(3), 322-8 (2004).
Conversion of Full-Scale Wet Scrubbers to Biotrickling Filters for H_2S Control at Publicly Owned Treatment Works. — David Gabriel, Huub H. J. Cox, and Marc A. Deshusses; 130(10), 1110-7 (2004).

DeVantier, Bruce A.
Environmental Education, Homeland Security, Environmental Engineering, and Other Points Between. — Bruce A. DeVantier; 130(4), 361-2 (2004).

Devinny, Joseph S.
Behavior of Field-Scale Biotrickling Filter under Nonsteady State Conditions. — Duk-Soo Choi, Joseph S. Devinny, and Marc A. Deshusses; 130(3), 322-8 (2004).

Diao, H. F.
Electrochemical Wastewater Disinfection: Identification of Its Principal Germicidal Actions. — X. Y. Li, H. F. Diao, F. X. J. Fan, J. D. Gu, F. Ding, and A. S. F. Tong; 130(10), 1217-21 (2004).

DiGiano, Francis A.
Bacterial Regrowth Model for Water Distribution Systems Incorporating Alternating Split-Operator Solution Technique. — Weidong Zhang, Cass T. Miller, and Francis A. DiGiano; 130(9), 932-41 (2004).

Dilks, David M.
Models Quantify the Total Maximum Daily Load Process. — Joseph V. DePinto, Paul L. Freedman, David M. Dilks, and Wendy M. Larson; 130(6), 703-13 (2004).

Dilks, David W.
Improved Consideration of the Margin of Safety in Total Maximum Daily Load Development. — David W. Dilks and Paul L. Freedman; 130(6), 690-4 (2004).
Viewing Total Maximum Daily Loads as a Process, Not a Singular Value: Adaptive Watershed Management. — Paul L. Freedman, Adrienne D. Nemura, and David W. Dilks; 130(6), 695-702 (2004).

Ding, F.
Electrochemical Wastewater Disinfection: Identification of Its Principal Germicidal Actions. — X. Y. Li, H. F. Diao, F. X. J. Fan, J. D. Gu, F. Ding, and A. S. F. Tong; 130(10), 1217-21 (2004).

Dionysiou, Dionysios D.
Environmental Applications and Implications of Nanotechnology and Nanomaterials. — Dionysios D. Dionysiou; 130(7), 723-4 (2004).

Dombrowski, Katherine D.
Capture of Organic Vapors Using Adsorption and Electrothermal Regeneration. — Patrick D. Sullivan, Mark J. Rood, Katherine D. Dombrowski, and K. James Hay; 130(3), 258-67 (2004).
Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).

Doneker, Robert L.
Discussion of "Sensitivity Analysis and Comparative Performance of Outfalls with Single Buoyant Plumes" by Maria A. Economopoulou, Alexia A. Economopoulou, and Alexander P. Economopoulos. — Robert L. Doneker and Gerhard H. Jirka; 130(10), 1222-3 (2004).

Drogui, Patrick
Pilot Plant Study of Simultaneous Sewage Sludge Digestion and Metal Leaching. — Jean-François Blais, Nathalie Meunier, Guy Mercier, Patrick Drogui, and Rajeshwar Dayal Tyagi; 130(5), 516-25 (2004).

Duchesne, Sophie
Global Predictive Real-Time Control of Sewers Allowing Surcharged Flows. — Sophie Duchesne, Alain Mailhot , and Jean-Pierre Villeneuve; 130(5), 526-34 (2004).

Duran, Brandy L.
Lead Extraction from Contaminated Soil Using Water-Soluble Polymers. — Nancy N. Sauer, Deborah S. Ehler, and Brandy L. Duran; 130(5), 585-8 (2004).

Dzombak, David A.
Release of Polychlorinated Biphenyls from River Sediment to Water under Low-Flow Conditions: Laboratory Assessment. — Enrique Ortiz, Richard G. Luthy, David A. Dzombak, and John R. Smith; 130(2), 126-35 (2004).

Economopoulos, Alexander P.
Closure to "Sensitivity Analysis and Comparative Performance of Outfalls with Single Buoyant Plumes" by Maria A. Economopoulou, Alexia A. Economopoulou, and Alexander P. Economopoulos. — Maria A. Economopoulou, Alexia A. Economopoulou, and Alexander P. Economopoulos; 130(10), 1224-7 (2004).

Economopoulou, Alexia A.
Closure to "Sensitivity Analysis and Comparative Performance of Outfalls with Single Buoyant Plumes" by Maria A. Economopoulou, Alexia A. Economopoulou, and Alexander P. Economopoulos. — Maria A. Economopoulou, Alexia A. Economopoulou, and Alexander P. Economopoulos; 130(10), 1224-7 (2004).

Economopoulou, Maria A.
Closure to "Sensitivity Analysis and Comparative Performance of Outfalls with Single Buoyant Plumes" by Maria A. Economopoulou, Alexia A. Economopoulou, and Alexander P. Economopoulos. — Maria A. Economopoulou, Alexia A. Economopoulou, and Alexander P. Economopoulos; 130(10), 1224-7 (2004).

Edil, Tuncer B.
Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).

Edling, Lance A.
Evaluation of a System for Residential Treatment and Reuse of Wastewater. — Roger W. Babcock, Jr. , Daniel A. McNair, Lance A. Edling, and Harold Nagato; 130(7), 766-73 (2004).

Edwards, Marc
Importance of Pb and Cu Particulate Species for Corrosion Control. — Laurie S. McNeill and Marc Edwards; 130(2), 136-44 (2004).
Air Binding of Granular Media Filters. — Paolo Scardina and Marc Edwards; 130(10), 1126-38 (2004).

Eheart, J. Wayland
Role of Effluent Permit Trading in Total Maximum Daily Load Programs: Overview and Uncertainty and Reliability Implications. — J. Wayland Eheart and Tze Ling Ng; 130(6), 615-21 (2004).

Ehler, Deborah S.
Lead Extraction from Contaminated Soil Using Water-Soluble Polymers. — Nancy N. Sauer, Deborah S. Ehler, and Brandy L. Duran; 130(5), 585-8 (2004).

Ela, Wendell P.
Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

Ellis, Timothy G.
Trickling Filter Nitrification Performance Characteristics and Potential of a Full-Scale Municipal Wastewater Treatment Facility. — Eric Anthony Evans, Timothy G. Ellis, Harvey Gullicks, and John Ringelestein; 130(11), 1280-8 (2004).

Elsharief , Ahmed
Effects of Lime on Permeability and Compressibility of Two Tropical Residual Soils. — T. Cássia de Brito Galvão, Ahmed Elsharief , and Gustavo Ferreira Simões; 130(8), 881-5 (2004).

Elshorbagy, Amin
Methodology for pH Total Maximum Daily Loads: Application to Beech Creek Watershed. — Lindell Ormsbee, Amin Elshorbagy, and Emily Zechman; 130(2), 167-74 (2004).

Ergene, Didar
Stochastic Model for Landfill Gas Transport and Energy Recovery. — Nadim K. Copty, Didar Ergene, and Turgut T. Onay; 130(9), 1042-9 (2004).

Esplugas, Santiago
Engineering Aspects of the Integration of Chemical and Biological Oxidation: Simple Mechanistic Models for the Oxidation Treatment. — Santiago Esplugas, Sandra Contreras, and David F. Ollis; 130(9), 967-74 (2004).

Evans, Eric Anthony
Trickling Filter Nitrification Performance Characteristics and Potential of a Full-Scale Municipal Wastewater Treatment Facility. — Eric Anthony Evans, Timothy G. Ellis, Harvey Gullicks, and John Ringelestein; 130(11), 1280-8 (2004).

Everett, Jess W.
Aqueous and Mineral Intrinsic Bioremediation Assessment: Natural Attenuation. — Lonnie Kennedy, Jess W. Everett, and Jim Gonzales; 130(9), 942-50 (2004).

Fan, F. X. J.
Electrochemical Wastewater Disinfection: Identification of Its Principal Germicidal Actions. — X. Y. Li, H. F. Diao, F. X. J. Fan, J. D. Gu, F. Ding, and A. S. F. Tong; 130(10), 1217-21 (2004).

Fane, Anthony G.
Assessment of Trace Estrogenic Contaminants Removal by Coagulant Addition, Powdered Activated Carbon Adsorption and Powdered Activated Carbon/Microfiltration Processes. — Sheng Chang, T. David Waite, Peter E. A. Ong, Andrea I. Schäfer, and Anthony G. Fane; 130(7), 736-42 (2004).

Fearing, David A.
Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Fen, Chiu-Shia
Minimizing the Ecological Risk of Combined-Sewer Overflows in an Urban River System by a System-Based Approach. — Jeng-Chung Chen, Ni-Bin Chang, Chiee-Young Chen, and Chiu-Shia Fen; 130(10), 1154-69 (2004).

Ferrara, Raymond A.
The Practicing Professional and the Journal Publication—the Odd Couple or Soulmates? — Raymond A. Ferrara; 130(5), 489-90 (2004).

Fleming, Elizabeth C.
Ozonation of 2,6-, 3,4-, and 3,5-Dichlorophenol Isomers within Aqueous Solutions. — Yongqiang Qiu, Chiang-Hai Kuo, Mark E. Zappi, and Elizabeth C. Fleming; 130(4), 408-16 (2004).

Freedman, Paul L.
Improved Consideration of the Margin of Safety in Total Maximum Daily Load Development. — David W. Dilks and Paul L. Freedman; 130(6), 690-4 (2004).
Viewing Total Maximum Daily Loads as a Process, Not a Singular Value: Adaptive Watershed Management. — Paul L. Freedman, Adrienne D. Nemura, and David W. Dilks; 130(6), 695-702 (2004).
Models Quantify the Total Maximum Daily Load Process. — Joseph V. DePinto, Paul L. Freedman, David M. Dilks, and Wendy M. Larson; 130(6), 703-13 (2004).

Friedman, Melinda J.
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Frymier, Paul D.
Statistical Comparison of Bioassays for Assessment of Toxicity of Organic Components of Wastewater to Activated Sludge. — Shijin Ren and Paul D. Frymier; 130(4), 484-8 (2004).

Fuessle, Robert W.
Long-Term Solidification/Stabilization and Toxicity Characteristic Leaching Procedure for an Electric Arc Furnace Dust. — Robert W. Fuessle and Max A. Taylor; 130(5), 492-8 (2004).
Stabilization of Arsenite Wastes with Prior Oxidation. — Robert W. Fuessle and Max A. Taylor; 130(9), 1063-6 (2004).

Funk, James E.
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Gabriel, David
Conversion of Full-Scale Wet Scrubbers to Biotrickling Filters for H_2S Control at Publicly Owned Treatment Works. — David Gabriel, Huub H. J. Cox, and Marc A. Deshusses; 130(10), 1110-7 (2004).

Gagnon, G. A.
Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Gao, J.
Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

George, Alan H.
Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).

Ghiorse, William C.
Simulating the Effect of Liquid CO_2 on *Cryptosporidium parvum* Oocysts in Aquifer Material. — Susan L. Keller, Michael B. Jenkins, and William C. Ghiorse; 130(12), 1547-51 (T) (2004).

Ghosh, Narayan C.
Hybrid-Cells-in-Series Model for Solute Transport in a River. — Narayan C. Ghosh, Govinda C. Mishra, and Chandra Shekhar P. Ojha; 130(10), 1198-209 (2004).

Gilman, Paul
EPA CREM: Turning the Black Box into Plexiglass. — Paul Gilman; 130(12), 1411-2 (2004).

Ginn, Timothy R.
Radial Pore Diffusion with Nonuniform Intraparticle Porosities. — Hakan Başağaoğlu, Timothy R. Ginn, and Benjamin J. McCoy; 130(10), 1170-9 (2004).

Gonzales, Jim
Aqueous and Mineral Intrinsic Bioremediation Assessment: Natural Attenuation. — Lonnie Kennedy, Jess W. Everett, and Jim Gonzales; 130(9), 942-50 (2004).

Goslan, Emma H.
Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Graber, S. David
Collection Conduits Including Subsurface Drains. — S. David Graber; 130(1), 67-80 (2004).

Graham-Eagle, J.
A Model of Coupled Heat and Moisture Transport in an Annular Clay Barrier. — L. Rossi, H. I. Inyang, J. Graham-Eagle, and S. Pennell; 130(8), 855-62 (2004).

Grévillot, Georges
Electrothermal Desorption Using Joule Effect on an Activated Carbon Monolith. — Feng Dong Yu, Ling Ai Luo, and Georges Grévillot; 130(3), 242-8 (2004).

Gu, J. D.
Electrochemical Wastewater Disinfection: Identification of Its Principal Germicidal Actions. — X. Y. Li, H. F. Diao, F. X. J. Fan, J. D. Gu, F. Ding, and A. S. F. Tong; 130(10), 1217-21 (2004).

Gullicks, Harvey
Trickling Filter Nitrification Performance Characteristics and Potential of a Full-Scale Municipal Wastewater Treatment Facility. — Eric Anthony Evans, Timothy G. Ellis, Harvey Gullicks, and John Ringelestein; 130(11), 1280-8 (2004).

Ham, Robert K.
Life-Cycle Inventory of Municipal Solid Waste and Yard Waste Windrow Composting in the United States. — Dimitris P. Komilis and Robert K. Ham; 130(11), 1390-400 (2004).

Han, Jeung-Hoon
Model Study Based on Experiments on Toluene Vapor Removal in a Biofilter. — Ok-Hyun Park, Soon-Hee Park, and Jeung-Hoon Han; 130(10), 1118-25 (2004).

Hanaki, Keisuke
Environmental Impact of Solid Waste Treatment Methods in Korea. — Seongwon Seo, Toshiya Aramaki, Yongwoo Hwang, and Keisuke Hanaki; 130(1), 81-9 (2004).

Hansen, Lance
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (T) (2004).

Hardy, Tom
Modeling Suspended Sediment during Construction in Great Barrier Reef World Heritage Area. — Tom Hardy, Luciano Mason, Jason McConochie, and Lance Bode; 130(9), 1021-31 (2004).

Harrington, Gregory W.
Zeta Potential, Dissolved Organic Carbon, and Removal of *Cryptosporidium* Oocysts by Coagulation and Sedimentation. — Irene Xagoraraki and Gregory W. Harrington; 130(12), 1424-32 (2004).

Harwell, Jeffrey H.
Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).

Hay, K. James
Equilibrium Adsorption of Phenol-, Tire-, and Coal-Derived Activated Carbons for Organic Vapors. — David Ramirez, Patrick D. Sullivan, Mark J. Rood, and K. James Hay; 130(3), 231-41 (2004).
Capture of Organic Vapors Using Adsorption and Electrothermal Regeneration. — Patrick D. Sullivan, Mark J. Rood, Katherine D. Dombrowski, and K. James Hay; 130(3), 258-67 (2004).
Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).

Hayashi, Seiji
HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).

He, Jiahan
Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

He, Yanxin
Effect of Organic Loading Rate on Aerobic Granulation. I: Reactor Performance. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1094-101 (2004).
Effect of Organic Loading Rate on Aerobic Granulation. II: Characteristics of Aerobic Granules. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1102-9 (2004).

He, Yinghong
Influence of Citrate on Adsorption of Zinc in Soils. — Arthur Paul Schwab, Yinghong He, and Margaret Katherine Banks; 130(10), 1180-7 (2004).

He, Yontian
Long-Term Behavior of Fixated Flue Gas Desulfurization Material Grout in Mine Drainage Environments. — Panuwat Taerakul, Mikko Lamminen, Yontian He, Harold W. Walker, Samuel J. Traina, and Earl Whitlatch; 130(7), 816-23 (2004).

Herr, Joel
Decision Support System for Stakeholder Involvement. — Carl W. Chen, Joel Herr, and Laura Weintraub; 130(6), 714-21 (2004).

Hillis, Peter
Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Hinestroza, Juan
Permeation of Organics through Linear Low Density Polyethylene Geomembranes under Mechanical Deformation. — Juan Hinestroza and Daniel De Kee; 130(12), 1468-74 (2004).

Ho, David T.
Tracer Study of Mixing and Transport in the Upper Hudson River with Multiple Dams. — Theodore Caplow, Peter Schlosser, and David T. Ho; 130(12), 1498-506 (2004).

Holder, Edith
Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).
Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Howie, Douglas C.
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Hozalski, Raymond M.
Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W. Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).

Hsu, B. M.
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (T) (2004).

Huang, Chihpin
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Huang, G. H.
Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

Humeau, Philippe
Optimization of Bioscrubber Performances: Experimental and Modeling Approaches. — Philippe Humeau, Pascaline Pré, and Pierre Le Cloirec; 130(3), 314-21 (2004).

Hung, Chang-Mao
Catalytic Wet Oxidation of Ammonia Solution: Activity of the Copper–Lanthanum–Cerium Composite Catalyst. — Chang-Mao Hung, Jie-Chung Lou, and Chia-Hua Lin; 130(2), 193-200 (2004).

Hvitved-Jacobsen, Thorkild
Effect of Temperature on Air-Water Transfer of Hydrogen Sulfide. — Chaturong Yongsiri, Jes Vollertsen, and Thorkild Hvitved-Jacobsen; 130(1), 104-9 (2004).

Hwang, Yongwoo
Environmental Impact of Solid Waste Treatment Methods in Korea. — Seongwon Seo, Toshiya Aramaki, Yongwoo Hwang, and Keisuke Hanaki; 130(1), 81-9 (2004).

Ice, George
History of Innovative Best Management Practice Development and its Role in Addressing Water Quality Limited Waterbodies. — George Ice; 130(6), 684-9 (2004).

Iida, Kenjiro
Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).

Illangasekare, Tissa
Bioclogging of Sand due to Biodegradation of Aircraft Deicing Fluid. — Angela R. Bielefeldt, Tissa Illangasekare, and Rosanna LaPlante; 130(10), 1147-53 (2004).

Insel, Güclü
Discussion of "Assessing Parameter Identifiability of Activated Sludge Model Number 1" by Pedro Afonso and Maria da Conceição Cunha. — Dirk J. W. De Pauw, Gürkan Sin, Güclü Insel, Stijn W. H. Van Hulle, Veronique Vandenberghe, and Peter A. Vanrolleghem; 130(1), 110-2 (2004).

Inyang, H. I.
A Model of Coupled Heat and Moisture Transport in an Annular Clay Barrier. — L. Rossi, H. I. Inyang, J. Graham-Eagle, and S. Pennell; 130(8), 855-62 (2004).

Inyang, Hilary I.
Geochemical and Health Policy Dimensions of the Controversy about Fluorides in Water Resources. — Hilary I. Inyang; 130(2), 113-4 (2004).
The Application of Innovative Materials in Waste Containment Barriers. — Hilary I. Inyang and T. C. de Brito Galvão; 130(8), 834-5 (2004).
Thermodynamic Framework for Analysis of Waste Containment Barrier Materials. — Hilary I. Inyang; 130(8), 836-46 (2004).
Specific Surface Area of Barrier Mixtures at Various Outgas Temperatures. — John L. Daniels, Hilary I. Inyang, and Michael Brochu, Jr.; 130(8), 867-72 (2004).
Estimation of Polyethylene Oxide Polymer Train and Loop Densities on Contaminant Barrier Materials. — Hilary I. Inyang and Sunyoung Bae; 130(8), 896-905 (2004).
Verification of Contaminant Sorption by Soil–Bentonite Barrier Materials Using Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry. — John L. Daniels, Hilary I. Inyang, and Calvin C. Chien; 130(8), 910-7 (2004).
The Global Ecosystem: Environmental and Socioeconomic Challenges and Opportunities. — Hilary I. Inyang; 130(9), 923-4 (2004).

Ishikawa, T.
Hydraulic Study of the Onset of Hypoxia in the Tone River Estuary. — T. Ishikawa, T. Suzuki, and X. Qian; 130(5), 551-61 (2004).

Jackson, Bethanna
Numerical Efficiency in Monte Carlo Simulations—Case Study of a River Thermodynamic Model. — Neil McIntyre, Bethanna Jackson, Howard Wheater, and Steven Chapra; 130(4), 456-64 (2004).

Jayanti, S.
Computational Study of Particle-Eddy Interaction in Sedimentation Tanks. — S. Jayanti and S. Narayanan; 130(1), 37-49 (2004).

Jenkins, Michael B.
Simulating the Effect of Liquid CO_2 on *Cryptosporidium parvum* Oocysts in Aquifer Material. — Susan L. Keller, Michael B. Jenkins, and William C. Ghiorse; 130(12), 1547-51 (T) (2004).

Jeon, Byong-Hun
Low-Temperature Oxygen Trap for Maintaining Strict Anoxic Conditions. — Byong-Hun Jeon, Brian A. Dempsey, Richard A. Royer, and William D. Burgos; 130(11), 1407-10 (T) (2004).

Jiang, He-Long
High-Rate Biodegradation of Phenol by Aerobically Grown Microbial Granules. — Joo-Hwa Tay, He-Long Jiang, and Stephen Tiong-Lee Tay; 130(12), 1415-23 (2004).

Jiménez, José A.
Role of Bioflocculation on Chemical Oxygen Demand Removal in Solids Contact Chamber of Trickling Filter/Solids Contact Process. — Enrique J. La Motta, José A. Jiménez, Juan C. Josse, and Alfonso Manrique; 130(7), 726-35 (2004).

Jirka, Gerhard H.
Discussion of "Sensitivity Analysis and Comparative Performance of Outfalls with Single Buoyant Plumes" by Maria A. Economopoulou, Alexia A. Economopoulou, and Alexander P. Economopoulos. — Robert L. Doneker and Gerhard H. Jirka; 130(10), 1222-3 (2004).

Johansson, Håkan
Sorption Behavior and Long-Term Retention of Reactive Solutes in the Hyporheic Zone of Streams. — Karin Jonsson, Håkan Johansson, and Anders Wörman; 130(5), 573-84 (2004).

Jonsson, Karin
Sorption Behavior and Long-Term Retention of Reactive Solutes in the Hyporheic Zone of Streams. — Karin Jonsson, Håkan Johansson, and Anders Wörman; 130(5), 573-84 (2004).

Joo, Jin Chul
Mass Transfer of Organic Compounds in Dilute Aqueous Solutions into High Density Polyethylene Geomembranes. — Jin Chul Joo, Jae Young Kim, and Kyoungphile Nam; 130(2), 175-83 (2004).

Josse, Juan C.
Role of Bioflocculation on Chemical Oxygen Demand Removal in Solids Contact Chamber of Trickling Filter/Solids Contact Process. — Enrique J. La Motta, José A. Jiménez, Juan C. Josse, and Alfonso Manrique; 130(7), 726-35 (2004).

Juang, R. S.
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Jung, Haeryong
Reaction Kinetics of Ozone in Variably Saturated Porous Media. — Haeryong Jung, Jeongkon Kim, and Heechul Choi; 130(4), 432-41 (2004).

Jung, Hyejung
Treatment of High Nitrate-Containing Wastewaters by Sequential Heterotrophic and Autotrophic Denitrification. — Sungyoun Kim, Hyejung Jung, Kwang-Soo Kim, and In S. Kim; 130(12), 1475-80 (2004).

Karr, James R.
Biological Assessment and Criteria Improve Total Maximum Daily Load Decision Making. — James R. Karr and Chris O. Yoder; 130(6), 594-604 (2004).

Karvonen, Andrew
Cation Effects on Chromium Removal in Permeable Reactive Walls. — Andrew Karvonen; 130(8), 863-6 (2004).

Kaya, Abidin
Characterization of Clay Particle Surfaces for Contaminant Sorption in Soil Barriers Using Flow Microcalorimetry. — Abidin Kaya; 130(8), 918-21 (2004).

Kazumi, Junko
Radiation-Assisted Process Enhancement in Wastewater Treatment. — Daniel E. Meeroff, Thomas D. Waite, Junko Kazumi, and Charles N. Kurucz; 130(2), 155-66 (2004).

Keller, Susan L.
Simulating the Effect of Liquid CO_2 on *Cryptosporidium parvum* Oocysts in Aquifer Material. — Susan L. Keller, Michael B. Jenkins, and William C. Ghiorse; 130(12), 1547-51 (T) (2004).

Kelly, H. G.
Determining the Volatile Fatty Acid Equivalent in Thermophilic Aerobically Digested Sludge Supernatant. — J. Z. Li, D. S. Mavinic, and H. G. Kelly; 130(4), 397-407 (2004).

Kennedy, Lonnie
Aqueous and Mineral Intrinsic Bioremediation Assessment: Natural Attenuation. — Lonnie Kennedy, Jess W. Everett, and Jim Gonzales; 130(9), 942-50 (2004).

Khan, Eakalak
Performance of a Biofilm Airlift Suspension Reactor for Synthetic Wastewater Treatment. — Hui Lin, Say L. Ong, Wun J. Ng, and Eakalak Khan; 130(1), 26-36 (2004).

Khanna, P.
Utility of Column Lysimeter for Design of Soil Aquifer Treatment System for Wastewater Renovation Using Artificial Neural Networks. — P. Nema, A. Chelani, C. S. P. Ojha, Arvind Kumar, and P. Khanna; 130(12), 1534-42 (2004).

Khinast, Johannes
Photochemical Remediation of Tetrachloroethylene: Reactor Design, Construction, and Preliminary Results. — Kenneth Y. Lee, Jeong-Yub Lee, Johannes Khinast, Joseph R. Stencel, and Moshe Lavid; 130(1), 100-3 (2004).

Kim, Byung J.
Removal of a Volatile Organic Compound in a Hybrid Rotating Drum Biofilter. — Chunping Yang, Makram T. Suidan, Xueqing Zhu, and Byung J. Kim; 130(3), 282-91 (2004).

Kim, In S.
Treatment of High Nitrate-Containing Wastewaters by Sequential Heterotrophic and Autotrophic Denitrification. — Sungyoun Kim, Hyejung Jung, Kwang-Soo Kim, and In S. Kim; 130(12), 1475-80 (2004).

Kim, Jae Y.
Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).

Kim, Jae Young
Mass Transfer of Organic Compounds in Dilute Aqueous Solutions into High Density Polyethylene Geomembranes. — Jin Chul Joo, Jae Young Kim, and Kyoungphile Nam; 130(2), 175-83 (2004).

Kim, Jeongkon
Reaction Kinetics of Ozone in Variably Saturated Porous Media. — Haeryong Jung, Jeongkon Kim, and Heechul Choi; 130(4), 432-41 (2004).

Kim, Kwang-Soo
Treatment of High Nitrate-Containing Wastewaters by Sequential Heterotrophic and Autotrophic Denitrification. — Sungyoun Kim, Hyejung Jung, Kwang-Soo Kim, and In S. Kim; 130(12), 1475-80 (2004).

Kim, Mi-Sug
Modeling Volatile Organic Compound Sorption in Activated Carbon. I: Dynamics and Single-Component Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 212-22 (2004).
Modeling Volatile Organic Compound Sorption in Activated Carbon. II: Multicomponent Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 223-30 (2004).

Kim, Moonil
Improved Anaerobic Process Efficiency Using Mesophilic and Thermophilic Elutriated Phased Treatment. — Moonil Kim, Wookeun Bae, and Richard E. Speece; 130(9), 960-6 (2004).

Kim, Sungyoun
Treatment of High Nitrate-Containing Wastewaters by Sequential Heterotrophic and Autotrophic Denitrification. — Sungyoun Kim, Hyejung Jung, Kwang-Soo Kim, and In S. Kim; 130(12), 1475-80 (2004).

Kim, Young-Kee
Fuzzy Controller for Thermophilic Aerobic Digestion Using Nicotinamide Adenine Dinucleotide Fluorescence. — Young-Kee Kim and Jeong-Woo Choi; 130(7), 759-65 (2004).

King, Dennis W.
Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).
Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Kinney, Kerry A.
Influence of Sodium Dodecyl Sulfate and Tween 20 on Fungal Growth and Toluene Degradation in a Vapor-Phase Bioreactor. — Jennifer R. Woertz and Kerry A. Kinney; 130(3), 292-9 (2004).

Kitiyanan, Boonyarach
Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).

Kodikara, Jayantha
Environmental Geochemistry of Leachate From Leached Brown Coal Ash. — Gavin M. Mudd, Tamie R. Weaver, and Jayantha Kodikara; 130(12), 1514-26 (2004).

Komilis, Dimitris P.
Life-Cycle Inventory of Municipal Solid Waste and Yard Waste Windrow Composting in the United States. — Dimitris P. Komilis and Robert K. Ham; 130(11), 1390-400 (2004).

Köngeter, Jürgen
Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Koran, Karen M.
Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).
Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Koutny, Marek
Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Kriven, W. M.
Iron Corrosion Scales: Model for Scale Growth, Iron Release, and Colored Water Formation. — P. Sarin, V. L. Snoeyink, D. A. Lytle, and W. M. Kriven; 130(4), 364-73 (2004).

Kumar, Arvind
Utility of Column Lysimeter for Design of Soil Aquifer Treatment System for Wastewater Renovation Using Artificial Neural Networks. — P. Nema, A. Chelani, C. S. P. Ojha, Arvind Kumar, and P. Khanna; 130(12), 1534-42 (2004).

Kung, Shyang-Lai
Spatial Diversity of Chlorine Residual in a Drinking Water Distribution System. — Lienyao Lee, Chungsying Lu, and Shyang-Lai Kung; 130(11), 1263-8 (2004).

Kuo, Chiang-Hai
Ozonation of 2,6-, 3,4-, and 3,5-Dichlorophenol Isomers within Aqueous Solutions. — Yongqiang Qiu, Chiang-Hai Kuo, Mark E. Zappi, and Elizabeth C. Fleming; 130(4), 408-16 (2004).

Kurucz, Charles N.
Radiation-Assisted Process Enhancement in Wastewater Treatment. — Daniel E. Meeroff, Thomas D. Waite, Junko Kazumi, and Charles N. Kurucz; 130(2), 155-66 (2004).

Lahav, Ori
Modeling Hydrogen Sulfide Emission Rates in Gravity Sewage Collection Systems. — Ori Lahav, Yue Lu, Uri Shavit, and Richard E Loewenthal; 130(11), 1382-9 (2004).

Lamarche, Coby S.
Natural Oxidant Demand of Aquifer Materials Using the Push-Pull Technique. — Kevin G. Mumford, Coby S. Lamarche, and Neil R. Thomson; 130(10), 1139-46 (2004).

Lamminen, Mikko
Long-Term Behavior of Fixated Flue Gas Desulfurization Material Grout in Mine Drainage Environments. — Panuwat Taerakul, Mikko Lamminen, Yontian He, Harold W. Walker, Samuel J. Traina, and Earl Whitlatch; 130(7), 816-23 (2004).

La Motta, Enrique J.
Role of Bioflocculation on Chemical Oxygen Demand Removal in Solids Contact Chamber of Trickling Filter/Solids Contact Process. — Enrique J. La Motta, José A. Jiménez, Juan C. Josse, and Alfonso Manrique; 130(7), 726-35 (2004).

LaPlante, Rosanna
Bioclogging of Sand due to Biodegradation of Aircraft Deicing Fluid. — Angela R. Bielefeldt, Tissa Illangasekare, and Rosanna LaPlante; 130(10), 1147-53 (2004).

Larson, Wendy M.
Models Quantify the Total Maximum Daily Load Process. — Joseph V. DePinto, Paul L. Freedman, David M. Dilks, and Wendy M. Larson; 130(6), 703-13 (2004).

Lavid, Moshe
Photochemical Remediation of Tetrachloroethylene: Reactor Design, Construction, and Preliminary Results. — Kenneth Y. Lee, Jeong-Yub Lee, Johannes Khinast, Joseph R. Stencel, and Moshe Lavid; 130(1), 100-3 (2004).

Le Cloirec, P.
Adsorption onto Activated Carbon Cloths and Electrothermal Regeneration: Its Potential Industrial Applications. — A. Subrenat and P. Le Cloirec; 130(3), 249-57 (2004).

Le Cloirec, Pierre
Optimization of Bioscrubber Performances: Experimental and Modeling Approaches. — Philippe Humeau, Pascaline Pré, and Pierre Le Cloirec; 130(3), 314-21 (2004).

Lee, D. J.
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (T) (2004).

Lee, Jeong-Yub
Photochemical Remediation of Tetrachloroethylene: Reactor Design, Construction, and Preliminary Results. — Kenneth Y. Lee, Jeong-Yub Lee, Johannes Khinast, Joseph R. Stencel, and Moshe Lavid; 130(1), 100-3 (2004).

Lee, Joseph H. W.
Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).

Lee, Kenneth Y.
Photochemical Remediation of Tetrachloroethylene: Reactor Design, Construction, and Preliminary Results. — Kenneth Y. Lee, Jeong-Yub Lee, Johannes Khinast, Joseph R. Stencel, and Moshe Lavid; 130(1), 100-3 (2004).
UNIFAC Modeling of Cosolvent Phase Partitioning in Nonaqueous Phase Liquid-Water Systems. — Kenneth Y. Lee and Catherine A. Peters; 130(4), 478-83 (2004).
Modeling Long-Term Transport of Contaminants Resulting from Dissolution of a Coal Tar Pool in Saturated Porous Media. — Kenneth Y. Lee; 130(12), 1507-13 (2004).

Lee, Lienyao
Spatial Diversity of Chlorine Residual in a Drinking Water Distribution System. — Lienyao Lee, Chungsying Lu, and Shyang-Lai Kung; 130(11), 1263-8 (2004).

Lee, Whei-May Grace
Control of Vaporous Naphthalene by Scrubbing with Surfactants. — Chih-Cheng Wu and Whei-May Grace Lee; 130(3), 276-81 (2004).

Lehmann, Christopher M. B.
Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).

Li, Congna
Comparison of Continuous and Sequencing Batch Operated Biofilters for Treatment of Gas-Phase Methyl Ethyl Ketone. — William M. Moe and Congna Li; 130(3), 300-13 (2004).

Li, J. Z.
Determining the Volatile Fatty Acid Equivalent in Thermophilic Aerobically Digested Sludge Supernatant. — J. Z. Li, D. S. Mavinic, and H. G. Kelly; 130(4), 397-407 (2004).

Li, Qilin
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. I: Model Development. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1242-52 (2004).
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. II: Model Verification and Application. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1253-62 (2004).

Li, X. Y.
Electrochemical Wastewater Disinfection: Identification of Its Principal Germicidal Actions. — X. Y. Li, H. F. Diao, F. X. J. Fan, J. D. Gu, F. Ding, and A. S. F. Tong; 130(10), 1217-21 (2004).

Li, Zhaohui
Influence of Solution pH and Ionic Strength on Chromate Uptake by Surfactant-Modified Zeolite. — Zhaohui Li; 130(2), 205-8 (2004).

Lim, Teik-Thye
Chelating-Agent-Enhanced Heavy Metal Extraction from a Contaminated Acidic Soil. — Teik-Thye Lim, Joo-Hwa Tay, and Jing-Yuan Wang; 130(1), 59-66 (2004).

Lin, Chia-Hua
Catalytic Wet Oxidation of Ammonia Solution: Activity of the Copper–Lanthanum–Cerium Composite Catalyst. — Chang-Mao Hung, Jie-Chung Lou, and Chia-Hua Lin; 130(2), 193-200 (2004).

Lin, Hui
Performance of a Biofilm Airlift Suspension Reactor for Synthetic Wastewater Treatment. — Hui Lin, Say L. Ong, Wun J. Ng, and Eakalak Khan; 130(1), 26-36 (2004).

Lin, W. W.
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Linker, Lewis
Managing for Water Clarity in Chesapeake Bay. — Carl F. Cerco, Mark R. Noel, and Lewis Linker; 130(6), 631-42 (2004).

Little, John C.
Characterizing Polyurethane Foam as a Sink for or Source of Volatile Organic Compounds in Indoor Air. — Dongye Zhao, John C. Little, and Steven S. Cox; 130(9), 983-9 (2004).

Liu, Dingfang
Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. I: Batch Equilibria and Kinetics. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 374-82 (2004).
Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. II: Equilibria and Kinetic Models. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 383-90 (2004).

Liu, J. C.
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (T) (2004).

Lo, Irene M. C.
Flow of Gasoline through Composite Liners. — Xiaoyun Yang and Irene M. C. Lo; 130(8), 886-90 (2004).
Migration of Heavy Metals in Saturated Sand and Bentonite/Soil Admixture. — Irene M. C. Lo, Alex F. T. Luk, and Xiaoyun Yang; 130(8), 906-9 (2004).

Loewenthal, Richard E
Modeling Hydrogen Sulfide Emission Rates in Gravity Sewage Collection Systems. — Ori Lahav, Yue Lu, Uri Shavit, and Richard E Loewenthal; 130(11), 1382-9 (2004).

Loh, Kai-Chee
Systematic Approach for Quick Quality Assessment of Ink Effluents for Treatment and Discharge. — Chee-Yong Chua and Kai-Chee Loh; 130(4), 417-24 (2004).

Loof, Rainer
Assessment of Agricultural NonPoint Source Model for a Watershed in Tropical Environment. — Mukand Singh Babel, Mohamed Mujithaba Mohamed Najim, and Rainer Loof; 130(9), 1032-41 (2004).

Lordgooei, Mehrdad
Modeling Volatile Organic Compound Sorption in Activated Carbon. I: Dynamics and Single-Component Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 212-22 (2004).
Modeling Volatile Organic Compound Sorption in Activated Carbon. II: Multicomponent Equilibrium. — Mehrdad Lordgooei and Mi-Sug Kim; 130(3), 223-30 (2004).

Lou, Jie-Chung
Catalytic Wet Oxidation of Ammonia Solution: Activity of the Copper–Lanthanum–Cerium Composite Catalyst. — Chang-Mao Hung, Jie-Chung Lou, and Chia-Hua Lin; 130(2), 193-200 (2004).

Lu, Chungsying
Spatial Diversity of Chlorine Residual in a Drinking Water Distribution System. — Lienyao Lee, Chungsying Lu, and Shyang-Lai Kung; 130(11), 1263-8 (2004).

Lu, G. Q.
Oxidation of Toluene in Waste Gas Streams Using Mesoporous Ti-Hexagonal Mesoporous Silica. — T. Williams, J. Beltramini, and G. Q. Lu; 130(3), 356-9 (2004).

Lu, Yue
Modeling Hydrogen Sulfide Emission Rates in Gravity Sewage Collection Systems. — Ori Lahav, Yue Lu, Uri Shavit, and Richard E Loewenthal; 130(11), 1382-9 (2004).

Lua, Choon-Hau
Effects of Stressed Loading on Startup and Granulation in Upflow Anaerobic Sludge Blanket Reactors. — Kuan-Yeow Show, Joo-Hwa Tay, Limei Yang, Ying Wang, and Choon-Hau Lua; 130(7), 743-50 (2004).

Luk, Alex F. T.
Migration of Heavy Metals in Saturated Sand and Bentonite/Soil Admixture. — Irene M. C. Lo, Alex F. T. Luk, and Xiaoyun Yang; 130(8), 906-9 (2004).

Luo, Ling Ai
Electrothermal Desorption Using Joule Effect on an Activated Carbon Monolith. — Feng Dong Yu, Ling Ai Luo, and Georges Grévillot; 130(3), 242-8 (2004).

Luthy, Richard G.
Release of Polychlorinated Biphenyls from River Sediment to Water under Low-Flow Conditions: Laboratory Assessment. — Enrique Ortiz, Richard G. Luthy, David A. Dzombak, and John R. Smith; 130(2), 126-35 (2004).

Lytle, D. A.
Iron Corrosion Scales: Model for Scale Growth, Iron Release, and Colored Water Formation. — P. Sarin, V. L. Snoeyink, D. A. Lytle, and W. M. Kriven; 130(4), 364-73 (2004).

Mackie, R. Ian
Impact of Water Blending on Calcium Carbonate Equilibrium in Water Distribution Systems. — Wojciech Dąbrowski, Robert Buchta, and R. Ian Mackie; 130(9), 1059-62 (2004).

Mailhot , Alain
Global Predictive Real-Time Control of Sewers Allowing Surcharged Flows. — Sophie Duchesne, Alain Mailhot , and Jean-Pierre Villeneuve; 130(5), 526-34 (2004).

Manolache, Sorin
Dense Medium Plasma-Plasma-Enhanced Decontamination of Water of Aromatic Compounds. — Sorin Manolache, Vasgen Shamamian, and Ferencz Denes; 130(1), 17-25 (2004).

Manrique, Alfonso
Role of Bioflocculation on Chemical Oxygen Demand Removal in Solids Contact Chamber of Trickling Filter/Solids Contact Process. — Enrique J. La Motta, José A. Jiménez, Juan C. Josse, and Alfonso Manrique; 130(7), 726-35 (2004).

Mariñas, Benito J.
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. I: Model Development. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1242-52 (2004).
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. II: Model Verification and Application. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1253-62 (2004).

Mason, Luciano
Modeling Suspended Sediment during Construction in Great Barrier Reef World Heritage Area. — Tom Hardy, Luciano Mason, Jason McConochie, and Lance Bode; 130(9), 1021-31 (2004).

Matsuura, T.
Membrane Fouling Test: Apparatus Evaluation. — D. B. Mosqueda-Jimenez, R. M. Narbaitz, and T. Matsuura; 130(1), 90-9 (2004).

Matsuura, Takeshi
Impact of Membrane Surface Modification on the Treatment of Surface Water. — Daniella B. Mosqueda-Jimenez, Roberto M. Narbaitz, and Takeshi Matsuura; 130(12), 1450-9 (2004).

Mavinic, D. S.
Determining the Volatile Fatty Acid Equivalent in Thermophilic Aerobically Digested Sludge Supernatant. — J. Z. Li, D. S. Mavinic, and H. G. Kelly; 130(4), 397-407 (2004).

McConochie, Jason
Modeling Suspended Sediment during Construction in Great Barrier Reef World Heritage Area. — Tom Hardy, Luciano Mason, Jason McConochie, and Lance Bode; 130(9), 1021-31 (2004).

McCoy, Benjamin J.
Radial Pore Diffusion with Nonuniform Intraparticle Porosities. — Hakan Başağaoğlu, Timothy R. Ginn, and Benjamin J. McCoy; 130(10), 1170-9 (2004).

McIntyre, Neil
Numerical Efficiency in Monte Carlo Simulations—Case Study of a River Thermodynamic Model. — Neil McIntyre, Bethanna Jackson, Howard Wheater, and Steven Chapra; 130(4), 456-64 (2004).

McNair, Daniel A.
Evaluation of a System for Residential Treatment and Reuse of Wastewater. — Roger W. Babcock, Jr. , Daniel A. McNair, Lance A. Edling, and Harold Nagato; 130(7), 766-73 (2004).

McNeill, Laurie S.
Importance of Pb and Cu Particulate Species for Corrosion Control. — Laurie S. McNeill and Marc Edwards; 130(2), 136-44 (2004).

Meeroff, Daniel E.
Radiation-Assisted Process Enhancement in Wastewater Treatment. — Daniel E. Meeroff, Thomas D. Waite, Junko Kazumi, and Charles N. Kurucz; 130(2), 155-66 (2004).

Mehrotra, Indu
Minimization of Short-Circuiting Flow through Upflow Anaerobic Sludge Blanket Reactor. — Raja Chowdhury and Indu Mehrotra; 130(9), 951-9 (2004).

Mercier, Guy
Pilot Plant Study of Simultaneous Sewage Sludge Digestion and Metal Leaching. — Jean-François Blais, Nathalie Meunier, Guy Mercier, Patrick Drogui, and Rajeshwar Dayal Tyagi; 130(5), 516-25 (2004).

Meunier, Nathalie
Pilot Plant Study of Simultaneous Sewage Sludge Digestion and Metal Leaching. — Jean-François Blais, Nathalie Meunier, Guy Mercier, Patrick Drogui, and Rajeshwar Dayal Tyagi; 130(5), 516-25 (2004).

Milazzo, Michael C.
Catalytic Oxidation of Volatile Organic Liquids. — Shane E. Roark, Jimena Cabrera-Fonseca, Michael C. Milazzo, James H. White, and Joseph D. Wander; 130(3), 329-37 (2004).

Miller, C. J.
Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).

Miller, Carol J.
Fiber Reinforcement for Waste Containment Soil Liners. — Carol J. Miller and Sami Rifai; 130(8), 891-5 (2004).

Miller, Cass T.
Bacterial Regrowth Model for Water Distribution Systems Incorporating Alternating Split-Operator Solution Technique. — Weidong Zhang, Cass T. Miller, and Francis A. DiGiano; 130(9), 932-41 (2004).

Mishra, Govinda C.
Hybrid-Cells-in-Series Model for Solute Transport in a River. — Narayan C. Ghosh, Govinda C. Mishra, and Chandra Shekhar P. Ojha; 130(10), 1198-209 (2004).

Mishra, S. K.
Partitioning Analog for Metal Elements in Urban Rainfall-Runoff Overland Flow Using the Soil Conservation Service Curve Number Concept. — S. K. Mishra, J. J. Sansalone, and Vijay P. Singh; 130(2), 145-54 (2004).

Modise, C. M.
Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).

Moe, William M.
Comparison of Continuous and Sequencing Batch Operated Biofilters for Treatment of Gas-Phase Methyl Ethyl Ketone. — William M. Moe and Congna Li; 130(3), 300-13 (2004).

Moo-Young, Horace
Evaluation of Metal Attenuation through Paper Clay Utilized for Containment of Contaminated Groundwater. — Charles Ochola and Horace Moo-Young; 130(8), 873-80 (2004).

Morvan, Hervé P.
Discussion of "Bed Shear Stress Boundary Condition for Storage Tank Sedimentation" by Åsa Adamsson, Virginia Stovin, and Lars Bergdahl. — Hervé P. Morvan; 130(9), 1067-8 (2004).

Mosqueda-Jimenez, D. B.
Membrane Fouling Test: Apparatus Evaluation. — D. B. Mosqueda-Jimenez, R. M. Narbaitz, and T. Matsuura; 130(1), 90-9 (2004).

Mosqueda-Jimenez, Daniella B.
Impact of Membrane Surface Modification on the Treatment of Surface Water. — Daniella B. Mosqueda-Jimenez, Roberto M. Narbaitz, and Takeshi Matsuura; 130(12), 1450-9 (2004).

Mudd, Gavin M.
Environmental Geochemistry of Leachate From Leached Brown Coal Ash. — Gavin M. Mudd, Tamie R. Weaver, and Jayantha Kodikara; 130(12), 1514-26 (2004).

Mukhtasor
Discussion of "Sensitivity Analysis and Comparative Performance of Outfalls with Single Buoyant Plumes" by Maria A. Economopoulou, Alexia A. Economopoulou, and Alexander P. Economopoulos. — Mukhtasor; 130(10), 1223-4 (2004).

Mumford, Kevin G.
Natural Oxidant Demand of Aquifer Materials Using the Push-Pull Technique. — Kevin G. Mumford, Coby S. Lamarche, and Neil R. Thomson; 130(10), 1139-46 (2004).

Murakami, Shogo
HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).

Nagato, Harold
Evaluation of a System for Residential Treatment and Reuse of Wastewater. — Roger W. Babcock, Jr. , Daniel A. McNair, Lance A. Edling, and Harold Nagato; 130(7), 766-73 (2004).

Najim, Mohamed Mujithaba Mohamed
Assessment of Agricultural NonPoint Source Model for a Watershed in Tropical Environment. — Mukand Singh Babel, Mohamed Mujithaba Mohamed Najim, and Rainer Loof; 130(9), 1032-41 (2004).

Nam, Kyoungphile
Mass Transfer of Organic Compounds in Dilute Aqueous Solutions into High Density Polyethylene Geomembranes. — Jin Chul Joo, Jae Young Kim, and Kyoungphile Nam; 130(2), 175-83 (2004).

Narayanan, S.
Computational Study of Particle-Eddy Interaction in Sedimentation Tanks. — S. Jayanti and S. Narayanan; 130(1), 37-49 (2004).

Narbaitz, R. M.
Membrane Fouling Test: Apparatus Evaluation. — D. B. Mosqueda-Jimenez, R. M. Narbaitz, and T. Matsuura; 130(1), 90-9 (2004).

Narbaitz, Roberto M.
Impact of Membrane Surface Modification on the Treatment of Surface Water. — Daniella B. Mosqueda-Jimenez, Roberto M. Narbaitz, and Takeshi Matsuura; 130(12), 1450-9 (2004).

Nema, P.
Utility of Column Lysimeter for Design of Soil Aquifer Treatment System for Wastewater Renovation Using Artificial Neural Networks. — P. Nema, A. Chelani, C. S. P. Ojha, Arvind Kumar, and P. Khanna; 130(12), 1534-42 (2004).

Nemura, Adrienne D.
Viewing Total Maximum Daily Loads as a Process, Not a Singular Value: Adaptive Watershed Management. — Paul L. Freedman, Adrienne D. Nemura, and David W. Dilks; 130(6), 695-702 (2004).

Neufeld, R. D.
Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).

Ng, Tze Ling
Role of Effluent Permit Trading in Total Maximum Daily Load Programs: Overview and Uncertainty and Reliability Implications. — J. Wayland Eheart and Tze Ling Ng; 130(6), 615-21 (2004).

Ng, Wun J.
Performance of a Biofilm Airlift Suspension Reactor for Synthetic Wastewater Treatment. — Hui Lin, Say L. Ong, Wun J. Ng, and Eakalak Khan; 130(1), 26-36 (2004).

Noel, Mark R.
Managing for Water Clarity in Chesapeake Bay. — Carl F. Cerco, Mark R. Noel, and Lewis Linker; 130(6), 631-42 (2004).

Novak, Paige J.
Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W. Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).

Novotny, Vladimir
Simplified Databased Total Maximum Daily Loads, or the World is Log-Normal. — Vladimir Novotny; 130(6), 674-83 (2004).

Nowier, H. G.
Assessment of Fossil Fuel Fly Ash Formulations in the Immobilization of Hazardous Wastes. — M. W. Abdel Raouf and H. G. Nowier; 130(5), 499-507 (2004).

Ochola, Charles
Evaluation of Metal Attenuation through Paper Clay Utilized for Containment of Contaminated Groundwater. — Charles Ochola and Horace Moo-Young; 130(8), 873-80 (2004).

O'Haver, John H.
Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).

Ojha, C. S. P.
Utility of Column Lysimeter for Design of Soil Aquifer Treatment System for Wastewater Renovation Using Artificial Neural Networks. — P. Nema, A. Chelani, C. S. P. Ojha, Arvind Kumar, and P. Khanna; 130(12), 1534-42 (2004).

Ojha, Chandra Shekhar P.
Hybrid-Cells-in-Series Model for Solute Transport in a River. — Narayan C. Ghosh, Govinda C. Mishra, and Chandra Shekhar P. Ojha; 130(10), 1198-209 (2004).

O'Leary, K. C.
Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Ollis, David F.
Engineering Aspects of the Integration of Chemical and Biological Oxidation: Simple Mechanistic Models for the Oxidation Treatment. — Santiago Esplugas, Sandra Contreras, and David F. Ollis; 130(9), 967-74 (2004).

Onay, Turgut T.
Stochastic Model for Landfill Gas Transport and Energy Recovery. — Nadim K. Copty, Didar Ergene, and Turgut T. Onay; 130(9), 1042-9 (2004).

Ong, Peter E. A.
Assessment of Trace Estrogenic Contaminants Removal by Coagulant Addition, Powdered Activated Carbon Adsorption and Powdered Activated Carbon/Microfiltration Processes. — Sheng Chang, T. David Waite, Peter E. A. Ong, Andrea I. Schäfer, and Anthony G. Fane; 130(7), 736-42 (2004).

Ong, Say Kee
Benzene Nonaqueous Phase Liquids Removal under Air-Sparged Conditions. — Shane W. Rogers, Keh-Ping Chao, and Say Kee Ong; 130(7), 751-8 (2004).

Ong, Say L.
Performance of a Biofilm Airlift Suspension Reactor for Synthetic Wastewater Treatment. — Hui Lin, Say L. Ong, Wun J. Ng, and Eakalak Khan; 130(1), 26-36 (2004).

Ormsbee, Lindell
Methodology for pH Total Maximum Daily Loads: Application to Beech Creek Watershed. — Lindell Ormsbee, Amin Elshorbagy, and Emily Zechman; 130(2), 167-74 (2004).

Ortiz, Enrique
Release of Polychlorinated Biphenyls from River Sediment to Water under Low-Flow Conditions: Laboratory Assessment. — Enrique Ortiz, Richard G. Luthy, David A. Dzombak, and John R. Smith; 130(2), 126-35 (2004).

Ouyang, Chaio-Fuei
Modeling a Combined Anaerobic/Anoxic Oxide and Rotating Biological Contactors Process under Dissolved Oxygen Variation by Using an Activated Sludge-Biofilm Hybrid Model. — Tzu-Yi Pai, Shun-Hsing Chuang, Yung-Pin Tsai, and Chaio-Fuei Ouyang; 130(12), 1433-41 (2004).

Pai, Tzu-Yi
Modeling a Combined Anaerobic/Anoxic Oxide and Rotating Biological Contactors Process under Dissolved Oxygen Variation by Using an Activated Sludge-Biofilm Hybrid Model. — Tzu-Yi Pai, Shun-Hsing Chuang, Yung-Pin Tsai, and Chaio-Fuei Ouyang; 130(12), 1433-41 (2004).

Pan, Shun
Effect of Organic Loading Rate on Aerobic Granulation. I: Reactor Performance. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1094-101 (2004).
Effect of Organic Loading Rate on Aerobic Granulation. II: Characteristics of Aerobic Granules. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1102-9 (2004).

Park, Jae K.
Effectiveness of Scrap Tire Chips as Sorptive Drainage Material. — Tuncer B. Edil, Jae K. Park, and Jae Y. Kim; 130(7), 824-31 (2004).

Park, Ok-Hyun
Model Study Based on Experiments on Toluene Vapor Removal in a Biofilter. — Ok-Hyun Park, Soon-Hee Park, and Jeung-Hoon Han; 130(10), 1118-25 (2004).

Park, Soon-Hee
Model Study Based on Experiments on Toluene Vapor Removal in a Biofilter. — Ok-Hyun Park, Soon-Hee Park, and Jeung-Hoon Han; 130(10), 1118-25 (2004).

Parsons, Simon A.
Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Peng, X. F.
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Pennell, S.
A Model of Coupled Heat and Moisture Transport in an Annular Clay Barrier. — L. Rossi, H. I. Inyang, J. Graham-Eagle, and S. Pennell; 130(8), 855-62 (2004).

Peters, Catherine A.
UNIFAC Modeling of Cosolvent Phase Partitioning in Nonaqueous Phase Liquid-Water Systems. — Kenneth Y. Lee and Catherine A. Peters; 130(4), 478-83 (2004).

Piasecki, Michael
Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. I: Sensitivity Analysis. — Michael Piasecki; 130(11), 1322-34 (2004).
Optimal Wasteload Allocation Procedure for Achieving Dissolved Oxygen Water Quality Objectives. II: Optimal Load Control. — Michael Piasecki; 130(11), 1335-44 (2004).

Pierman, John
Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).

Pierson, Gregory L.
Pb in Tap Water Following Simulated Partial Lead Pipe Replacements. — Glen R. Boyd, Prasad Shetty, Anne M. Sandvig, and Gregory L. Pierson; 130(10), 1188-97 (2004).

Pré, Pascaline
Optimization of Bioscrubber Performances: Experimental and Modeling Approaches. — Philippe Humeau, Pascaline Pré, and Pierre Le Cloirec; 130(3), 314-21 (2004).

Prien, Justin
Destruction of 1,1,1-Trichloroethane Using Dielectric Barrier Discharge Nonthermal Plasma. — Sandeep Agnihotri, Mark P. Cal, and Justin Prien; 130(3), 349-55 (2004).

Qi, Shaoying
Use of Dubinin–Astakhov Equation to Describe Preloading Effect of Natural Organic Matter. — Shaoying Qi; 130(4), 472-7 (2004).

Qian, X.
Hydraulic Study of the Onset of Hypoxia in the Tone River Estuary. — T. Ishikawa, T. Suzuki, and X. Qian; 130(5), 551-61 (2004).

Qiu, Yongqiang
Ozonation of 2,6-, 3,4-, and 3,5-Dichlorophenol Isomers within Aqueous Solutions. — Yongqiang Qiu, Chiang-Hai Kuo, Mark E. Zappi, and Elizabeth C. Fleming; 130(4), 408-16 (2004).

Qu, Bo
Hydrodynamic Tracking of the Massive Spring 1998 Red Tide in Hong Kong. — Joseph H. W. Lee and Bo Qu; 130(5), 535-50 (2004).

Ramirez, David
Equilibrium Adsorption of Phenol-, Tire-, and Coal-Derived Activated Carbons for Organic Vapors. — David Ramirez, Patrick D. Sullivan, Mark J. Rood, and K. James Hay; 130(3), 231-41 (2004).
Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).

Rathfelder, Klaus
Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Reckhow, Kenneth H.
Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Reddy, Krishna R.
Enhanced Electrokinetic Remediation of Heavy Metals in Glacial Till Soils Using Different Electrolyte Solutions. — Krishna R. Reddy and Supraja Chinthamreddy; 130(4), 442-55 (2004).
Complicating Factors of Using Ethylenediamine Tetraacetic Acid to Enhance Electrokinetic Remediation of Multiple Heavy Metals in Clayey Soils. — Krishna R. Reddy, Swapna Danda, and Richard E. Saichek; 130(11), 1357-66 (2004).

Reed, Brian E.
Microfiltration of a Dental Wastewater for Hg Removal: Clinic Demonstration. — Brian E. Reed, Michael D. Bagby, and Ronald L. Vaughan, Jr.; 130(1), 12-6 (2004).

Ren, Shijin
Statistical Comparison of Bioassays for Assessment of Toxicity of Organic Components of Wastewater to Activated Sludge. — Shijin Ren and Paul D. Frymier; 130(4), 484-8 (2004).

Rhoads, Kurt R.
Metal Recovery and Catalyst Reuse from the Photocatalytic Oxidation of Copper-Ethylenediaminetetraacetic Acid. — Kurt R. Rhoads and Allen P. Davis; 130(4), 425-31 (2004).

Richards, R. Peter
Improving Total Maximum Daily Loads with Lessons Learned from Long-Term Detailed Monitoring. — R. Peter Richards; 130(6), 657-63 (2004).

Rifai, Sami
Fiber Reinforcement for Waste Containment Soil Liners. — Carol J. Miller and Sami Rifai; 130(8), 891-5 (2004).

Ringelberg, David
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (T) (2004).

Ringelestein, John
Trickling Filter Nitrification Performance Characteristics and Potential of a Full-Scale Municipal Wastewater Treatment Facility. — Eric Anthony Evans, Timothy G. Ellis, Harvey Gullicks, and John Ringelestein; 130(11), 1280-8 (2004).

Roark, Shane E.
Catalytic Oxidation of Volatile Organic Liquids. — Shane E. Roark, Jimena Cabrera-Fonseca, Michael C. Milazzo, James H. White, and Joseph D. Wander; 130(3), 329-37 (2004).

Rogers, Scott
Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).

Rogers, Shane W.
Benzene Nonaqueous Phase Liquids Removal under Air-Sparged Conditions. — Shane W. Rogers, Keh-Ping Chao, and Say Kee Ong; 130(7), 751-8 (2004).

Roider, Emerald M.
Oxygen Sag Models for Multiorder Biochemical Oxygen Demand Reactions. — Donald Dean Adrian, Emerald M. Roider, and Thomas G. Sanders; 130(7), 784-91 (2004).

Rood, Mark J.
Editor's Note. — Mark J. Rood; 130(1), 3 (2004).
Editor's Note. — Mark J. Rood; 130(2), 115 (2004).
Capture and Recovery or Destruction of Trace Vapors from Gas Streams. — Joseph D. Wander and Mark J. Rood; 130(3), 209-10 (2004).
Editor's Note. — Mark J. Rood; 130(3), 211 (2004).
Equilibrium Adsorption of Phenol-, Tire-, and Coal-Derived Activated Carbons for Organic Vapors. — David Ramirez, Patrick D. Sullivan, Mark J. Rood, and K. James Hay; 130(3), 231-41 (2004).
Capture of Organic Vapors Using Adsorption and Electrothermal Regeneration. — Patrick D. Sullivan, Mark J. Rood, Katherine D. Dombrowski, and K. James Hay; 130(3), 258-67 (2004).
Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).
Editor's Note. — Mark J. Rood; 130(4), 363 (2004).
Editor's Note. — Mark J. Rood; 130(5), 491 (2004).
Editor's Note. — Mark J. Rood; 130(6), 590 (2004).
Editor's Note. — Mark J. Rood; 130(7), 725 (2004).
Editor's Note. — Mark J. Rood; 130(8), 833 (2004).
Editor's Note. — Mark J. Rood; 130(9), 925 (2004).
EDITOR'S NOTE. — Mark J. Rood; 130(10), 1072 (2004).
Editor's Note. — Mark J. Rood; 130(11), 1231 (2004).
Editor's Note. — Mark J. Rood; 130(12), 1413-4 (2004).

Rossi, L.
A Model of Coupled Heat and Moisture Transport in an Annular Clay Barrier. — L. Rossi, H. I. Inyang, J. Graham-Eagle, and S. Pennell; 130(8), 855-62 (2004).

Royer, Richard A.
Low-Temperature Oxygen Trap for Maintaining Strict Anoxic Conditions. — Byong-Hun Jeon, Brian A. Dempsey, Richard A. Royer, and William D. Burgos; 130(11), 1407-10 (T) (2004).

Rubin, Hillel
Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Sabatini, David A.
Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).

Sáez, A. Eduardo
Removal of Aqueous Phase Trichloroethylene Using Membrane Air Stripping Contactors. — Jiahan He, Robert G. Arnold, A. Eduardo Sáez, Eric A. Betterton, and Wendell P. Ela; 130(11), 1232-41 (2004).

Saichek, Richard E.
Complicating Factors of Using Ethylenediamine Tetraacetic Acid to Enhance Electrokinetic Remediation of Multiple Heavy Metals in Clayey Soils. — Krishna R. Reddy, Swapna Danda, and Richard E. Saichek; 130(11), 1357-66 (2004).

Sanders, Thomas G.
Oxygen Sag Models for Multiorder Biochemical Oxygen Demand Reactions. — Donald Dean Adrian, Emerald M. Roider, and Thomas G. Sanders; 130(7), 784-91 (2004).

Sandvig, Anne M.
Pb in Tap Water Following Simulated Partial Lead Pipe Replacements. — Glen R. Boyd, Prasad Shetty, Anne M. Sandvig, and Gregory L. Pierson; 130(10), 1188-97 (2004).

Sansalone, J. J.
Partitioning Analog for Metal Elements in Urban Rainfall-Runoff Overland Flow Using the Soil Conservation Service Curve Number Concept. — S. K. Mishra, J. J. Sansalone, and Vijay P. Singh; 130(2), 145-54 (2004).

Sansalone, John
In Situ Partial Exfiltration of Rainfall Runoff. I: Quality and Quantity Attenuation. — John Sansalone and Zheng Teng; 130(9), 990-1007 (2004).
In Situ Partial Exfiltration of Rainfall Runoff. II: Particle Separation. — Zheng Teng and John Sansalone; 130(9), 1008-20 (2004).

Sansalone, John J.
Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. I: Batch Equilibria and Kinetics. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 374-82 (2004).
Adsorption Characteristics of Oxide Coated Buoyant Media ($\rho_s < 1.0$) for Storm Water Treatment. II: Equilibria and Kinetic Models. — Dingfang Liu, John J. Sansalone, and Frank K. Cartledge; 130(4), 383-90 (2004).
First Flush Concepts for Suspended and Dissolved Solids in Small Impervious Watersheds. — John J. Sansalone and Chad M. Cristina; 130(11), 1301-14 (2004).
Prediction of Gradation-Based Heavy Metal Mass Using Granulometric Indices of Snowmelt Particles. — John J. Sansalone and Chad M. Cristina; 130(12), 1488-97 (2004).

Sarin, P.
Iron Corrosion Scales: Model for Scale Growth, Iron Release, and Colored Water Formation. — P. Sarin, V. L. Snoeyink, D. A. Lytle, and W. M. Kriven; 130(4), 364-73 (2004).

Sauer, Nancy N.
Lead Extraction from Contaminated Soil Using Water-Soluble Polymers. — Nancy N. Sauer, Deborah S. Ehler, and Brandy L. Duran; 130(5), 585-8 (2004).

Sawicki, Jerzy M.
Aerated Grit Chambers Hydraulic Design Equation. — Jerzy M. Sawicki; 130(9), 1050-8 (2004).

Scardina, Paolo
Air Binding of Granular Media Filters. — Paolo Scardina and Marc Edwards; 130(10), 1126-38 (2004).

Schäfer, Andrea I.
Assessment of Trace Estrogenic Contaminants Removal by Coagulant Addition, Powdered Activated Carbon Adsorption and Powdered Activated Carbon/Microfiltration Processes. — Sheng Chang, T. David Waite, Peter E. A. Ong, Andrea I. Schäfer, and Anthony G. Fane; 130(7), 736-42 (2004).

Schlosser, Peter
Tracer Study of Mixing and Transport in the Upper Hudson River with Multiple Dams. — Theodore Caplow, Peter Schlosser, and David T. Ho; 130(12), 1498-506 (2004).

Schroeder, Paul R.
Retardation of Dredged Material Leachate in Foundation Soils. — Paul R. Schroeder and Nadim M. Aziz; 130(12), 1543-6 (T) (2004).

Schwab, Arthur Paul
Influence of Citrate on Adsorption of Zinc in Soils. — Arthur Paul Schwab, Yinghong He, and Margaret Katherine Banks; 130(10), 1180-7 (2004).

Semmens, Michael J.
Model for In Situ Perchloroethene Dechlorination via Membrane-Delivered Hydrogen. — Lee W. Clapp, Michael J. Semmens, Paige J. Novak, and Raymond M. Hozalski; 130(11), 1367-81 (2004).

Seo, Seongwon
Environmental Impact of Solid Waste Treatment Methods in Korea. — Seongwon Seo, Toshiya Aramaki, Yongwoo Hwang, and Keisuke Hanaki; 130(1), 81-9 (2004).

Shamamian, Vasgen
Dense Medium Plasma-Plasma-Enhanced Decontamination of Water of Aromatic Compounds. — Sorin Manolache, Vasgen Shamamian, and Ferencz Denes; 130(1), 17-25 (2004).

Shavit, Uri
Modeling Hydrogen Sulfide Emission Rates in Gravity Sewage Collection Systems. — Ori Lahav, Yue Lu, Uri Shavit, and Richard E Loewenthal; 130(11), 1382-9 (2004).

Shetty, Prasad
Pb in Tap Water Following Simulated Partial Lead Pipe Replacements. — Glen R. Boyd, Prasad Shetty, Anne M. Sandvig, and Gregory L. Pierson; 130(10), 1188-97 (2004).

Shoemaker, Christine A.
Methodology for Analyzing Ranges of Uncertain Model Parameters and Their Impact on Total Maximum Daily Load Process. — Jennifer Benaman and Christine A. Shoemaker; 130(6), 648-56 (2004).

Show, Kuan-Yeow
Effects of Stressed Loading on Startup and Granulation in Upflow Anaerobic Sludge Blanket Reactors. — Kuan-Yeow Show, Joo-Hwa Tay, Limei Yang, Ying Wang, and Choon-Hau Lua; 130(7), 743-50 (2004).

Siegrist, Robert L.
Impact of Reaction Conditions on MnO_2 Genesis during Permanganate Oxidation. — Michelle L. Crimi and Robert L. Siegrist; 130(5), 562-72 (2004).

Sild, Marek
Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Simcox, Alison C.
Environmental Index for Assessing Spatial Bias in Watershed Sampling Networks. — Alison C. Simcox and Ray C. Whittemore; 130(6), 622-30 (2004).

Simms, Paul H.
Estimation of Soil–Water Characteristic Curve of Clayey Till Using Measured Pore-Size Distributions. — Paul H. Simms and Ernest K. Yanful; 130(8), 847-54 (2004).

Simões, Gustavo Ferreira
Effects of Lime on Permeability and Compressibility of Two Tropical Residual Soils. — T. Cássia de Brito Galvão, Ahmed Elsharief , and Gustavo Ferreira Simões; 130(8), 881-5 (2004).

Sin, Gürkan
Discussion of "Assessing Parameter Identifiability of Activated Sludge Model Number 1" by Pedro Afonso and Maria da Conceição Cunha. — Dirk J. W. De Pauw, Gürkan Sin, Güclü Insel, Stijn W. H. Van Hulle, Veronique Vandenberghe, and Peter A. Vanrolleghem; 130(1), 110-2 (2004).

Singh, Vijay P.
Partitioning Analog for Metal Elements in Urban Rainfall-Runoff Overland Flow Using the Soil Conservation Service Curve Number Concept. — S. K. Mishra, J. J. Sansalone, and Vijay P. Singh; 130(2), 145-54 (2004).

Smith, John R.
Release of Polychlorinated Biphenyls from River Sediment to Water under Low-Flow Conditions: Laboratory Assessment. — Enrique Ortiz, Richard G. Luthy, David A. Dzombak, and John R. Smith; 130(2), 126-35 (2004).

Snoeyink, V. L.
Iron Corrosion Scales: Model for Scale Growth, Iron Release, and Colored Water Formation. — P. Sarin, V. L. Snoeyink, D. A. Lytle, and W. M. Kriven; 130(4), 364-73 (2004).

Snoeyink, Vernon L.
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. I: Model Development. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1242-52 (2004).
Pore Blockage Effects on Atrazine Adsorption in a Powdered Activated Carbon/Membrane System. II: Model Verification and Application. — Qilin Li, Benito J. Mariñas, Vernon L. Snoeyink, and Carlos Campos; 130(11), 1253-62 (2004).

Snyder, Shane A.
Removal of 17β Estradiol and Fluoranthene by Nanofiltration and Ultrafiltration. — Yeomin Yoon, Paul Westerhoff, Jaekyung Yoon, and Shane A. Snyder; 130(12), 1460-7 (2004).

Sorial, George A.
The Perchlorate Dilemma in Drinking Water. — George A. Sorial; 130(1), 1-2 (2004).
Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).
Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Speece, Richard E.
Improved Anaerobic Process Efficiency Using Mesophilic and Thermophilic Elutriated Phased Treatment. — Moonil Kim, Wookeun Bae, and Richard E. Speece; 130(9), 960-6 (2004).

Spiller, Martin
Using Continuum Approach to Quantify the Remediation of Nonaqueous Phase Liquid Contaminated Fractured Permeable Formations. — Hillel Rubin, Klaus Rathfelder, Linda M. Abriola, Martin Spiller, and Jürgen Köngeter; 130(11), 1345-56 (2004).

Sponza, Delia Teresa
Properties of Four Biological Flocs as Related to Settling. — Delia Teresa Sponza; 130(11), 1289-300 (2004).

Stegemann, J. A.
Mining of Existing Data for Cement-Solidified Wastes Using Neural Networks. — J. A. Stegemann and N. R. Buenfeld; 130(5), 508-15 (2004).

Stencel, Joseph R.
Photochemical Remediation of Tetrachloroethylene: Reactor Design, Construction, and Preliminary Results. — Kenneth Y. Lee, Jeong-Yub Lee, Johannes Khinast, Joseph R. Stencel, and Moshe Lavid; 130(1), 100-3 (2004).

Stover, L.
Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Stovin, Virginia
Closure to "Bed Shear Stress Boundary Condition for Storage Tank Sedimentation" by Åsa Adamsson, Virginia Stovin, and Lars Bergdahl. — Åsa Adamsson, Virginia Stovin, and Lars Bergdahl; 130(9), 1068-9 (2004).

Stow, Craig A.
Confounding Effect of Flow on Estuarine Response to Nitrogen Loading. — Mark E. Borsuk, Craig A. Stow, and Kenneth H. Reckhow; 130(6), 605-14 (2004).

Subrenat, A.
Adsorption onto Activated Carbon Cloths and Electrothermal Regeneration: Its Potential Industrial Applications. — A. Subrenat and P. Le Cloirec; 130(3), 249-57 (2004).

Suidan, Makram T.
Removal of a Volatile Organic Compound in a Hybrid Rotating Drum Biofilter. — Chunping Yang, Makram T. Suidan, Xueqing Zhu, and Byung J. Kim; 130(3), 282-91 (2004).

Sullivan, Patrick D.
Equilibrium Adsorption of Phenol-, Tire-, and Coal-Derived Activated Carbons for Organic Vapors. — David Ramirez, Patrick D. Sullivan, Mark J. Rood, and K. James Hay; 130(3), 231-41 (2004).
Capture of Organic Vapors Using Adsorption and Electrothermal Regeneration. — Patrick D. Sullivan, Mark J. Rood, Katherine D. Dombrowski, and K. James Hay; 130(3), 258-67 (2004).
Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. — Katherine D. Dombrowski, Christopher M. B. Lehmann, Patrick D. Sullivan, David Ramirez, Mark J. Rood, and K. James Hay; 130(3), 268-75 (2004).

Sung, S. S.
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Suzuki, T.
Hydraulic Study of the Onset of Hypoxia in the Tone River Estuary. — T. Ishikawa, T. Suzuki, and X. Qian; 130(5), 551-61 (2004).

Taerakul, Panuwat
Long-Term Behavior of Fixated Flue Gas Desulfurization Material Grout in Mine Drainage Environments. — Panuwat Taerakul, Mikko Lamminen, Yontian He, Harold W. Walker, Samuel J. Traina, and Earl Whitlatch; 130(7), 816-23 (2004).

Talley, Jeffrey W.
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (T) (2004).

Tao, Wei-Han
Effect of Moisture on the Adsorption of Volatile Organic Compounds by Zeolite 13×. — Wei-Han Tao, Thomas C.-K. Yang, Yaw-Nan Chang, Li-Kai Chang, and Tsair-Wang Chung; 130(10), 1210-6 (2004).

Tay, Joo-Hwa
Chelating-Agent-Enhanced Heavy Metal Extraction from a Contaminated Acidic Soil. — Teik-Thye Lim, Joo-Hwa Tay, and Jing-Yuan Wang; 130(1), 59-66 (2004).
Effects of Stressed Loading on Startup and Granulation in Upflow Anaerobic Sludge Blanket Reactors. — Kuan-Yeow Show, Joo-Hwa Tay, Limei Yang, Ying Wang, and Choon-Hau Lua; 130(7), 743-50 (2004).
Effect of Organic Loading Rate on Aerobic Granulation. I: Reactor Performance. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1094-101 (2004).
Effect of Organic Loading Rate on Aerobic Granulation. II: Characteristics of Aerobic Granules. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1102-9 (2004).
High-Rate Biodegradation of Phenol by Aerobically Grown Microbial Granules. — Joo-Hwa Tay, He-Long Jiang, and Stephen Tiong-Lee Tay; 130(12), 1415-23 (2004).

Tay, Stephen Tiong Lee
Effect of Organic Loading Rate on Aerobic Granulation. I: Reactor Performance. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1094-101 (2004).
Effect of Organic Loading Rate on Aerobic Granulation. II: Characteristics of Aerobic Granules. — Joo-Hwa Tay, Shun Pan, Yanxin He, and Stephen Tiong Lee Tay; 130(10), 1102-9 (2004).

Tay, Stephen Tiong-Lee
High-Rate Biodegradation of Phenol by Aerobically Grown Microbial Granules. — Joo-Hwa Tay, He-Long Jiang, and Stephen Tiong-Lee Tay; 130(12), 1415-23 (2004).

Taylor, Max A.
Long-Term Solidification/Stabilization and Toxicity Characteristic Leaching Procedure for an Electric Arc Furnace Dust. — Robert W. Fuessle and Max A. Taylor; 130(5), 492-8 (2004).
Stabilization of Arsenite Wastes with Prior Oxidation. — Robert W. Fuessle and Max A. Taylor; 130(9), 1063-6 (2004).

Teng, Zheng
In Situ Partial Exfiltration of Rainfall Runoff. I: Quality and Quantity Attenuation. — John Sansalone and Zheng Teng; 130(9), 990-1007 (2004).
In Situ Partial Exfiltration of Rainfall Runoff. II: Particle Separation. — Zheng Teng and John Sansalone; 130(9), 1008-20 (2004).

Thomson, Neil R.
Natural Oxidant Demand of Aquifer Materials Using the Push-Pull Technique. — Kevin G. Mumford, Coby S. Lamarche, and Neil R. Thomson; 130(10), 1139-46 (2004).

Tolaymat, Thabet
Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).

Tong, A. S. F.
Electrochemical Wastewater Disinfection: Identification of Its Principal Germicidal Actions. — X. Y. Li, H. F. Diao, F. X. J. Fan, J. D. Gu, F. Ding, and A. S. F. Tong; 130(10), 1217-21 (2004).

Townsend, Timothy
Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).

Traina, Samuel J.
Long-Term Behavior of Fixated Flue Gas Desulfurization Material Grout in Mine Drainage Environments. — Panuwat Taerakul, Mikko Lamminen, Yontian He, Harold W. Walker, Samuel J. Traina, and Earl Whitlatch; 130(7), 816-23 (2004).

Tsai, Yung-Pin
Modeling a Combined Anaerobic/Anoxic Oxide and Rotating Biological Contactors Process under Dissolved Oxygen Variation by Using an Activated Sludge-Biofilm Hybrid Model. — Tzu-Yi Pai, Shun-Hsing Chuang, Yung-Pin Tsai, and Chaio-Fuei Ouyang; 130(12), 1433-41 (2004).

Tyagi, Rajeshwar Dayal
Pilot Plant Study of Simultaneous Sewage Sludge Digestion and Metal Leaching. — Jean-François Blais, Nathalie Meunier, Guy Mercier, Patrick Drogui, and Rajeshwar Dayal Tyagi; 130(5), 516-25 (2004).

Vandenberghe, Veronique
Discussion of "Assessing Parameter Identifiability of Activated Sludge Model Number 1" by Pedro Afonso and Maria da Conceição Cunha. — Dirk J. W. De Pauw, Gürkan Sin, Güclü Insel, Stijn W. H. Van Hulle, Veronique Vandenberghe, and Peter A. Vanrolleghem; 130(1), 110-2 (2004).

Van Hulle, Stijn W. H.
Discussion of "Assessing Parameter Identifiability of Activated Sludge Model Number 1" by Pedro Afonso and Maria da Conceição Cunha. — Dirk J. W. De Pauw, Gürkan Sin, Güclü Insel, Stijn W. H. Van Hulle, Veronique Vandenberghe, and Peter A. Vanrolleghem; 130(1), 110-2 (2004).

Vanrolleghem, Peter A.
Discussion of "Assessing Parameter Identifiability of Activated Sludge Model Number 1" by Pedro Afonso and Maria da Conceição Cunha. — Dirk J. W. De Pauw, Gürkan Sin, Güclü Insel, Stijn W. H. Van Hulle, Veronique Vandenberghe, and Peter A. Vanrolleghem; 130(1), 110-2 (2004).

Vaughan, Ronald L., Jr.
Microfiltration of a Dental Wastewater for Hg Removal: Clinic Demonstration. — Brian E. Reed, Michael D. Bagby, and Ronald L. Vaughan, Jr.; 130(1), 12-6 (2004).

Vaze, Jai
Nutrient Loads Associated with Different Sediment Sizes in Urban Stormwater and Surface Pollutants. — Jai Vaze and Francis H. S. Chiew; 130(4), 391-6 (2004).

Venosa, Albert D.
Sedimentation of Oil-Mineral Aggregates for Remediation of Vegetable Oil Spills. — Demian E. Wincele, Brian A. Wrenn, and Albert D. Venosa; 130(1), 50-8 (2004).
Oil Spill Dispersant Effectiveness Protocol. I: Impact of Operational Variables. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1073-84 (2004).
Oil Spill Dispersant Effectiveness Protocol. II: Performance of Revised Protocol. — George A. Sorial, Albert D. Venosa, Karen M. Koran, Edith Holder, and Dennis W. King; 130(10), 1085-93 (2004).

Vidic, R. D.
Application of Cross-Flow Microfiltration for the Treatment of Combined Sewer Overflow Wastewater. — J. A. Bendick, C. M. Modise, C. J. Miller, R. D. Neufeld, and R. D. Vidic; 130(12), 1442-9 (2004).

Villeneuve, Jean-Pierre
Global Predictive Real-Time Control of Sewers Allowing Surcharged Flows. — Sophie Duchesne, Alain Mailhot, and Jean-Pierre Villeneuve; 130(5), 526-34 (2004).

Volk, C. J.
Comparative Analysis of Chlorine Dioxide, Free Chlorine and Chloramines on Bacterial Water Quality in Model Distribution Systems. — G. A. Gagnon, K. C. O'Leary, C. J. Volk, C. Chauret, L. Stover, and R. C. Andrews; 130(11), 1269-79 (2004).

Vollertsen, Jes
Effect of Temperature on Air-Water Transfer of Hydrogen Sulfide. — Chaturong Yongsiri, Jes Vollertsen, and Thorkild Hvitved-Jacobsen; 130(1), 104-9 (2004).

Vondruska, Milan
Stabilization/Solidification of Wastewater Treatment Sludge. — Vratislav Bednarik, Milan Vondruska, Marek Sild, and Marek Koutny; 130(12), 1527-33 (2004).

Waisner, Scott
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (T) (2004).

Waite, T. David
Assessment of Trace Estrogenic Contaminants Removal by Coagulant Addition, Powdered Activated Carbon Adsorption and Powdered Activated Carbon/Microfiltration Processes. — Sheng Chang, T. David Waite, Peter E. A. Ong, Andrea I. Schäfer, and Anthony G. Fane; 130(7), 736-42 (2004).

Waite, Thomas D.
Radiation-Assisted Process Enhancement in Wastewater Treatment. — Daniel E. Meeroff, Thomas D. Waite, Junko Kazumi, and Charles N. Kurucz; 130(2), 155-66 (2004).

Walk, Robert
Packed Column and Hollow Fiber Air Stripping of a Contaminant-Surfactant Stream. — John H. O'Haver, Robert Walk, Boonyarach Kitiyanan, Jeffrey H. Harwell, and David A. Sabatini; 130(1), 4-11 (2004).

Walker, Harold W.
Long-Term Behavior of Fixated Flue Gas Desulfurization Material Grout in Mine Drainage Environments. — Panuwat Taerakul, Mikko Lamminen, Yontian He, Harold W. Walker, Samuel J. Traina, and Earl Whitlatch; 130(7), 816-23 (2004).

Wallace, Stuart
Microwave Technology for Treatment of Fume Hood Exhaust. — Chang Yul Cha, Stuart Wallace, Alan H. George, and Scott Rogers; 130(3), 338-48 (2004).

Wander, Joseph D.
Capture and Recovery or Destruction of Trace Vapors from Gas Streams. — Joseph D. Wander and Mark J. Rood; 130(3), 209-10 (2004).
Catalytic Oxidation of Volatile Organic Liquids. — Shane E. Roark, Jimena Cabrera-Fonseca, Michael C. Milazzo, James H. White, and Joseph D. Wander; 130(3), 329-37 (2004).

Wang, C. C.
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Wang, G. Q.
Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

Wang, Guang-Te
Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Wang, Hua
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Wang, Jing-Yuan
Chelating-Agent-Enhanced Heavy Metal Extraction from a Contaminated Acidic Soil. — Teik-Thye Lim, Joo-Hwa Tay, and Jing-Yuan Wang; 130(1), 59-66 (2004).

Wang, Yi-Tin
Role of Bacteria in Arsenic Removal from an Aqueous Environment. — Yi-Tin Wang; 130(10), 1071 (2004).

Wang, Ying
Effects of Stressed Loading on Startup and Granulation in Upflow Anaerobic Sludge Blanket Reactors. — Kuan-Yeow Show, Joo-Hwa Tay, Limei Yang, Ying Wang, and Choon-Hau Lua; 130(7), 743-50 (2004).

Wang, Z.-Y.
Modeling of Vegetation-Erosion Dynamics in Watershed Systems. — Z.-Y. Wang, G. H. Huang, G. Q. Wang, and J. Gao; 130(7), 792-800 (2004).

Watanabe, Masataka
HSPF Simulation of Runoff and Sediment Loads in the Upper Changjiang River Basin, China. — Seiji Hayashi, Shogo Murakami, Masataka Watanabe, and Xu Bao-Hua; 130(7), 801-15 (2004).

Weaver, Tamie R.
Environmental Geochemistry of Leachate From Leached Brown Coal Ash. — Gavin M. Mudd, Tamie R. Weaver, and Jayantha Kodikara; 130(12), 1514-26 (2004).

Weintraub, Laura
Decision Support System for Stakeholder Involvement. — Carl W. Chen, Joel Herr, and Laura Weintraub; 130(6), 714-21 (2004).

Westerhoff, Paul
Removal of 17β Estradiol and Fluoranthene by Nanofiltration and Ultrafiltration. — Yeomin Yoon, Paul Westerhoff, Jaekyung Yoon, and Shane A. Snyder; 130(12), 1460-7 (2004).

Wheater, Howard
Numerical Efficiency in Monte Carlo Simulations—Case Study of a River Thermodynamic Model. — Neil McIntyre, Bethanna Jackson, Howard Wheater, and Steven Chapra; 130(4), 456-64 (2004).

White, James H.
Catalytic Oxidation of Volatile Organic Liquids. — Shane E. Roark, Jimena Cabrera-Fonseca, Michael C. Milazzo, James H. White, and Joseph D. Wander; 130(3), 329-37 (2004).

Whitlatch, Earl
Long-Term Behavior of Fixated Flue Gas Desulfurization Material Grout in Mine Drainage Environments. — Panuwat Taerakul, Mikko Lamminen, Yontian He, Harold W. Walker, Samuel J. Traina, and Earl Whitlatch; 130(7), 816-23 (2004).

Whittemore, Ray
EPA CREM—Good Science or Rhetoric? — Ray Whittemore; 130(6), 589 (2004).

Whittemore, Ray C.
Environmental Index for Assessing Spatial Bias in Watershed Sampling Networks. — Alison C. Simcox and Ray C. Whittemore; 130(6), 622-30 (2004).

Whittemore, Raymond C.
Importance of Field Data in Stream Water Quality Modeling Using *QUAL2E-UNCAS*. — Thomas O. Barnwell, Jr., Linfield C. Brown, and Raymond C. Whittemore; 130(6), 643-7 (2004).

Williams, T.
Oxidation of Toluene in Waste Gas Streams Using Mesoporous Ti-Hexagonal Mesoporous Silica. — T. Williams, J. Beltramini, and G. Q. Lu; 130(3), 356-9 (2004).

Wilson, Derek
Staged Coagulation for Treatment of Refractory Organics. — David A. Fearing, Emma H. Goslan, Jenny Banks, Derek Wilson, Peter Hillis, Andrew T. Campbell, and Simon A. Parsons; 130(9), 975-82 (2004).

Wincele, Demian E.
Sedimentation of Oil-Mineral Aggregates for Remediation of Vegetable Oil Spills. — Demian E. Wincele, Brian A. Wrenn, and Albert D. Venosa; 130(1), 50-8 (2004).

Woertz, Jennifer R.
Influence of Sodium Dodecyl Sulfate and Tween 20 on Fungal Growth and Toluene Degradation in a Vapor-Phase Bioreactor. — Jennifer R. Woertz and Kerry A. Kinney; 130(3), 292-9 (2004).

Wong, Man-Tak
Impact of Increased Chloride Concentration on Nitrifying-Activated Sludge Cultures. — Guang-Hao Chen and Man-Tak Wong; 130(2), 116-25 (2004).

Wood, Don J.
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. I: Description of Test Rig and Chemical Tracer Method. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 774-7 (2004).
Intrusion within a Simulated Water Distribution System due to Hydraulic Transients. II: Volumetric Method and Comparison of Results. — Glen R. Boyd, Hua Wang, Michael D. Britton, Douglas C. Howie, Don J. Wood, James E. Funk, and Melinda J. Friedman; 130(7), 778-83 (2004).

Wörman, Anders
Sorption Behavior and Long-Term Retention of Reactive Solutes in the Hyporheic Zone of Streams. — Karin Jonsson, Håkan Johansson, and Anders Wörman; 130(5), 573-84 (2004).

Wrenn, Brian A.
Sedimentation of Oil-Mineral Aggregates for Remediation of Vegetable Oil Spills. — Demian E. Wincele, Brian A. Wrenn, and Albert D. Venosa; 130(1), 50-8 (2004).

Wu, Chang-Yu
Control of Chromated Copper Arsenate Wood Incineration Air Emissions and Ash Leaching Using Sorbent Technology. — Kenjiro Iida, John Pierman, Thabet Tolaymat, Timothy Townsend, and Chang-Yu Wu; 130(2), 184-92 (2004).
Control of Molybdenum Emission by Sorbents: Equilibrium Analysis. — Kuk Cho and Chang-Yu Wu; 130(2), 201-4 (2004).

Wu, Chih-Cheng
Control of Vaporous Naphthalene by Scrubbing with Surfactants. — Chih-Cheng Wu and Whei-May Grace Lee; 130(3), 276-81 (2004).

Wu, N. M.
Conditioning of Wastewater Sludge from Science-Based Industrial Park Using Freezing and Thawing. — M. R. Chang, L. I. Chiang, D. J. Lee, J. C. Liu, N. M. Wu, W. C. Chen, and B. M. Hsu; 130(12), 1552-5 (T) (2004).

Wu, R. M.
Treating High-Turbidity Water Using Full-Scale Floc Blanket Clarifiers. — W. W. Lin, S. S. Sung, L. C. Chen, H. Y. Chung, C. C. Wang, R. M. Wu, D. J. Lee, Chihpin Huang, R. S. Juang, X. F. Peng, and Hsi-Lih Chang; 130(12), 1481-7 (2004).

Xagoraraki, Irene
Zeta Potential, Dissolved Organic Carbon, and Removal of *Cryptosporidium* Oocysts by Coagulation and Sedimentation. — Irene Xagoraraki and Gregory W. Harrington; 130(12), 1424-32 (2004).

Yanful, Ernest K.
Estimation of Soil–Water Characteristic Curve of Clayey Till Using Measured Pore-Size Distributions. — Paul H. Simms and Ernest K. Yanful; 130(8), 847-54 (2004).

Yang, Chunping
Removal of a Volatile Organic Compound in a Hybrid Rotating Drum Biofilter. — Chunping Yang, Makram T. Suidan, Xueqing Zhu, and Byung J. Kim; 130(3), 282-91 (2004).

Yang, Limei
Effects of Stressed Loading on Startup and Granulation in Upflow Anaerobic Sludge Blanket Reactors. — Kuan-Yeow Show, Joo-Hwa Tay, Limei Yang, Ying Wang, and Choon-Hau Lua; 130(7), 743-50 (2004).

Yang, Thomas C.-K.
Effect of Moisture on the Adsorption of Volatile Organic Compounds by Zeolite 13×. — Wei-Han Tao, Thomas C.-K. Yang, Yaw-Nan Chang, Li-Kai Chang, and Tsair-Wang Chung; 130(10), 1210-6 (2004).

Yang, Xiaoyun
Flow of Gasoline through Composite Liners. — Xiaoyun Yang and Irene M. C. Lo; 130(8), 886-90 (2004).
Migration of Heavy Metals in Saturated Sand and Bentonite/Soil Admixture. — Irene M. C. Lo, Alex F. T. Luk, and Xiaoyun Yang; 130(8), 906-9 (2004).

Yoder, Chris O.
Biological Assessment and Criteria Improve Total Maximum Daily Load Decision Making. — James R. Karr and Chris O. Yoder; 130(6), 594-604 (2004).

Yonge, David R.
Modeling Flow and Pollutant Removal of Wet Detention Pond Treating Stormwater Runoff. — Guang-Te Wang, Shulin Chen, Michael E. Barber, and David R. Yonge; 130(11), 1315-21 (2004).

Yongsiri, Chaturong
Effect of Temperature on Air-Water Transfer of Hydrogen Sulfide. — Chaturong Yongsiri, Jes Vollertsen, and Thorkild Hvitved-Jacobsen; 130(1), 104-9 (2004).

Yoon, Jaekyung
Removal of 17β Estradiol and Fluoranthene by Nanofiltration and Ultrafiltration. — Yeomin Yoon, Paul Westerhoff, Jaekyung Yoon, and Shane A. Snyder; 130(12), 1460-7 (2004).

Yoon, Yeomin
Removal of 17β Estradiol and Fluoranthene by Nanofiltration and Ultrafiltration. — Yeomin Yoon, Paul Westerhoff, Jaekyung Yoon, and Shane A. Snyder; 130(12), 1460-7 (2004).

Yu, Feng Dong
Electrothermal Desorption Using Joule Effect on an Activated Carbon Monolith. — Feng Dong Yu, Ling Ai Luo, and Georges Grévillot; 130(3), 242-8 (2004).

Yu, Shaw L.
Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).

Zappi, Mark E.
Ozonation of 2,6-, 3,4-, and 3,5-Dichlorophenol Isomers within Aqueous Solutions. — Yongqiang Qiu, Chiang-Hai Kuo, Mark E. Zappi, and Elizabeth C. Fleming; 130(4), 408-16 (2004).

Zechman, Emily
Methodology for pH Total Maximum Daily Loads: Application to Beech Creek Watershed. — Lindell Ormsbee, Amin Elshorbagy, and Emily Zechman; 130(2), 167-74 (2004).

Zenker, Matthew J.
Biodegradation of 1,4-Dioxane Using Trickling Filter. — Matthew J. Zenker, Robert C. Borden, and Morton A. Barlaz; 130(9), 926-31 (2004).

Zhang, Harry X.
Applying the First-Order Error Analysis in Determining the Margin of Safety for Total Maximum Daily Load Computations. — Harry X. Zhang and Shaw L. Yu; 130(6), 664-73 (2004).

Zhang, Weidong
Bacterial Regrowth Model for Water Distribution Systems Incorporating Alternating Split-Operator Solution Technique. — Weidong Zhang, Cass T. Miller, and Francis A. DiGiano; 130(9), 932-41 (2004).

Zhang, Xiangru
Study of the Potential for Bioremediation of Petroleum Hydrocarbons within Smear Zone Soils. — Jeffrey W. Talley, Xiangru Zhang, Scott Waisner, David Ringelberg, and Lance Hansen; 130(11), 1401-6 (T) (2004).

Zhao, Dongye
Characterizing Polyurethane Foam as a Sink for or Source of Volatile Organic Compounds in Indoor Air. — Dongye Zhao, John C. Little, and Steven S. Cox; 130(9), 983-9 (2004).

Zhu, Xueqing
Removal of a Volatile Organic Compound in a Hybrid Rotating Drum Biofilter. — Chunping Yang, Makram T. Suidan, Xueqing Zhu, and Byung J. Kim; 130(3), 282-91 (2004).